# Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878

## Section 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

| | |
|---|---|
| Product name | CA Poly C.A |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

| **Intended use** |
|---|
| Unsaturated polyester resin-based mastic sealant |

### 1.3 Details of the supplier of the safety data sheet

| | |
|---|---|
| Company name | TORGGLER S.R.L. |
| Full address | Via Prati Nuovi 9 |
| Town | Marlengo |
| Postal code | 39020 |
| Province | BZ |
| Country | Italy |
| Phone number | +39 0473 282400 |
| Fax | +39 0473 282501 |
| e-mail address of the competent person responsible for the Safety Data Sheet | reach@torggler.com |

### 1.4 Emergency telephone number

| | |
|---|---|
| For urgent inquiries refer to | +39 348 662 70 93 (08.00 - 17.30) |

## Section 2 Hazards identification

### 2.1 Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.
Any additional information concerning the risks for health and/or the environment is given in sections 11 and 12 of this sheet.

| **Hazard classification** | | |
|---|---|---|
| Skin irritation, category 2 | H315 | Causes skin irritation. |
| Skin sensitization, category 1 | H317 | May cause an allergic skin reaction. |
| Eye irritation, category 2 | H319 | Causes serious eye irritation. |
| Hazardous to the aquatic environment, chronic toxicity, category 3 | H412 | Harmful to aquatic life with long lasting effects. |

### 2.2 Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

**Hazard pictograms**



| **Signal word** |
|---|
| Warning |

Section 2

| Hazard statements | |
|---|---|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H412 | Harmful to aquatic life with long lasting effects. |

| Precautionary statements | |
|---|---|
| P501 | Dispose of contents and container in accordance with local and national regulations. |
| P102 | Keep out of reach of children. |
| P101 | If medical advice is needed, have product container or label at hand. |
| P261 | Avoid breathing mist, spray, vapours. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P280 | Wear protective gloves / eye protection / face protection. |

| Contains |
|---|
| 2-hydroxyethyl methacrylate |

### 2.3 Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.
The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

## Section 3 Composition/information on ingredients

### 3.2 Mixtures

**2-hydroxyethyl methacrylate**

| | |
|---|---|
| Concentration | 9.8 ≤ x < 15.3 % |
| CAS number | 868-77-9 |
| EC number | 212-782-2 |
| INDEX number | 607-124-00-X |
| Registration Number | 01-2119490169-29-xxxx |
| Hazard classification | ▪ Skin Irrit. 2; H315<br>▪ Skin Sens. 1; H317<br>▪ Eye Irrit. 2; H319 |
| Classification note according to Annex VI to the CLP Regulation: | D |

**Vinyltoluene**

| | |
|---|---|
| Concentration | 5.5 ≤ x < 10 % |
| CAS number | 25013-15-4 |
| EC number | 246-562-2 |
| Registration Number | 01-2119622074-50-xxxx |
| Hazard classification | ▪ Flam. Liq. 3; H226<br>▪ Asp. Tox. 1; H304<br>▪ Skin Irrit. 2; H315<br>▪ Eye Irrit. 2; H319<br>▪ Acute Tox. 4; H332<br>▪ Aquatic Acute 1; H400<br>▪ Aquatic Chronic 2; H411 |
| M Factor (acute) | 1 |
| ATE (Inhalation - vapours) | 11 mg/l |

**QUARTZ**

| | |
|---|---|
| Concentration | 0.048 ≤ x < 0.208 % |

Section 3

| | |
|---|---|
| CAS number | 14808-60-7 |
| EC number | 238-878-4 |
| Hazard classification | ▪ STOT RE 1; H372 |
| Substance with a community workplace exposure limit. | |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# Section 4 First aid measures

## 4.1 Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.
In case of more severe symptoms, ask for immediate medical aid.
EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.
SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.
INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.
INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

**Rescuers protection**

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

## 4.2 Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.
DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

## 4.3 Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice / attention.

**Means to have available in the workplace for specific and immediate treatment**

Running water for skin and eye wash.

# Section 5 Firefighting measures

## 5.1 Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT
Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.
UNSUITABLE EXTINGUISHING EQUIPMENT
Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

## 5.2 Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

## 5.3 Advice for firefighters

GENERAL INFORMATION

Section 5

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS
Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## Section 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.
Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2 Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3 Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4 Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## Section 7 Handling and storage

### 7.1 Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

### 7.2 Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

| **Storage class TRGS 510 (Germany)** |
|---|
| None |

**Applicable technical instruction according to Royal Decree 656/2017:**

| Classification | Storage in fixed containers | Storage in mobile containers |
|---|---|---|
| ▪ H412 – Aquatic Chronic 3<br>▪ H317 – Skin Sens. 1<br>▪ H315 – Skin Irrit. 2<br>▪ H319 – Eye Irrit. 2 | Not applicable | MIE APQ-10 – Storage in mobile containers |
| Respect the joint storage conditions established in Royal Decree 656/2017. | | |

### 7.3 Specific end use(s)

Information not available.

# Section 8 Exposure controls/personal protection

## 8.1 Control parameters

| Regulatory references | |
|---|---|
| ACGIH | ACGIH 2026 |
| European Union-OEL | Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. |
| Ireland-OELV | 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019) |
| Malta-TLV | PROTECTION OF THE HEALTH AND SAFETY OF WORKERS FROM THE RISKS RELATED TO CHEMICAL AGENTS AT WORK REGULATIONS (S.L.424.24). PROTECTION OF WORKERS FROM THE RISKS RELATED TO EXPOSURE TO CARCINOGENS OR MUTAGENS AT WORK REGULATIONS (S.L.424.22) |

**QUARTZ**

| | TWA | | STEL | | CEILING | | Remarks | |
|---|---|---|---|---|---|---|---|---|
| | mg/m³ | ppm | mg/m³ | ppm | mg/m³ | ppm | | |
| ACGIH | 0.025 | | | | | | Respiratory | |
| European Union-OEL | 0.1 | | | | | | Respiratory | |
| Ireland-OELV | 0.1 | | | | | | Respiratory | |
| Ireland-OELV | 0.1 | | | | | | -- | |
| Malta-TLV | 0.1 | | | | | | Respiratory | As Silica |

**2-hydroxyethyl methacrylate**

| Predicted no-effect concentration - PNEC | |
|---|---|
| Normal value of STP microorganisms | 10 mg/l |
| Normal value in fresh water | 0.482 mg/l |
| Normal value for fresh water sediment | 3.79 mg/kg/d |
| Normal value in marine water | 0.482 mg/l |
| Normal value for marine water sediment | 3.79 mg/kg/d |
| Normal value for the terrestrial compartment | 0.476 mg/kg/d |
| Normal value for water, intermittent release | 1 mg/l |

| Health - Derived no-effect level - DNEL / DMEL | Local effect | Systemic effect |
|---|---|---|
| Consumers, long-term, dermal | | 1.3 mg/kg bw/d |
| Consumers, long-term, inhalation | | 2.9 mg/m³ |
| Consumers, long-term, oral | | 0.83 mg/kg bw/d |
| Workers, long-term, dermal | | 0.83 mg/kg bw/d |
| Workers, long-term, inhalation | | 4.9 mg/m³ |

## 8.2 Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.
When choosing personal protective equipment, ask your chemical substance supplier for advice.
Personal protective equipment must be CE marked, showing that it complies with applicable standards.
When choosing risk management measures and operating conditions, consult the exposure scenarios attached.
Provide an emergency shower with face and eye wash station.

HAND PROTECTION
Protect hands with category III work gloves (see standard EN 374).
The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.
Protect your hands with gloves of the following type:

Section 8

**Protect your hands with gloves of the following type**

| Material | Thickness | Breakthrough time |
|---|---|---|
| **Nitrile rubber (NBR)**<br>The following should be considered when choosing work glove material: compatibility, degradation, permeability time. | **0.4 mm**<br>– | **480 min**<br>– |

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344/EN ISO 13034).
Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION
If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a type AX filter, whose limit of use will be defined by the manufacturer (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

# Section 9 Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | pasty liquid | |
| Colour | cream | |
| Odour | characteristic | |
| Odour threshold | Not applicable | |
| Melting point / freezing point | Not available | |
| Initial boiling point | > 35 °C (> 95 °F) | |
| Flammability | Not available | |
| Lower explosive limit | Not available | |
| Upper explosive limit | Not available | |
| Flash point | Not applicable | |
| Auto-ignition temperature | Not available | |
| Decomposition temperature | Not available | |
| pH | not soluble in water | |
| Kinematic viscosity | > 20.5 $mm^2/s$ | |
| Solubility | insoluble in water | |
| Partition coefficient: n-octanol/water | Not available | |
| Vapour pressure | Not available | |
| Density and/or relative density | 1.6 ≤ x ≤ 1.8 kg/l | |
| Relative vapour density | Not available | |

**Particle characteristics**

Information not available.

### 9.2 Other information

#### 9.2.1 Information with regard to physical hazards

Information not available.

#### 9.2.2 Other safety characteristics

| | | |
|---|---|---|
| Total solids | 91.01 % | Temperature: 250 °C (482 °F) |
| VOC (Directive 2010/75/EU) | 8.99 % – 144 g/l | |

## Section 10 Stability and reactivity

### 10.1 Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2 Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3 Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

### 10.4 Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

### 10.5 Incompatible materials

Information not available.

### 10.6 Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

## Section 11 Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1 Metabolism, toxicokinetics, mechanism of action and other information

Information not available.

#### 11.1.2 Information on likely routes of exposure

Information not available.

#### 11.1.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available.

#### 11.1.4 Interactive effects

Information not available.

Section 11

**11.1.5 ACUTE TOXICITY**

| | |
|---|---|
| ATE (Inhalation - vapours) of the mixture | > 20 mg/l |
| ATE (Oral) of the mixture | Not classified (no significant component) |
| ATE (Dermal) of the mixture | Not classified (no significant component) |

**2-hydroxyethyl methacrylate**

| | | |
|---|---|---|
| LD50 (Oral): | 5,564 mg/kg | Species/guidelines: Rat |
| LD50 (Dermal): | > 5,000 mg/kg | Species/guidelines: Rat |

**Vinyltoluene**

| | | |
|---|---|---|
| LD50 (Oral): | 3,680 mg/kg | Species/guidelines: Rat |
| LD50 (Dermal): | > 4,990 mg/kg | Species/guidelines: Rat |
| LC50 (Inhalation vapours): | 3,535 | Exposure duration: 4 hours<br>Species/guidelines: Rat |
| ATE (Inhalation - vapours) | 11 mg/l | estimate from table 3.1.2 of Annex I of the CLP<br>(figure used for calculation of the acute toxicity estimate of the mixture) |

LC50 (inhalation) of the mix: >20 mg l; LD50 (oral) of the mix: not classified; LD50 (cutaneous): not classified

**11.1.6 SKIN CORROSION/IRRITATION**

Causes skin irritation.

**11.1.7 SERIOUS EYE DAMAGE / IRRITATION**

Causes serious eye irritation.

**11.1.8 RESPIRATORY OR SKIN SENSITISATION**

Sensitising for the skin

**11.1.9 GERM CELL MUTAGENICITY**

Does not meet the classification criteria for this hazard class

**11.1.10 CARCINOGENICITY**

Does not meet the classification criteria for this hazard class

**11.1.11 REPRODUCTIVE TOXICITY**

Does not meet the classification criteria for this hazard class

**11.1.12 STOT - SINGLE EXPOSURE**

Does not meet the classification criteria for this hazard class

**11.1.13 STOT - REPEATED EXPOSURE**

Does not meet the classification criteria for this hazard class

**11.1.14 ASPIRATION HAZARD**

Does not meet the classification criteria for this hazard class
Viscosity:

## 11.2 Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

# Section 12 Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

## 12.1 Toxicity

**2-hydroxyethyl methacrylate**

| | | |
|---|---|---|
| EC50 - for Crustacea | > 380 mg/l | Exposure duration: 48 hours |
| LC50 - for Fish | > 100 mg/l | Exposure duration: 96 hours<br>Species/guidelines: (OECD TG 203) |
| EC50 - for Algae / Aquatic Plants | 836 mg/l | Exposure duration: 72 hours |
| Chronic NOEC for Fish | < 100 mg/l | Species/guidelines: (EOCD TG 211) |
| Chronic NOEC for Crustacea | 24.1 mg/l | |
| Chronic NOEC for Algae / Aquatic Plants | 400 mg/l | Species/guidelines: 72 h |

**Vinyltoluene**

| | | |
|---|---|---|
| EC10 for Algae / Aquatic Plants | 0.25 mg/l | Exposure duration: 72 hours |
| EC50 - for Crustacea | 9.3 mg/l | Exposure duration: 48 hours |
| LC50 - for Fish | 5.2 mg/l | Exposure duration: 96 hours |
| EC50 - for Algae / Aquatic Plants | 0.319 mg/l | Exposure duration: 72 hours |

## 12.2 Persistence and degradability

**2-hydroxyethyl methacrylate**

| | | |
|---|---|---|
| Degradability | Rapidly degradable | |

**Vinyltoluene**

| | | |
|---|---|---|
| Solubility in water | 89 mg/l | |
| Degradability | NOT rapidly degradable | |

## 12.3 Bioaccumulative potential

**2-hydroxyethyl methacrylate**

| | |
|---|---|
| Partition coefficient n-octanol/water | 0.42 LogKow |

**Vinyltoluene**

| | |
|---|---|
| Partition coefficient n-octanol/water | 3.44 LogKow |

## 12.4 Mobility in soil

Information not available.

## 12.5 Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

## 12.6 Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

## 12.7 Other adverse effects

Information not available.

## Section 13 Disposal considerations

EER 080410 - Hindu product; 080409 - product not hardened.

### 13.1 Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

| **Directive 2008/98/EC (waste)** |
|---|
| For the disposal of waste from this material, the hazard characteristics shall be assessed in accordance with Directive 2008/98/EC. Any transboundary shipment must comply with Regulation (EU) 2024/1157. |

| **Hazardous waste classification - Reg. (UE) 1357/2014** |
|---|
| HP 4 – Irritant — skin irritation and eye damage |
| HP 13 – Sensitising |
| HP 14 – Ecotoxic |

## Section 14 Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1 UN number or ID number

Not applicable

### 14.2 UN proper shipping name

Not applicable

### 14.3 Transport hazard class(es)

Not applicable

### 14.4 Packing group

Not applicable

### 14.5 Environmental hazards

Not applicable

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable

# Section 15 Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Seveso Category - Directive 2012/18/EU:**

None

**Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006**

| | Restrictions | Registration Number EU |
|---|---|---|
| Product restrictions | 3, 40 | |
| **Contained substance** | | |
| | 75 | |

**Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors**

Not applicable

| Substances in Candidate List (Art. 59 REACH) | Registration Number EU |
|---|---|
| On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%. | |

| Substances subject to authorisation (Annex XIV REACH) | Authorisation Number | Sunset date | Registration Number EU |
|---|---|---|---|
| None | | | |

**Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:**

None

**Substances subject to the Rotterdam Convention:**

None

**Substances subject to the Stockholm Convention:**

None

**Regulation (EU) 2019/1021 - on persistent organic pollutants**

None

**Healthcare controls**

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

**Notification Art. 45 CLP**

The mixture may not have been notified in all EU Member States. In the event of resale in a country other than the one in which it was purchased, contact the supplier to verify any applicable obligations.

**Regulation (EU) 2024/590 – Substances that deplete the ozone layer**

| Annex I. Contains: | Annex II. Contains: |
|---|---|
| None | None |

**German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)**

WGK3 – Severe hazard to waters

**Denmark - MAL code - Executive Order No. 301 of 13 May 1993**

n.a.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## Section 16 Other information

| Text of hazard (H) indications mentioned in section 2-3 of the sheet: | |
|---|---|
| Acute Tox. 4 | Acute toxicity, category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment, acute toxicity, category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment, chronic toxicity, category 2 |
| Asp. Tox. 1 | Aspiration hazard, category 1 |
| Eye Irrit. 2 | Eye irritation, category 2 |
| Flam. Liq. 3 | Flammable liquid, category 3 |
| Skin Irrit. 2 | Skin irritation, category 2 |
| Skin Sens. 1 | Skin sensitization, category 1 |
| STOT RE 1 | Specific target organ toxicity - repeated exposure, category 1 |
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

**Legend**

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EC50: Effective concentration (required to induce a 50% effect)
- EC: Identifier in ESIS (European archive of existing substances)
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative

Section 16

**Legend**

- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

**General Bibliography**

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I ATP CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II ATP CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III ATP CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV ATP CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V ATP CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI ATP CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII ATP CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII ATP CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX ATP CLP)
13. Regulation (EU) 2017/776 (X ATP CLP)
14. Regulation (EU) 2018/669 (XI ATP CLP)
15. Regulation (EU) 2019/521 (XII ATP CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII ATP CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (EU) 2020/217 (XIV ATP CLP)
19. Delegated Regulation (EU) 2020/1182 (XV ATP CLP)
20. Delegated Regulation (EU) 2021/643 (XVI ATP CLP)
21. Delegated Regulation (EU) 2021/849 (XVII ATP CLP)
22. Delegated Regulation (EU) 2022/692 (XVIII ATP CLP)
23. Delegated Regulation (EU) 2023/707
24. Delegated Regulation (EU) 2023/1434 (XIX ATP CLP)
25. Delegated Regulation (EU) 2023/1435 (XX ATP CLP)
26. Delegated Regulation (EU) 2024/197 (XXI ATP CLP)
27. Delegated Regulation (EU) 2024/2564 (XXII ATP CLP)
28. Regulation (EU) 2024/2865
29. Delegated Regulation (EU) 2025/1222 (XXIII ATP CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

**Note for users**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.
This document must not be regarded as a guarantee on any specific product property.
The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.
Provide appointed staff with adequate training on how to use chemical products.

**Calculation methods for classification**

Chemical and physical hazards:
Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.
Health hazards:
Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.
Environmental hazards:
Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

**Changes from the previous revision**

This SDS has been prepared with a different software from the one previous revision. The new calculation does not allow us to identify all the differences compared to the previous version. We therefore recommend carefully reviewing all 16 sections of the SDS. We remain available to provide any clarification regarding the content or the changes made compared to the previous version, which is available to professional or industrial users.