

# Torggler



**PRODUCT CATALOGUE**  
**2023**

# Torggler

## PRODUCT CATALOGUE 2023

### **Torggler S.r.l.**

Via Prati Nuovi 9  
39020 Marlengo (BZ)  
Tel.: +39 0473 282 400

[info@torggler.com](mailto:info@torggler.com)  
[www.torggler.com](http://www.torggler.com)

### **Partita IVA**

00851700211

### **IBAN**


IT72 Y060 4558 5900 0000 0370 800

Torggler



# 1. Sealants

- 1.1 Primers for Silicones
- 1.2 Silicone Sealants
- 1.3 Acrylic Sealants
- 1.4 Hybrid Products
- 1.5 Polyurethane Sealants
- 1.6 Special Products
- 1.7 Accessories for Sealants



## 1.1 PRIMERS FOR SILICONES

### SITOL<sup>®</sup> PRIMER DECK CAULKING

Primer for sealants on wooden and porous substrates.

- Protection of teak wood
- Improving adhesion on wood substrates
- Pre-treatment of teak deck components



Code	Packaging size	Cat.	Price
5664	10x0.5 l		n/a




### PRIMER SILICONE

Pre-spreading for silicone sealants, siloxane resin in solvent-based, for priming the sides of joints subject to high stress and/or where adhesion may be difficult.

Consumption on smooth, non-absorbent surfaces: 20 g/m<sup>2</sup> Consumption on porous absorbent surfaces: 50-300 g/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Cat.	Price €/l
6352	 Transparent	metal bucket	0,5 l	A5	59,54€



## 1.2 SILICONE SEALANTS

### LAMIERA

Neutral curing silicone sealant specifically for tin roofing works.

- High sealing properties
- Permanent elasticity
- Excellent resistance to aging
- 5 colours

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
5259	102 White RAL 9010	cartridge	24x310 ml	64 cardboards	A1	10,34€
5343	130 Ivory	cartridge	24x310 ml	64 cardboards	A1	10,91€
6168	203 Sand grey	cartridge	24x310 ml	64 cardboards	A1	9,84€
5299	235 Aluminium	cartridge	24x310 ml	64 cardboards	A1	10,52€
6165	237 Grey	cartridge	24x310 ml	64 cardboards	A1	9,84€
5277	280 Anthracite RAL 7016	cartridge	24x310 ml	64 cardboards	A1	10,34€
6166	374 Copper	cartridge	24x310 ml	64 cardboards	A1	9,84€
6167	395 Dark brown	cartridge	24x310 ml	64 cardboards	A1	9,84€
5154	460 Sienared	cartridge	24x310 ml	64 cardboards	A1	10,34€



## DOMUS

Neutral curing silicone sealant with anti-mould agent and low modulus of elasticity

- UV-resistant
- Suitable for wooden finishes and furniture
- For indoor and outdoor use
- Colour matching with cementitious Tile Grout
- Stain-resistant: suitable for installation of mirrors
- MEKO FREE formulation

Consumption per linear metre Joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc	
5605	020 Transparent	cartridge	24x310 ml	64 cardboards	A1	10,85€	8030334056055
5606	102 White RAL 9010	cartridge	24x310 ml	64 cardboards	A1	10,85€	8030334056062
5607	103 White RAL 9016	cartridge	24x310 ml	64 cardboards	A1	10,85€	8030334056079
5617	150 Jasmin	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056178
5603	140 Ivory RAL 1013	cartridge	24x310 ml	64 cardboards	A1	10,85€	8030334056031
5618	200 Manhattan	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056185
5616	205 Pearl grey	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056161
5608	210 Bright grey	cartridge	24x310 ml	64 cardboards	A1	10,85€	8030334056086
5614	230 Grey	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056147
5615	250 Metallic grey	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056154
5604	280 Anthracite RAL 7016	cartridge	24x310 ml	64 cardboards	A1	10,85€	8030334056048
5609	291 Black RAL 9005	cartridge	24x310 ml	64 cardboards	A1	10,85€	8030334056093
5623	310 Vanilla	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056239
5610	320 Bahama	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056109
5611	330 Beige	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056116
5620	340 Hazelnut	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056208
5619	350 Brown	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056192
5613	360 Chocolate	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056130
5622	370 Terracotta	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056222
5621	376 Walnut	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056215
5612	380 Chestnut	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056123
5624	550 Green RAL 6005	cartridge	12x310 ml	116 cardboards	A1	10,85€	8030334056246

## MARBLE & STONE


Neutral curing silicone sealant with low modulus of elasticity for marble and natural stone.

- No stains
- High UV resistance
- Colour matching with cement joints Tile grout
- Anti-mould agent
- Certified for the installation of windows and doors
- MEKO FREE formulation

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
5602	020 Transparent	cartridge	12x310 ml	116 cardboards	A1	11,48€
5599	100 White	cartridge	12x310 ml	116 cardboards	A1	11,48€
5600	220 Cement grey	cartridge	12x310 ml	116 cardboards	A1	11,48€
5598	260 Anthracite	cartridge	12x310 ml	116 cardboards	A1	11,48€
5601	377 Walnut	cartridge	12x310 ml	116 cardboards	A1	11,48€



## NEUTRAL

Transparent, neutral-curing silicone sealant for corner joints and glass.

- Excellent resistance to aging and UV rays
- Long-lasting seal

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
6188	020 Transparent	cartridge	24x310 ml	64 cardboards	A1	9,21€
6523	020 Transparent	foil bag	20x600 ml	36 cardboards	A1	17,16€
6651	020 Transparent	drum	20 l	-	A1	28,19€





## LOW MODULUS

Neutral cured silicone sealant.

- Suitable for construction, civil engineering and prefabricated elements
- High UV resistance
- High adhesion
- 30 years proven efficiency

Consumption per linear metre Joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1

Linear metres made from one bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6460	105 White	cartridge	24x310 ml	64 cardboards	A1	10,19€
6163	215 Grey C1	cartridge	24x310 ml	64 cardboards	A1	10,19€
6521	215 Grey C1	foil bag	20x600 ml	36 cardboards	A1	19,70€
6151	233 Grey	cartridge	24x310 ml	64 cardboards	A1	10,19€
6153	290 Black	cartridge	24x310 ml	64 cardboards	A1	10,19€



## FIRE RESISTANT

Neutral silicone sealant with high fire resistance.

- High adhesion
- High resistance to UV rays
- Low elastic modulus
- Suitable for applications subject to fire regulations up to EI 240

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6766	237 Grey	cartridge	24x310 ml	64 cardboards	A1	17,66€




**FLOOR**

Neutral curing silicone sealant for floor applications.

- High resistance to UV rays
- High resistance to traffic
- Colours: grey

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6183	 237 Grey	cartridge	24x310 ml	64 cardboards	A1	10,80€


**POLYCARBONATE**

Neutral cured silicone sealant for polycarbonate elements.

- Good adhesion
- High elasticity
- Resistant to UV rays
- Colour: transparent

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6177	 020 Transparent	cartridge	24x310 ml	64 cardboards	A1	10,61€



## WINDOW

Neutral curing single-component silicone sealant for the installation and sealing of connection and expansion joints between frames and walls.

- In compliance with UNI 11673
- UV-resistant
- For interior and outdoor use
- Anti-mould agent
- MEKO FREE formulation

Consumption per linear metre Joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5625	020 Transparent	cartridge	24x310 ml	64 cardboards	A1	7,08€
5626	020 Transparent	foil bag	20x600 ml	36 cardboards	A1	12,74€
5627	102 White RAL 9010	cartridge	24x310 ml	64 cardboards	A1	7,41€
5632	102 White RAL 9010	foil bag	20x600 ml	36 cardboards	A1	13,18€
5628	103 White RAL 9016	cartridge	24x310 ml	64 cardboards	A1	7,41€
5631	140 Ivory RAL 1013	cartridge	24x310 ml	64 cardboards	A1	7,67€
5630	280 Anthracite RAL 7016	cartridge	24x310 ml	64 cardboards	A1	7,67€
5629	291 Black RAL 9005	cartridge	24x310 ml	64 cardboards	A1	7,67€



**GLASS**

Silicone sealant with very low modulus of elasticity for weather sealing an rear-ventilated façades.

- Suitable for sealing glass joints on façades
- Formulated for weather sealing and rear-ventilated joints
- High UV resistance
- Perfect adhesion
- 30 years of tested efficiency

Consumption per linear metre Joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1  
Linear metres made from one bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5594	215 Grey C1	cartridge	24x310 ml	64 cardboards	A1	11,18€
5595	290 Black	cartridge	24x310 ml	64 cardboards	A1	11,18€
5596	215 Grey C1	foil bag	20x600 ml	36 cardboards	A1	20,90€
5597	290 Black	foil bag	20x600 ml	36 cardboards	A1	20,90€

**SITOL® DECK CAULKING S**

Sandable silicone sealant for teak caulking.

- Excellent UV and ageing resistance, long-term resistance to contact with fresh and salt water
- High chemical resistance
- Excellent workability
- Sandable after curing

Consumption per linear metre Joint section 5 x 5 mm: 50 ml



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price
5660	Grey	cartridge	24x290 ml	64 cardboards	n/a	
5661	Grey	foil bag	20x600 ml	36 cardboards	n/a	



**NEUTRAL LIFE**

Fossil-free neutral silicone sealant with low modulus of elasticity, mould resistant.

- **Eco-friendly formulation**
- **Certification according to the criteria of ecological sustainability**
- **Very low emission of volatile organic compounds**
- **Waterproof and UV resistant, for indoor and outdoor applications**

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
8182	Transparent	cartridge	24x310 ml	60 cardboards	A1	8,60€
8183	White	cartridge	24x310 ml	60 cardboards	A1	8,31€
8184	Grey	cartridge	24x310 ml	60 cardboards	A1	8,31€

**ACETIC PROFESSIONAL**

Acetic curing silicone sealant, resistant to moulds for door and window frames and sanitary use.

- **Resistant to UV-rays**
- **High resistance to aging**
- **4 colours**

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
8118	000 Transparent	cartridge	24x310 ml	64 cardboards	A2	6,46€
8117	100 White	cartridge	24x310 ml	64 cardboards	A2	6,92€



## ACETIC STANDARD

Acetic curing silicone sealant with anti-mould agent for sanitary use and facades.

- Fast curing
- High adhesion
- High resistant to UV-rays
- 6 colours

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 2,8



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
8001	000 Transparent	cartridge	24x280 ml	64 cardboards	A2	4,86€
8003	100 White	cartridge	24x280 ml	64 cardboards	A2	5,53€
8103	200 Manhattan	cartridge	24x280 ml	64 cardboards	A2	5,96€
8104	205 Pearl grey	cartridge	24x280 ml	64 cardboards	A2	5,96€
8106	230 Grey	cartridge	24x280 ml	64 cardboards	A2	5,96€
8107	260 Anthracite	cartridge	24x280 ml	64 cardboards	A2	5,96€
8004	290 Black	cartridge	24x280 ml	64 cardboards	A2	5,53€
8109	320 Bahama	cartridge	24x280 ml	64 cardboards	A2	5,96€
8112	350 Brown	cartridge	24x280 ml	64 cardboards	A2	5,96€



## ACETIC FAST

Silicone sealant with acetic curing, transparent, very fast hardening.

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
5475	000 Transparent	cartridge	24x310 ml	64 cardboards	A2	8,76€




**HEAT RESISTANT**

Acetic silicone sealant for temperatures up to 300 °C.

- High resistance to heat
- Resistance to aging
- UV ray resistance
- Colour: red

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1





Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6185	 450 Red	cartridge	24x310 ml	64 cardboards	A2	12,40€

**AC 2.0** *EKOR*

Single-component silicone sealant with acetic cross-linking for bonding and elastic sealing of expansion joints with a maximum working elongation of 25%. The hardening takes place by reaction with atmospheric humidity. Mould resistant formulation.

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 2,8



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8030	 000 Transparent	cartridge	24x280 ml	64 cardboards	A2	4,85€
8031	 100 White	cartridge	24x280 ml	64 cardboards	A2	5,00€



## 1.3 ACRYLIC SEALANTS

### ACRYSIL PRO

Acrylic-silane sealant for sealing flexible joints.

- Good resistance to UV rays
- Paintable
- Operating elongation capacity of 15%

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1

Linear metres made with a bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
5544	101 White	cartridge	24x310 ml	64 cardboards	A3	5,01€
5545	230 Grey	cartridge	24x310 ml	64 cardboards	A3	5,01€
5049	101 White	foil bag	20x600 ml	36 cardboards	A3	8,84€
5138	230 Grey	foil bag	20x600 ml	36 cardboards	A3	8,85€



### ACRYL 15

High-performance paintable acrylic sealant for elastic sealing of connection joints.

- Paintable
- Adheres also to damp surfaces
- Colours: ivory, white, grey

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1

Linear metres made with a bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
8150	101 White	cartridge	24x310 ml	64 cardboards	A3	5,42€
8151	230 Grey	cartridge	24x310 ml	64 cardboards	A3	5,42€
8152	101 White	foil bag	20x600 ml	36 cardboards	A3	9,08€
8153	230 Grey	foil bag	20x600 ml	36 cardboards	A3	9,08€





**ACRYL 10**

Paintable acrylic sealant for elastic sealing of connection joints.

- High adhesive strength
- Paintable
- Colours: white, grey

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
8148	101 White	cartridge	24x310 ml	64 cardboards	A3	4,31€
8149	230 Grey	cartridge	24x310 ml	64 cardboards	A3	4,31€

**ACRYL FIRE RESISTANT**

Acrylic sealant for applications subject to fire regulations up to EI 240.

- Prevents smoke and flames from entering emergency areas
- Certified for ceiling applications
- High resistance to ageing
- Paintable

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
5515	101 White	foil bag	20x600 ml	36 cardboards	A3	14,89€
5516	230 Grey	foil bag	20x600 ml	36 cardboards	A3	14,89€




**A 2.1** EKOR

Single-component acrylic-based elasto-plastic sealant in aqueous dispersion for overpaintable sealing of cracks, fissures and expansion joints between façade elements with a maximum working elongation of 12%.

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
 Linear metres made from one cartridge: 3,1  
 Linear metres made with a bag: 5,5



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8190	100 White	cartridge	24x310 ml	64 cardboards	A3	4,31€
8191	100 White	foil bag	20x550 ml	40 cardboards	A3	5,10€
8192	230 Grey	foil bag	20x550 ml	40 cardboards	A3	5,10€

**AR 2.0** EKOR

Single-component, elastic, acrylic-based sealant in aqueous dispersion, workable with trowel, for overpaintable sealing of cracks and fissures where a rough material appearance similar in grain to civil finishes is required.

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
 Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8028	101 White	cartridge	24x310 ml	60 cardboards	A3	5,50€



**AF 2.0** EKOR

Single-component acrylic-based elasto-plastic sealant in aqueous dispersion for overpaintable sealing of cracks, fissures and connection joints between façade elements with a maximum working elongation of 7.5%.

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8029	101 White	cartridge	24x310 ml	60 cardboards	A3	5,15€



8030334080296

**1.4 HYBRID PRODUCTS****HYBRID LM**

Low modulus of elasticity sealant, based on hybrid polymers, for façades and windows.

- Good UV resistance
- Low modulus of elasticity
- Paintable
- Indoor and outdoor use, even on damp substrates
- Suitable for certified installation of windows and doors according to UNI 11673-1

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 2,9



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5498	290 Black	cartridge	12x290 ml	116 cardboards	A4	13,10€
5499	375 hazel	cartridge	12x290 ml	116 cardboards	A4	13,10€
5490	103 White RAL 9016	cartridge	12x290 ml	116 cardboards	A4	13,10€
5491	236 Grey RAL 7004	cartridge	12x290 ml	116 cardboards	A4	13,10€
5507	103 White RAL 9016	foil bag	20x400 ml	72 cardboards	A4	15,10€
5508	236 Grey RAL 7004	foil bag	20x400 ml	72 cardboards	A4	15,10€
5509	103 White RAL 9016	foil bag	20x600 ml	36 cardboards	A4	21,44€
5510	236 Grey RAL 7004	foil bag	20x600 ml	36 cardboards	A4	21,44€



8030334054983



8030334054990



8030334054907



8030334054914



8030334055072



8030334055089



8030334055096



8030334055102

## HYBRID HM

Single-component, hybrid polymer-based adhesive-sealant with anti mould agent for overpaintable elastic bonding and sealing of joints in construction and industry in general.

- **Overpaintable**
- **Suitable for indoor and outdoor use, also on moist substrates**
- **Ideal for both construction and industry**
- **Very low emissions of Volatile Organic Compounds**



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price
5665	103 White RAL 9016	cartridge	12x290 ml	116 cardboards	n/a	
5666	236 Grey RAL 7004	cartridge	12x290 ml	116 cardboards	n/a	
5667	290 Black	cartridge	12x290 ml	116 cardboards	n/a	
5513	103 White RAL 9016	foil bag	20x600 ml	36 cardboards	n/a	
5514	236 Grey RAL 7004	foil bag	20x600 ml	36 cardboards	n/a	
5512	290 Black	foil bag	20x600 ml	36 cardboards	n/a	

## STRONG

Super strong, hybrid polymer adhesive with high initial tack. No need of external mechanical fixture during hardening.

- **Suitable for substrates subject to vibrations**
- **High mechanical resistance**
- **Resistant to atmospheric agents**
- **Adheres without primer even on damp substrates**

Consumption per linear metre joint section 15 x 3 mm: 45 ml  
Linear metres made from one cartridge: 6,4



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8007	105 White	cartridge	12x290 ml	104 cardboards	A4	14,86€







**SITOL® MARINE**

A hybrid polymer-based adhesive-sealant with fast curing and high initial adhesion, designed for bonding and sealing applications on yachts and boats, certified IMO MED and suitable for deck/bridge and lower deck wall, floor and ceiling applications.

- Excellent ageing and weathering resistance
- Excellent adhesion without primer on all materials typical of the marine industry




Code	Color	Packaging	Packaging size	Pallet	Cat.	Price
8330	 Black	cartridge	24x290 ml	64 cardboards		n/a
8329	 Grey	cartridge	24x290 ml	64 cardboards		n/a
8328	 White	cartridge	24x290 ml	64 cardboards		n/a

**SITOL® DECK CAULKING**

Fast-curing hybrid polymer-based sealant for caulking classic teak with sandable properties. Also suitable for sealing between deck and synthetic teak.

- Sandable after curing
- Excellent UV and ageing resistance
- High chemical resistance
- Very good workability



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price
5662	 Black	cartridge	24x290 ml	64 cardboards		n/a





**SITOL® DECK BONDING**

Hybrid polymer-based adhesive-sealant with extended open time for natural and synthetic teak.

- Excellent UV and ageing resistance
- Long-term resistance to contact with fresh and salt water
- Excellent adhesion on various substrates without the use of primers
- Excellent workability



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price
5668	 White	foil bag	20x600 ml	36 cartboards	n/a	
5663	 White	cartridge	12x290 ml	64 cartboards	n/a	



8030334056680




8030334056635

**HY 2.0 EKOR**

Single-component adhesive-sealant based on hybrid polymers, with mould resistant formulation, for overpaintable elastic bonding and sealing of connection joints, for general construction and industry applications. It cures by reaction with atmospheric humidity.

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 2,9



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8037	 010 Crystal clear	cartridge	12x290 ml	100 cartboards	A4	18,14€



8030334080371

## 1.5 POLYURETHANE SEALANTS


### TACK PU

Single-component, quick-setting polyurethane adhesive for maximum bonding.

- Excellent adhesion to aluminium and other surfaces, even damp ones
- Quick curing
- Easy and fast bonding without perforating the substrates
- High final mechanical resistance
- Sandable and paintable
- Waterproof and resistant to atmospheric agents
- Suitable for bead and trowel applications
- Odourless and solvent-free
- Suitable for structural bonding of wood in ship building

Consumption for optimal bonding: 150 gr/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price
8327	 Ivory	cartridge	12x310 ml	125 cardboards	n/a	



### PU HM EDILIA

High performance polyurethane adhesive/sealer for façades and floors.






- Excellent resistance to weather and ageing
- High modulus of elasticity
- It bonds and seals simultaneously
- Paintable
- Indoor and outdoor use, even on damp substrates

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1

Linear metres made with a bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
8143	 White	cartridge	12x310 ml	125 cardboards	A5	11,29€
8144	 Grey	cartridge	12x310 ml	125 cardboards	A5	11,29€
8145	 Black	cartridge	12x310 ml	125 cardboards	A5	11,30€
8146	 White	foil bag	20x600 ml	50 cardboards	A5	18,67€
8147	 Grey	foil bag	20x600 ml	50 cardboards	A5	18,67€



## 1.6 SPECIAL PRODUCTS


### TACK

Multi-purpose adhesive based on acrylic resins for internal applications.

- High adhesion
- Easy to use
- Solvent-free product

Consumption per linear metre joint section 14 x 2 mm: 28 ml  
Linear metres made from one cartridge: 11



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
8154	 145 Ivory	cartridge	24x310 ml	60 cardboards	A3	12,43€




### REFRACTORY

Refractory mastic for grouting in situations exposed to temperatures up to 1000 °C.

- Suitable for direct exposure to open flame
- Ideal for sealing and filling joints, cracks and fissures in boilers, chimneys, ovens, mufflers
- Excellent workability also in vertical
- Quick and easy application

Consumption per linear metre joint section 10 x 10 mm: 100 ml  
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/pc
6994	 230 Grey	cartridge	24x310 ml	64 cardboards	A5	11,82€






**BITUMEN SEAL**

Ready-to-use, single-component elasto-plastic adhesive-sealant, based on bituminous polymers in solvent, specific for bonding and sealing various types of substrates, even the wet ones.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / pc
8021	 290 Black	cartridge	12x280 ml	72 cardboards	A5	11,19€




8030334080210

**SMOOTH**

Neutral smoothing agent based on amphoteric surfactants in aqueous solution, for professional surface finishing of connection joints and expansion joints made with silicone, acrylic and hybrid sealants.

Depending on the laying technique: approx. 0.3 l/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / pc
5457	 Transparent	bottle	8x750 ml	46 cardboards	A5	17,76€



8030334054570

## 1.7 ACCESSORIES FOR SEALANTS

### NOZZLE FOR FOIL BAGS

Nozzle for sealants in foilbags.



Code	Packaging	Packaging size	Cat.	Price €/ pc
5548	cartboard	50 piece	A9	0,38€



### SYNTHETIC PLUGGING CORD

Closed-cell polythene plugging cord of variable thickness for preparation of expansion joints.

- Correct joint sizing
- Avoids waste of material
- Isolates the sealant from the joint bottom
- Quick and easy application



Code	Color	Thickness	Packaging	Packaging size	Cat.	Price €/ m
15365	Grey	Ø 30 mm	roll	180 m	A9	1,31€
15366	Grey	Ø 40 mm	roll	120 m	A9	1,47€
15013	Grey	Ø 10 mm	roll	600 m	A9	0,95€
15014	Grey	Ø 15 mm	roll	250 m	A9	1,16€
15015	Grey	Ø 20 mm	roll	150 m	A9	1,22€



## CARTRIDGE NOZZLES



Code	Packaging	Packaging size	Cat.	Price €/ pc
5421	cartboard	100 piece	A9	0,52€



8030334054211





# 2. Polyurethane Foams

2.1 Polyurethane Adhesives

2.2 Polyurethane Foams

2.3 Accessories for Polyurethane Foams



## 2.1 POLYURETHANE ADHESIVES

### PANEL F

Single-component, quick-hardening polyurethane adhesive for bonding plasterboard and insulation panels.

- Excellent adhesion on various types of porous and non-porous substrates
- It solves any adhesion problem on smooth or moulded boards (adhesion to polystyrene according to ETAG 004)
- Extremely fast installation: after 2 hours it can be dowelled and immediately smoothed afterwards
- Installation time reduced up to 50% compared to cement glue
- Significant reduction of processing and overall costs: with one can it is possible to install about 12 m<sup>2</sup> of insulation panels
- Avoids the formation of thermal bridges
- Extremely clean construction site

Linear metres achieved with one tank: 50 m per 12 m<sup>2</sup> di insulation panels laid



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5558		Natural yellow	Gun application	can	12x750 ml	42 cardboards	B2 15,44€



8030334055584

### HIGH TACK

Polyurethane adhesive for waterproof bonding and sealing.

- Good chemical resistance
- Highly impermeable (up to 0,5 bar)
- Tested for installation of insulation boards in accordance with ETAG 004
- Fast laying times (50% faster than laying thin bed mortars)
- Usable in temperatures above -5 °C
- Excellent adhesion onto various kinds of surfaces

Yield in terms of laid masonry surface area: 5 - 10 m<sup>2</sup>

Linear metres achieved with one tank: 40 m (5 m<sup>2</sup> of insulation panels laid)



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5337		Light blue	Gun application	can	12x750 ml	42 cardboards	B1 14,07€



8030334053375

## HYDRO

Specific one-component polyurethane adhesive for waterproof sealing of hydraulic elements.

- **Quick and easy application**
- **Quick drying and hardening compared to traditional application with mortar or cement-based adhesive**
- **Excellent adhesion capacity on all types of substrates, even wet**
- **Good chemical resistance to bacteria normally present in wet environments**
- **Usable at temperatures beyond the usual range for cement-based mortars (down to -5 °C)**
- **High waterproofing capacity (up to 0.5 bar)**

Yield in litres free expansion: 40 l

Linear metres achieved with one tank: 40



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6319		Light blue	Manual application	can	12x750 ml	42 cardboards	B1 15,47€



8030334063190

## 2.2 POLYURETHANE FOAMS

### COPPI MERANO

High-performance PU foam with extended open time and maximum adhesion for roof tiles.

- **Up to 15 m<sup>2</sup> of laid tile surface**
- **Wind-resistant**
- **Reduced post-expansion**
- **Waterproof**
- **High tear resistance**

Yield in litres free expansion: 26 l

Surface area laid per can: 15 m<sup>2</sup>



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price
5572		Brown	Gun application	can	12x750 ml	42 cardboards	n/a



8030334055720



**VOLT**

Glow wire resistant polyurethane foam for electrical installations.

- **All-season formulation**
- **Tested according to Glow wire test at 850 °C**
- **Suitable for fixing and sealing junction boxes and cable conduits**
- **Reduced post-expansion during curing**
- **Can be sanded and plastered**

Yield in litres free expansion: 45 l

Linear metres achieved with one can: 45



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/pc
5633		Natural yellow	Gun application	can	12x750 ml	42 cardboards	B2 9,38€

**WINDOW & DOOR**

Polyurethane foam for various type of installations.

- **Ideal for thermal and acoustic isolation**
- **usable from -10 to +35 °C**
- **Suitable for electrical and hydraulic installations**
- **Waterproof**
- **Up to 45 l**

Yield in litres free expansion: 45 l

Linear metres achieved with one can: 45



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/pc
6345		Natural yellow	Manual application	can	12x750 ml	42 cardboards	B2 9,13€
6347		Natural yellow	Gun application	can	12x750 ml	42 cardboards	B2 9,28€



**COPPI**

Polyurethane foam with extended open time, reduced post-expansion, and high tear resistance.

- Up to 10 m<sup>2</sup> area of laid tiles
- Waterproof
- High tear resistance
- Wind-resistant
- Long open time

Yield in litres free expansion: 26 l

Linear metres achieved with one tank: 45



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6909		Brown Gun application	can	12x750 ml	42 cardboards	B2	10,14€
6427		Brown Manual application	can	12x750 ml	42 cardboards	B2	9,95€

**FLEX 365**

Flexible polyurethane foam for the assembly of wooden, PVC or aluminium window frames and shutters, up to -10 °C.

- Application at any temperature from -10 °C to +35 °C
- Ideal for thermal and acoustic insulation
- Excellent alternative to laying multifunctional self-expanding tapes
- Reduced post-expansion
- Elongation at break > 40
- Certified very-low emission EC1 Plus
- Air tightness up to 1000 Pa

Yield is highly dependent on can and ambient temperatures. Free expansion yield: 35 litres.

The values indicated refer to laboratory conditions and may vary considerably depending on the actual application and environmental conditions.



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5561		White Gun application	can	12x750 ml	42 cardboards	B2	14,02€



## FIRE RESISTANT

Polyurethane foam with high resistance to fire.

- Fire resistance up to EI 120
- Up to 30 linear meters of performance
- Ideal for applications subject to fire regulations
- Ideal for mounting electrical junction boxes/plants

Yield in litres free expansion: 41 l

Linear metres achieved with one tank: 40



Code	Color	Application	Packaging	Packaging size	Pallet	Cat. Price
						€/ pc
5533	Grey	Manual application	can	12x750 ml	42 cardboards	B2 19,09€
6911	Grey	Gun application	can	12x750 ml	42 cardboards	B2 19,89€



8030334055331



8030334069116

## MULTIUSO

Multi-purpose polyurethane foam.

- Up to 50 l yield
- For acoustic and thermal insulation
- Waterproof

Yield in litres free expansion: 50 l

Linear metres achieved with one tank: 30



Code	Color	Application	Packaging	Packaging size	Pallet	Cat. Price
						€/ pc
5067	Natural yellow	Manual application	can	12x750 ml	42 cardboards	B2 8,28€
5333	Natural yellow	Gun application	can	12x750 ml	42 cardboards	B2 8,28€



8030334050671



8030334053337

**F 2.0** EKOR

Elastic one-component polyurethane foam for the assembly of window frames in wood, pvc or aluminium. It guarantees rapidity and cleaning during installation. Adheres to most porous and non-porous supports.

Yield: 35 l



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8046		White	Gun application	can	12x750 ml	70 cardboards	B2 11,30€

**C 2.0** EKOR

Highly adhesive single-component polyurethane foam for installation of roof tiles or bent tiles. It hardens by reaction with the humidity of the atmosphere and of the substrates. It guarantees quick, easy and clean installation operations.

Tank surface: manual 8 m<sup>2</sup>; gun 10 m<sup>2</sup>



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8044		Natural yellow	Manual application	can	12x750 ml	70 cardboards	B2 9,06€
8045		Natural yellow	Gun application	can	12x750 ml	70 cardboards	B2 9,12€



**M 2.0** EKOR

Single-component multifunctional polyurethane foam for thermo-insulating filling and bonding in building, industrial and plant engineering sectors. It guarantees quick and clean installation operations. It adheres to most porous and non-porous substrates.

Yield: manual 30 l; gun 40 l



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8042		Natural yellow	Manual application	can	12x750 ml	70 cardboards	B2 7,86€
8043		Natural yellow	Gun application	can	12x750 ml	70 cardboards	B2 8,07€



8030334080425



8030334080432

## 2.3 ACCESSORIES FOR POLYURETHANE FOAMS

### CLEANER FOR POLYURETHANE FOAMS

Spray cleaner for fresh polyurethane foam of any type.

- Easy application
- Fast action without residues
- Dual use: with gun or by means of the dispenser button




Code	Packaging	Packaging size	Cat.	Price €/ pc
15010	can	12 x 500ml	B1	10,10€




8030334150104





# 3. Waterproofing

- 3.1 Primers for Waterproofers
- 3.2 Cementitious Waterproofers
- 3.3 Polymeric Waterproofers
- 3.4 Polyurethane Waterproofers
- 3.5 Bituminous waterproofers
- 3.6 Accessories for Waterproofing





## 3.1 PRIMERS FOR WATERPROOFERS

### PRIMER AQUATECH

Aquatech waterproofing liquid sheath primer.

- Perfect adhesion on critical substrates such as bituminous sheaths and metal substrates
- Ready to use

Consumption: 0,1 - 0,2 l/m<sup>2</sup>



Code	Packaging	Packaging size	Cat.	Price €/l
8186	metal bucket	4x1 l	C3	15,83€



8030334081866

### FLEX PU PRIMER

Polyurethane based primer, with low viscosity, suitable for porous and non-porous substrates.

- Single-component
- Low viscosity
- Strong adhesion on vitrified surfaces and non-porous substrates
- Excellent wetting, impregnation and painting over time

The minimum consumption of Flex PU Primer is 50-200 g/m<sup>2</sup>



Code	Packaging	Packaging size	Pallet	Cat.	Price €/l
8072	canister	4x5 l	30 cardboards	C3	23,24€



8030334080722

## FLEX PU PRIMER 2K

Two-component water-based primer/coating.

- Easy to apply and clean
- Odourless, safe and non-flammable (zero VOC)
- Suitable for indoor applications
- Water-repellent barrier
- Strong adhesion on wet or green concrete, iron, galvanized steel, aluminium, glass and wood
- Good mechanical properties and abrasion resistance

For consumption see technical data sheet.



Code	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8073	2 components	bucket	4 kg	84 buckets	C3	25,21€



## 3.2 CEMENTITIOUS WATERPROOFERS

### FLEXISTAR

Extra-flexible, single-component, fibre-reinforced cementitious polymer sheath for waterproofing and protecting concrete.

- Highly adhesive to the substrate
- Excellent workability
- Applicable with roller, brush and trowel
- Suitable for contact with drinking water
- UV resistant
- Waterproof even under pressure
- Resistant to freeze-thaw cycles
- Good treadable surface

Consumption: approx. 1,2 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5324	Grey	bag	4x5 kg	40 cardboards	C1	5,46€
5002	Grey	bag	20kg	50 bags	C1	4,20€



## FLEXISTAR RAPID

Single component, flexible, fibre-reinforced, cementitious, polymer waterproofing membrane with fast hardening.

- Fast hardening
- Highly adhesive to the substrate
- Excellent workability
- Applicable with roller, brush and trowel
- Waterproof even under pressure
- Resistant to freeze-thaw cycles
- Good treadable surface

Consumption: approx. 1,2 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price
5532	Grey	bag	20kg	50 bags	n/a	



## FLEX 2K

Two-component, flexible, fibre-reinforced, waterproofing cementbased mortar, which can be reinforced with fibreglass mesh, for flexible waterproofing and protective smoothing of cementitious substrates. Good UV resistance, elastic to -20 °C.

- Fibre-reinforced
- Extra high flexibility
- High anti-CO<sub>2</sub> and UV resistant protection
- Resistant to frost-thaw cycles
- Suitable for substrates even of large size and with a certain mobility
- For indoor and outdoor use. Waterproof even under pressure
- The waterproofing in combination with tiles complies with DIN 18531, DIN 18534 and DIN 18535
- Waterproofing of building components in contact with the ground according to DIN 18 533-1 for Water Impact Classes W1-E, W2.1E, W2-B, W4-E
- With "General Building Inspection Test Certificates"

Consumption: Comp. A ca. 1,4 kg/m<sup>2</sup>/mm - Comp. B ca. 0,5 kg/m<sup>2</sup>/mm



Code	Color	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6362	Grey	2 components	bag + canister	25 kg + 8,5 kg	50 bags + 50 canisters	C1	3,02€



## FLEX 1K

Single-component, flexible, fibre-reinforced, waterproofing cementitious mortar, which can be reinforced with fibreglass mesh, for flexible waterproofing and protective smoothing of cementitious substrates.

- New improved formula with new generation fibres
- Excellent workability and easy to apply
- Excellent adhesion to the substrate
- Waterproof even under pressure
- Resistant to frost-thaw cycles
- UV Resistant

Consumption: approx. 1,4 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6361	Grey	bag	25 kg	50 bags	C1	3,65€



## AQUAPROOF

Fine waterproofing mortar.

- Very easy to apply with roller or brush
- Spray application
- Excellent waterproofing capability
- Good permeability to water vapour
- Can be used in environments with negative hydrostatic pressure

Consumption: 2-6 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6360	Grey	bag	25 kg	50 bags	C1	1,98€



**STOP**

Very fast-setting pre-mixed mortar.

Consumption is approximately 1.6 kg per litre of cavity to be filled.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5441	Grey	bag	4x5 kg	40 cardboards	C1	6,93€



8030334054419

**3.3 POLYMERIC WATERPROOFERS****PROMURAL SILICON**

Transparent, ready-to-use hydrophobising impregnating agent based on siloxane polymers dissolved in solvent, type H for PI, MC, IR according to EN 1504-2, for the protective treatment of absorbent mineral substrates.

- **Good penetration capacity**
- **Very high resistance to lime and cement (unlike silicone based impregnating agents that can be diluted with water that are rapidly degraded by cement substrates)**
- **Non-sticky after drying**
- **High permeability to water vapour**
- **Exceptionally waterproof (heavy rainfall pushed by winds at a speed of 100 km/h cannot penetrate the substrate)**
- **Unchanged effectiveness over time (proven effectiveness for a period of 15 years)**

Consumption: 0,2 - 1,0 l/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/l
8187	Transparent	metal bucket	18x1 l	24 cardboards	C3	21,11€
8188	Transparent	metal bucket	5 l	90 metal buckets	C3	17,89€
8189	Transparent	metal bucket	20 l	33 metal buckets	C3	15,89€



8030334081873



8030334081880



8030334081897




**EMULSIONE EPOSSIDICA 723**


Protective, water-based, type C, two-component epoxy resin paint, according to EN 1504-2.

- **Water-based (solvent-free and non-flammable)**
- **High abrasion resistance**
- **Good resistance to chemical agents**

Consumption: 150 g/m<sup>2</sup>/layer  
Total consumption: 400 - 800 g/m<sup>2</sup>



Code	Color	Bicomponent	Packaging	Packaging size	Cat.	Price €/ kg
5482	 Ivory	2 components	bucket	4x3 kg	C3	22,28€
5483	 Grey	2 components	bucket	4x3 kg	C3	22,28€
5484	 Red	2 components	bucket	4x3 kg	C3	22,28€


**EPOXY**

Two-component epoxy protection coating.

- **Solvent-free**
- **Resistant to chemicals**
- **High thickness also in vertical**

Consumption: 600 - 800 g/m<sup>2</sup>



Code	Color	Bicomponent	Packaging	Packaging size	Cat.	Price €/ kg
5487	 Grey	2 components	bucket	4x3 kg	C3	27,72€



**AQUATECH**

Single-component liquid waterproofing sheath in water emulsion.

- High elasticity
- Resistant to water stagnation
- Good treadable surface
- Can be covered with ceramic tiles
- High initial solar reflectance index (SRI) for white version
- According to DIN 18534: for wall and floor surfaces in water exposure classes W0-I and W1-I as well as, together with Tile 250 or Tile 480 adhesives, on wall surfaces in zone W2-I (without Class C)
- With "General Building Authority Test Certificate"

Consumption: 1 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg	
5074		White bucket	6kg	64 buckets	C3	10,61€	 8030334050749
5115		Red bucket	6kg	64 buckets	C3	10,61€	 8030334051159
5075		Grey bucket	6kg	64 buckets	C3	10,61€	 8030334050756
5076		White bucket	15 kg	33 buckets	C3	9,75€	 8030334050763
5116		Red bucket	15 kg	33 buckets	C3	9,75€	 8030334051166
5077		Grey bucket	15 kg	33 buckets	C3	9,75€	 8030334050770

**AQUATECH RAPID**

Fast-drying, elastic liquid membrane for indoor waterproofing.

- Flexible
- Creamy
- Rapid

Consumption: 1,2 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price	
5565		White bucket	6kg	64 buckets	n/a	n/a	 8030334055652
5566		Grey bucket	6kg	64 buckets	n/a	n/a	 8030334055669
5567		White bucket	15 kg	33 buckets	n/a	n/a	 8030334055676
5568		Grey bucket	15 kg	33 buckets	n/a	n/a	 8030334055683

## 3.4 POLYURETHANE WATERPROOFERS

### FLEX PU 2K

Two-component, solvent-free thixotropic coating, suitable for waterproofing and protecting tanks.

- Excellent adhesion to almost every surface
- Highly hydrophobic and extremely resistant to hydrolysis
- Resistant to temperatures from -40 °C up to +90 °C
- Good resistance to chemical agents
- Certified for contact with drinking water

Consumption: 1,4 kg/m<sup>2</sup>/two layers



Code	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8079	2 components	bucket	9 kg	50 buckets	C3	21,37€



### FLEX PU FINISH

Single-component non-yellowing elastic membrane for protection and waterproofing.

- Highly hydrophobic
- Excellent resistance to weathering and UV rays, does not yellow and is totally aliphatic
- Excellent mechanical properties, high tensile strength and tear resistance
- Excellent chemical and hydrolysis resistance

Consumption: 200 - 500 g/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8078	<input type="checkbox"/> White	bucket	15 kg	40 buckets	C3	26,20€





## FLEX PU FINISH BASE

Transparent, non-yellowing, elastic, single-component polyurethane coating.

- **Excellent adhesion to almost every surface**
- **Highly hydrophobic**
- **Totally aliphatic, does not yellow when exposed to UV light**
- **Excellent mechanical properties, very high tensile strength and tear resistance**
- **Vulcanizes even at low temperatures and under a film of water**
- **Excellent elasticity**
- **Good resistance to chemical agents**


The consumption of Flex PU Finish Base depends on the porosity of the substrate and the purpose of the application.

As protection of Flex PU: from 100 to 200 g/m<sup>2</sup>.

To seal cement: 100 to 150 g/m<sup>2</sup>.

In general, apply a maximum of 500 g/m<sup>2</sup> each coat.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/l
8077	 Transparent	canister	4x4 l	30 cardboards	C3	39,58€



8030334080777




## FLEX PU

Single-component polyurethane liquid membrane for waterproofing and protection. Suitable for waterproofing and protection of roofs, lightweight sheet metal or fibre cement roofs, asphalt membranes, parking lots and stadium stands, bridge platforms and irrigation channels.

- **Excellent adhesion to almost any surface, with or without special adhesion promoters**
- **No dilution is necessary**
- **Excellent weathering and UV resistance**
- **Excellent thermal resistance**
- **Resistance to low temperature: the membrane remains elastic even at -40 °C**
- **Excellent mechanical properties, high tensile strength and tear resistance, abrasion resistance**
- **Good resistance to chemical agents**

Consumption: 1,5 - 1,8 kg/m<sup>2</sup>/two layers



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
8074	 White	bucket	25 kg	30 buckets	C3	12,97€
8076	 Red	bucket	25 kg	30 buckets	C3	12,97€
8075	 Grey	bucket	25 kg	30 buckets	C3	12,97€



8030334080746



8030334080760



8030334080753

## 3.5 BITUMINOUS WATERPROOFERS

### ASFREDOL 1000

Cold asphalt, composed of an anionic bituminous emulsion, free of organic solvents, for waterproofing and surface protection of porous surfaces, both wet and dry.

- Odourless
- Easy to use
- Fast drying
- High flexibility
- High impermeability

Consumption: 0,8 - 1,2 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
15179	Black	bucket	20kg	33 buckets	C2	3,68€



### ASFREDOL 2000

Resin-bonded cold bituminous emulsion ready to use.

- Odourless
- Easy to use
- Fast drying
- High flexibility
- High impermeability and chemical resistance
- Great thixotropy
- Non-toxic, solvent-free product
- Good resistance to saline solutions

Consumption: 1 - 2 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
15180	Black	bucket	20kg	33 buckets	C2	3,95€






**SITOL A**

Bituminous, waterproofing and anti-corrosion paint.

- **Fast drying**
- **Non-sticky**

Consumption: 250 - 300 ml/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/l	
8176	Black	metal bucket	18x1 l	24 cardboards	C2	14,28€	 8030334081767
8177	Black	metal bucket	5 l	96 latte	C2	10,31€	 8030334081774
8178	Black	metal bucket	20 l	33 metal buckets	C2	9,36€	 8030334081781



**BLACK HYDRO EASY**

Multipurpose, thixotropic, bituminous liquid waterproofer made up of inert fillers, elastomeric resins and additives. Suitable for waterproofing earth retaining foundation walls. Used as sealant and finisher for roof waterproofing and insulation panel bonding applications.

- **Good elasticity**
- **Provides protection against water, the elements and UV rays**
- **Resistant to the corrosive action of many acids**
- **Easy cold application**
- **Perfect adherence on different materials**
- **Compatible with cementitious adhesives**
- **Odourless and non-flammable**
- **Non-toxic, solvent-free**

Consumption: 1,2 - 1,8 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg	
8122	Black	bucket	5 kg	80 buckets	C2	8,93€	 8030334081224
8068	Black	bucket	20kg	33 buckets	C2	8,13€	 8030334080685

**BLACK HYDRO LIGHT**

Elastomeric bituminous waterproofer lightened with rubber granules for waterproofing horizontal and vertical concrete and brick surfaces.

Consumption: 1,3 - 1,7 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
8069	Black	bucket	20kg	33 buckets	C2	9,16€

**BLACK HYDRO PITTURA**

Solvent-based protective and decorative paint, based on bitumen, aluminium paste, selected synthetic resins and special additives.

- High reflectance
- Insulating and protective properties

Consumption: 300/400 m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / l
8171	Aluminium	bucket	20 l	33 buckets	C2	12,86€

**BLACK HYDRO POLY 1K**

Single component, polymer-modified bituminous thick coating.

Consumption: 3,7 l/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / l
8168	Black	bucket	30 l	18 buckets	C2	4,83€



**BLACK HYDRO POLY 2K**

Bicomponent, polymer-modified, bituminous thick coating.

Consumption: 3,5 l/m<sup>2</sup>



Code	Color	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/l
8169	Black	2 components	bucket	30 l	18 buckets	C2	5,48€



8030334081699

**BLACK HYDRO SPRAY**

Solvent-based bituminous waterproofing protective sealant in spray can, suitable on any type of substrate.

Consumption: ca. 4 m<sup>2</sup>/tank



Code	Color	Packaging	Packaging size	Cat.	Price €/pc
8070	Black	can	12 x 500ml	C3	18,43€



8030334080708

**BW 100** EKOR

Bituminous liquid waterproofer.

- It waterproofs concrete surfaces affected by micro cracks and surfaces subject to thermal expansion
- Once dried it has excellent elasticity
- It adapts to any surface geometry to be coated
- Faster drying times compared to bituminous emulsions
- Good resistance to stagnant water
- Resistant to low temperatures: it can also be used in the winter period
- Excellent resistance on surfaces of industrial areas

Consumption: 0,8 - 1 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8066	Black	bucket	20kg	33 buckets	C2	6,73€

**BW 200** EKOR

Multi-function bituminous waterproofer.

- High waterproofing power
- Excellent adhesion to the substrate
- High elasticity
- Duration in time
- Resistance to weathering, UV rays and occasional water stagnation
- Easy laying: allows considerable savings in time and manpower
- Can be left exposed or covered with cement-based mortar and can be painted
- Odourless, solvent-free, non-flammable product

Consumption: 1,5 - 2 kg/m<sup>2</sup>




Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8123	Black	bucket	5 kg	80 buckets	C2	7,82€
8067	Black	bucket	20kg	33 buckets	C2	7,10€



## 3.6 ACCESSORIES FOR WATERPROOFING

### PP TAPE 120 MM - 50 M

Polypropylene reinforcement tape with side perforations



Code	Packaging size	Pallet	Cat.	Price €/m
15207	50 m	100 rolls	C9	6,45€



### BU TAPE

Butyl reinforcement tape.

- Self-adhesive
- Easy peel
- Solvent free
- Heat stable
- For flexible joint sealing in a tile and plate system - suitable for water exposure classes W0-W2 according to DIN 18534



Code	Dimensions	Packaging	Packaging size	Pallet	Cat.	Price €/m
15208	100 mm	roll	15 m	36 cardboards	C9	4,17€



**SHOWER TAPE 120 MM - 10 M**

Self-adhesive shower/bathtub connection tape.



Code	Color	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15218	Grey	120 mm	10 m	500 rolls	C9	8,23€



8030334152184

**CORNER TISSUE 90°**

Reinforcement tissue for closed corners.



Code	Packaging size	Pallet	Cat.	Price €/pc
15209	25 piece	250 pieces	C9	8,11€



8030334152092

**CORNER TISSUE 270°**

Reinforcement tissue for open corners.



Code	Packaging size	Pallet	Cat.	Price €/pc
15210	25 piece	250 pieces	C9	8,11€




8030334152108



**FLOOR COLLAR**

Self-adhesive butyl collar for floor drains.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
15214	Grey	cartboard	25 piece	250 pieces	C9	18,83€

**MAT 1000 MM - 30 M**

Waterproof membrane.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/ m
15215	1000 mm	30 m	33 rolls	C9	11,52€

**BAND 140 MM**

Waterproof membrane in tape format.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/ m
15216	140 mm	10 m	250 rolls	C9	2,99€



**BRIDGE MAT 1000 MM - 50 M**

Desolarizing waterproof membrane.



Code	Dimensions	Packaging	Packaging size	Pallet	Cat.	Price €/m
15217	1000 mm	roll	50 m	20 rolls	C9	24,12€

**SAFE TAPE 40 MM - 10 M**

Cut-resistant tape.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15219	40 mm	10 m	500 rolls	C9	17,76€

**FLEX PIPE COLLAR 93 - 146**

Collar for through-hose with flexible reinforcement.



Code	Detail	Packaging	Packaging size	Pallet	Cat.	Price €/pc
15213	93-146 mm	cartboard	25 piece	250 pieces	C9	16,65€



**FLEX PIPE COLLAR 50 - 75**

Collar for through-hose with flexible reinforcement.



Code	Packaging size	Pallet	Cat.	Price €/pc
15212	25 piece	250 pieces	C9	15,14€

**FLEX PIPE COLLAR 22 - 37**

Collar for through-hose with flexible reinforcement.



Code	Packaging size	Pallet	Cat.	Price €/pc
15211	25 piece	250 pieces	C9	7,98€


**NON WOVEN TISSUE NT 50**

Code	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15175	1000 mm	roll	4x50 m	C9	2,84€



## BLACK HYDRO TEX



Code	Color	Dimensions	Packaging	Cat.	Price €/m
15529	 Light green	100 m	roll	C9	2,98€



8030334155291



## 4. Flooring



## 4. FLOORING


### FAST SCREED

Pre-mixed, fast setting and hardening cementitious mortar class CT C30 F6 according to EN 13813, for floating or adherent screeds. For internal and external use.

- **Controlled shrinkage**
- **Can be applied by hand or using a mortar pump**
- **Rapid application, drying and development of mechanical resistances**
- **Easy to work with and can be walked on quickly**
- **Ideal for heating floor realizations**

Consumption: 18 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
15182	 Grey	bag	25 kg	54 bags	D1	0,33€




### LIVELLINA 0-10

Self-levelling screed for irregular surfaces, up to 10 mm thickness, also for heated floors.

- **Self-levelling**
- **High resistance**
- **Fast setting**
- **For indoor use**
- **Up to 10 mm thickness**

Consumption: 1,6 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6716	 Grey	bag	22 kg	50 bags	D1	1,64€



**LIVELLINA 5-30**

Self-levelling screed for irregular surfaces, from 5 to 30 mm thickness, also for heated floors.

- Self-levelling
- High resistance
- Fast setting
- For indoor use
- Thickness from 5 to 30 mm

Consumption: 18 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6963	Grey	bag	25 kg	50 bags	D1	1,77€

**LIVELLINA HS**

Self-levelling, quick hardening, cementitious screed with very low emissions particularly suitable for underfloor heating and for the equalisation of substrates with thickness from 5 to 40 mm.

- Self-levelling and fibre-reinforced
- Suitable for manual and machine application
- High strength
- Indoor use
- Thickness achievable in a single application from 5 to 40 mm
- Thickness above the pipe minimum 5 mm

Consumption: 18 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5439	Grey	bag	25 kg	50 bags	D1	1,21€





## MULTIMIX EVO

Quick-setting pre-mixed and fibre-reinforced mortar for restoration, renovation and levelling work both on façades and floors in thickness from 3 to 50 mm. Good adhesion and excellent workability. For manual and machine applications.

- **Excellent adhesion to multiple substrates**
- **After two hours tiles can be applied and can be walked over**
- **Excellent workability**
- **Use both horizontally and vertically**

Consumption: 14 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5454	Grey	bag	25 kg	50 bags	D1	0,99€



## FLOORREP

Self-levelling rapid cement mortar for repairing industrial floors with thickness of 3 mm to 30 mm.

- **Excellent adhesion to the surface**
- **High mechanical resistance**
- **For indoor use**

Consumption: 20 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6704	Grey	bag	25 kg	50 bags	D1	2,44€




**QUARZ**

Pre-mixed anti-wear dry-shake finish for industrial floors, class CT-C70-F7-AR1 according to EN 13813 - material for cement-based screeds for use inside buildings.

Consumption: 4 - 6 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
6390	 Grey	bag	25 kg	50 bags	D1	0,79€






# 5. Tiles and Natural Stone Installation

5.1 Primers and Detergents

5.2 Tile Adhesives

5.3 Tile Grouts



## 5.1 PRIMERS AND DETERGENTS

### MULTIGRIP

Multigrip is a single component, adhesion promoting primer, based on a styrene-acrylic resin water based emulsion and selected aggregates.

- Improves adhesion even on smooth or not very absorbent substrates
- Primes surfaces so cementitious adhesives can be applied on gypsum substrates
- Ready to use
- Solvent free

Consumption: 0,3 - 0,5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5278	Grey	bucket	5 kg	72 buckets	E1	7,57€
5522	Grey	bucket	15 kg	33 buckets	E1	6,89€



### TILE PRIMER

Improved adhesion, absorption and insulation pretreatment for the installation of tiles on gypsum, anhydrite and cementitious substrates.

- High insulating capacity
- Good adhesion
- Easy to apply
- Solvent free
- Dilutable with water
- Extends the open time of adhesives
- Prevents bubble formation
- Prevents shrinkage cracks

For consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5520	Bright red	canister	5 kg	128 pieces	E1	8,61€



**FLEX**

Flexibilizing agent for Aquaproof and cementitious adhesives.

For consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
6056	<input type="checkbox"/> White	canister	10kg	60 pieces	E1	14,19€

**TILE CLEANER**

Acid detergent for ceramic tiles.



Code	Packaging	Packaging size	Pallet	Cat.	Price € / kg
6091	canister	6kg	128 pieces	E2	3,60€

**TILE EPOXY CLEANER**

Special cleaner for epoxy grouts.

- Strong
- Fast
- Clean and shiny result



Code	Packaging	Packaging size	Pallet	Cat.	Price € / pc
5564	bottle	8x750 ml	46 cardboards	E2	14,50€



## 5.2 TILE ADHESIVES

### TILE 2020

Highly deformable, quick-setting, lightened cementitious adhesive for tiles, porcelain stoneware, stones and large marble.

Consumption: 3,3 kg/m<sup>2</sup>/double coating



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5452	White	bag	15 kg	50 bags	E1	4,20€
5453	Grey	bag	15 kg	50 bags	E1	3,39€



8030334054525



8030334054532

### TILE 900

One-component cementitious adhesive, type C2 E according to EN 12004, flexible and waterproof, for laying all types of ceramic tiles, including large tiles, for walls, floors and paving. Ideal indoors for waterproof applications in bathrooms and kitchens but also outdoors and on all kinds of substrates. Frost resistant.

- **Waterproofing**
- **Ideal for bathrooms and kitchens**
- **Laying of all types of tiles, including large sizes, on all types of substrate.**
- **Flexible**

Consumption: 1,5 - 3,5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5223	Grey	bag	25 kg	50 bags	E1	1,86€



8030334052231

**TILE 700**

Improved one-component cementitious adhesive type C2 E S1 according to EN 12004, quick setting and hardening, highly flexible and high strength, for gluing wall, floor and paving slabs or blocks of marble or natural stone and ceramic tiles of all kinds. Can be used indoors and outdoors. Frost resistant.

- For marble and natural stone
- Deformable
- Quick setting and hardening
- Floors laid ready for use almost immediately
- Does not cause blooming or rings
- Longer open time

Consumption: 3 - 8 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5222	White	bag	25 kg	50 bags	E1	2,33€

**TILE 600**

Single-component, adhesive cement powder, type C2 FE to EN 12004, quick setting and hardening, flexible and high strength, for gluing over old tiles or surfaces. For indoor and outdoor applications. For ceramic wall and floor tiles of all types. Frost resistant.

- Designed specifically for overlaying
- Quick setting and hardening
- Rapid usability
- Very short wait time for grouting
- Long open time

Consumption: 2 - 5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5360	Grey	bag	25 kg	50 bags	E1	1,33€





**TILE 480**

One-component, improved, high strength, cementitious adhesive, with long open time, deformable, class C2 TE S1 in compliance with EN 12004. For indoor and outdoor use on walls and floors, even for overlying, for porcelain and glazed stoneware and ceramic tiles of all types and sizes. Frost resistant.

- Ideal for large-sized tiles
- Very resistant
- Longer open time
- Very flexible and deformable

Consumption: 2 - 5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5221	White	bag	25 kg	50 bags	E1	1,49€
5219	Grey	bag	25 kg	50 bags	E1	1,48€



8030334052217



8030334052194

**TILE 350**

Improved, single-component, cementitious tile adhesive, type C2 TE according to EN 12004. Anti-slip, flexible, high resistance. Can be used indoors and outdoors, for walls and floors, even over old tiles. Suitable for porcelain and glazed stoneware and all ceramic tiles. Frost resistant.

- Ideal for medium- and large-size tiles
- Extended open time
- Suitable for heating floors
- Suitable for laying over old tiles
- Suitable for mosaic tiles when mixed with one part Antol Flex

Consumption: 2 - 5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5326	White	bag	4x5 kg	40 cardboards	E1	1,55€
5327	Grey	bag	4x5 kg	40 cardboards	E1	1,53€
5306	White	bag	25 kg	50 bags	E1	1,02€
5307	Grey	bag	25 kg	50 bags	E1	0,96€



8030334053269



8030334053276



8030334053061



8030334053078

**TILE 250**

Improved, single-component, cementitious tile adhesive, type C2 TE according to EN 12004, antislip and flexible, for gluing porcelain or glazed tiles of medium size. Can be used indoors and outdoors, on walls and floors. Frost resistant.

- **Extended open time**
- **High adhesion**
- **Anti-slip**
- **Suitable for porcelain or glazed tiles of medium size**
- **Gluing ceramic wall and floor tiles indoors and outdoors**
- **Gluing of ceramic tiles on stable substrates of limited size**

Consumption: 2 - 5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5304	White	bag	25 kg	50 bags	E1	0,89€
5305	Grey	bag	25 kg	50 bags	E1	0,84€



8030334053047



8030334053054

**T 480** EKOR

A deformable cement adhesive for all sizes of porcelain stoneware tiles and glazed tiles. Even for overlap. For indoor and outdoor use also on substrates subject to movement.

- **Ideal for large formats**
- **Can also be used for overlapping**
- **Flexible and deformable**

Consumption: 2 - 5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5448	White	bag	25 kg	50 bags	E1	1,23€
5450	Grey	bag	25 kg	50 bags	E1	1,14€



8030334054488



8030334054501

**T 250** EKOR

Single-component powder cementitious tile adhesive, type C2 TE according to EN 12004, flexible, non-slip and with extended open time, for bonding all types of ceramic tiles of medium/small size, both indoors and outdoors, to walls and floors.

- Increased open time
- High adhesiveness
- Anti-slip

Consumption: 2 - 5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5445	White	bag	25 kg	50 bags	E1	0,78€
5447	Grey	bag	25 kg	50 bags	E1	0,74€

**T 50** EKOR

Cementitious adhesive for laying absorbent ceramic tiles, indoors and outdoors. Suitable for single-fired and double-fired ceramic materials and aerated concrete materials. It can also be used as thin-layer masonry mortar.

- Extended open time
- For bathrooms and kitchens
- For indoor and outdoor use

Consumption: 2 - 5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5442	White	bag	25 kg	50 bags	E1	0,62€
5444	Grey	bag	25 kg	50 bags	E1	0,57€



## 5.3 TILE GROUTS


### TILE GROUT 5-15 MM

Cement-based powder grout, classified as CG2 to UNI EN 13888, for filling joints 5 to 15 mm wide.

- Resistant to water and frost
- Ideal for swimming pools and terraces

For consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6928	 220 Cement grey	bag	25 kg	50 bags	E2	1,29€











### TILE EPOXY

Two-component epoxy mortar, class R2 T according to EN 12004 and class RG according to EN 13888, for the bonding and grouting up to 15 mm of ceramic, ceramic and glass mosaic, marble and natural stone elements.

- Excellent workability and easy clean-up
- High chemical and mechanical resistance
- Perfectly waterproof
- Maximum colour stability

For consumption see technical data sheet.



Code	Color	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/kg
15189	 001 Neutral	2 components	bucket	3kg	100 buckets	E2	19,35€
15190	 100 White	2 components	bucket	3kg	100 buckets	E2	15,62€
15191	 150 Jasmin	2 components	bucket	3kg	100 buckets	E2	15,62€
15196	 210 Bright grey	2 components	bucket	3kg	100 buckets	E2	15,62€
15197	 240 Grey	2 components	bucket	3kg	100 buckets	E2	15,62€
15198	 290 Black	2 components	bucket	3kg	100 buckets	E2	15,62€
15193	 320 Bahama	2 components	bucket	3kg	100 buckets	E2	15,62€
15194	 380 Chestnut	2 components	bucket	3kg	100 buckets	E2	15,62€



## TILE GROUT 2-15 MM

Cement based powder grout, single component, flexible and waterproof, classified as CG2 WA in compliance with EN 13888, for filling joints 2 to 15 mm wide.

- Single component
- Flexible
- Waterproof
- High resistance to abrasion
- Ideal for bathrooms and swimming pools
- Wide range of colours

For consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg	
5378	100 White	bag	4x5 kg	40 cardboards	E2	3,06€	8030334053788
5379	150 Jasmin	bag	4x5 kg	40 cardboards	E2	3,19€	8030334053795
5380	200 Manhattan	bag	4x5 kg	40 cardboards	E2	3,19€	8030334053801
5381	205 Pearl grey	bag	4x5 kg	40 cardboards	E2	3,19€	8030334053818
5394	205 Pearl grey	bag	25 kg	50 bags	E2	2,59€	8030334053948
5382	220 Cement grey	bag	4x5 kg	40 cardboards	E2	2,56€	8030334053825
5395	220 Cement grey	bag	25 kg	50 bags	E2	2,04€	8030334053955
5383	230 Grey	bag	4x5 kg	40 cardboards	E2	2,56€	8030334053832
5384	260 Anthracite	bag	4x5 kg	40 cardboards	E2	3,19€	8030334053849
5385	290 Black	bag	4x5 kg	40 cardboards	E2	3,19€	8030334053856
5386	310 Vanilla	bag	4x5 kg	40 cardboards	E2	3,62€	8030334053863
5387	320 Bahama	bag	4x5 kg	40 cardboards	E2	3,19€	8030334053870
5388	330 Beige	bag	4x5 kg	40 cardboards	E2	3,19€	8030334053887
5389	340 Hazelnut	bag	4x5 kg	40 cardboards	E2	3,62€	8030334053894
5390	350 Brown	bag	4x5 kg	40 cardboards	E2	3,62€	8030334053900
5391	360 Chocolate	bag	4x5 kg	40 cardboards	E2	3,62€	8030334053917
5392	370 Terracotta	bag	4x5 kg	40 cardboards	E2	3,62€	8030334053924
5393	380 Chestnut	bag	4x5 kg	40 cardboards	E2	3,62€	8030334053931

**TILE GROUT ≤8 MM**

Cement-based powder grout, classified as CG2 WA in compliance with EN 13888, for rigid filling of joints up to 8 mm.

- Single component
- Waterproof
- High abrasion resistance
- Wide range of colours

For consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg	
5362	100 White	bag	4x5 kg	40 cardboards	E2	1,90€	8030334053627
5363	150 Jasmin	bag	4x5 kg	40 cardboards	E2	2,43€	8030334053634
5364	200 Manhattan	bag	4x5 kg	40 cardboards	E2	2,43€	8030334053641
5365	205 Pearl grey	bag	4x5 kg	40 cardboards	E2	2,43€	8030334053658
5366	220 Cement grey	bag	4x5 kg	40 cardboards	E2	1,86€	8030334053665
5367	230 Grey	bag	4x5 kg	40 cardboards	E2	1,86€	8030334053672
5368	260 Anthracite	bag	4x5 kg	40 cardboards	E2	2,43€	8030334053689
5369	290 Black	bag	4x5 kg	40 cardboards	E2	2,43€	8030334053696
5370	310 Vanilla	bag	4x5 kg	40 cardboards	E2	3,02€	8030334053702
5371	320 Bahama	bag	4x5 kg	40 cardboards	E2	2,43€	8030334053719
5372	330 Beige	bag	4x5 kg	40 cardboards	E2	2,43€	8030334053726
5373	340 Hazelnut	bag	4x5 kg	40 cardboards	E2	3,02€	8030334053733
5374	350 Brown	bag	4x5 kg	40 cardboards	E2	3,02€	8030334053740
5375	360 Chocolate	bag	4x5 kg	40 cardboards	E2	3,02€	8030334053757
5376	370 Terracotta	bag	4x5 kg	40 cardboards	E2	3,02€	8030334053764
5377	380 Chestnut	bag	4x5 kg	40 cardboards	E2	3,02€	8030334053771




# 6. Concrete Restoration

6.1 Pretreatments

6.2 Cementitious Mortars

6.3 Paints





## 6.1 PRETREATMENTS

### RESTAURO FERRI

Single-component mortar for protective anticorrosive and CO<sub>2</sub> barrier treatment of rebars. It meets the minimum requirements of EN 1504-7.

- Exceptional adhesion to rebars and concrete
- High anti-CO<sub>2</sub> protection
- Extremely easy to apply
- It ensures the perfect adhesion of mortars to the substrate
- Excellent thixotropy

Consumption: 1,2 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5523	Bright grey	bag	4x5 kg	40 cardboards	G1	3,83€



8030334055232

## 6.2 CEMENTITIOUS MORTARS

### RESTAURO R4

Premixed, single-component, anti-shrinkage, normal setting, pre-mixed mortar for concrete and reinforced concrete reconstruction and protection, PCC type and class R4 according to EN 1504-3.

- High mechanical strength
- Excellent thixotropy
- Anti-shrinkage
- Applicable in thickness between 10 and 40 mm

Consumo: 19 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5525	Grey	bag	25 kg	50 bags	G1	1,30€



8030334055256

### RESTAURO R3

Premixed, single-component, anti-shrinkage, semi-rapid, pre-mixed mortar for concrete and reinforced concrete reconstruction and protection, PCC type and class R3 according to EN 1504-3.

- High mechanical strength
- Great thixotropy
- Anti-shrinkage
- Applicable in thickness between 10 and 40 mm
- Manually and mechanically applicable

Consumo: 19 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5524	Grey	bag	25 kg	50 bags	G1	1,25€



### RESTAURO R2

Premixed fast setting thixotropic mortar, uni en 1504-3 pcc type and r2 class, resin-bonded and fibre-reinforced, for reconstruction of concrete.

- Exceptional workability
- Excellent mechanical strength
- Applicable in layers 10 to 40 mm thick
- Fast setting product
- Low modulus of elasticity

Consumo: 19 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6312	Grey	bag	25 kg	50 bags	G1	1,28€



**STRUTTURALE**

Premixed, high-strength thixotropic mortar, fibre-reinforced, EN 1504-3 CC type and R4 class, for the reconstruction of structural components.

- High mechanical strength
- Excellent thixotropy
- Anti shrinkage
- Applicable in coats between 20 and 40 mm thick

Consumo: 19 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6314	Grey	bag	25 kg	50 bags	G1	0,97€

**COLABILE**

Premixed, high-strength, fibre-reinforced mortar, UNI EN 1504-3 PCC type and R4 class, applicable by casting in formwork for the reconstruction of structural components.

- High mechanical strength
- Excellent rheological properties
- Anti shrinkage
- Anti bleeding and anti sedimentation

Consumo: 2000 kg/m<sup>3</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6300	Grey	bag	25 kg	50 bags	G1	1,28€



## RESTAURO FINITURA

Premixed, single-component, resin-bonded, fibre-reinforced, class C MC IR fine mortar according to EN 1504-2 for smoothing and protecting concrete elements.

- Outstanding workability and adhesion to the substrate
- Excellent mechanical strength and surface hardness
- Reduced capillary absorption
- Resistant to CO<sub>2</sub> penetration
- Applicable in thickness from 1 to 3 mm
- Perfect degree of finish

Consumo: 1,7 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5527	Grey	bag	25 kg	50 bags	G1	1,19€



## RINNOVA

Quick-setting, single-component premixed mortar. Tixotropic, non-shrink, fibre-reinforced. Type PCC and class R2 as per 1504-3 and type C, MC and IR principles, as per UNI EN 1504-2. For smoothing and repairing concrete.

- Excellent workability
- Excellent finish
- Quick setting
- Non-shrink
- Applicable in thicknesses up to 40 mm

Consumo: 1,8 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5325	Grey	bag	4x5 kg	40 cardboards	G1	1,61€
5088	Grey	bag	25 kg	50 bags	G1	1,05€



**UMAFIX**

Premixed cement mortar, thixotropic, fast-setting and hardening and with high mechanical strength for various type of reparation.

- Quick setting and hardening
- High mechanical strength
- Extremely versatile in a wide range of applications
- Fast to prepare and use
- Use in thicknesses from 0 to 40 mm
- Perfect construction engineering finish

Consumo: 18 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6046	Grey	bag	25 kg	50 bags	G1	1,17€
6045	Grey	bag	4x5 kg	40 cardboards	G1	2,38€

**UMATIXO**

One-component, pre-mixed thixotropic cement mortar. Fast setting and hardening times fibre-reinforced with high mechanical strength, type CC and class R4 according to EN 1504-3, for fixing manhole covers, localised repair of interior and exterior industrial floors and repair of reinforced concrete.

- Rapid hardening and development of mechanical strength
- Excellent water impermeability
- Resistant to the penetration of CO<sub>2</sub>
- Withstands freezing/thawing cycles
- Resistant to thawing salts

Consumo: 20 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5134	Anthracite	bag	25 kg	50 bags	G1	1,43€





## UMAFLOW

One-component, pre-mixed, fluid, non-shrinking, fibre-reinforced, fast setting and hardening mortar with high mechanical strength. Type CC and class R4 according to EN 1504-3, for fixing manhole covers, localised repair of interior and exterior industrial floors and repair of reinforced concrete.

- **Rapid hardening and development of mechanical strength**
- **Resistant to the penetration of CO<sub>2</sub>**
- **Withstands freezing/thawing cycles**
- **Resistant to thawing salts**

Consumo: 21 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5081	 Anthracite	bag	25 kg	50 bags	G1	1,65€
5080	 Grey	bag	25 kg	50 bags	G1	1,65€



## 6.3 PAINTS







### RESTAURO PITTURA

Smooth anti-carbonation paint specifically for concrete.

- **Anti CO**
- **Uniforming**
- **Protective**

Consumption per coat: 10-14 m<sup>2</sup>/l



Code	Color	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/l
8232	 White	bucket	15l	33 buckets	-	K2	15,95€
8277	 Coloured	bucket	1 l	216 buckets	Sample	K2	26,00€
8273	 Coloured	bucket	15l	33 buckets	PC I	K2	16,60€
8274	 Coloured	bucket	15l	33 buckets	PC II	K2	17,26€
8275	 Coloured	bucket	15l	33 buckets	PC III	K2	17,91€
8276	 Coloured	bucket	15l	33 buckets	PC ◆	K2	19,66€



Torggler




# 7. Anchoring and Mounting

7.1 Chemical Anchors

7.2 Epoxy Adhesives

7.3 Cementitious Mortars

7.4 Accessories





## 7.1 CHEMICAL ANCHORS

### XTREME GRIP VINYLESTER

Two-component vinylester resin-based chemical anchor without styrene for structural fixings on cracked/un-cracked concrete, solid and perforated brick masonry, wood.

- CE marked and qualified according to the European Technical Assessment (ETA) for anchors on cracked and non-cracked concrete
- Certified for works in seismic category C1 and C2.
- Also suitable for fixings on hollow elements, solid masonry and timber
- Quick commissioning
- Suitable for use on wet substrates or with flooded hole
- Substrate temperatures during installation: from -10 °C to +40 °C
- Fire resistant up to maximum R240
- Possibility of sinking the anchoring hole to a depth of up to 1 metre
- Easy penetration into porous and hollow areas
- Secure fastening without expansion and without tension in the substrate

For consumption see technical data sheet.



Code	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/pc
8051	2 components	cartridge	12x300 ml	52 cardboards	H2	13,79€
8052	2 components	cartridge	12x400 ml	72 cardboards	H2	15,54€



8030334080517



8030334080524

### CA POLY EKOR

Two-component polyester resin-based chemical anchor without styrene for fixing medium-light loads on un-cracked concrete, solid and perforated brick masonry and autoclaved cell concrete.

For consumption see technical data sheet.



Code	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/pc
8047	2 components	cartridge	12x300 ml	52 cardboards	H2	8,22€
8048	2 components	cartridge	12x400 ml	72 cardboards	H2	9,45€



8030334080470



8030334080487

## 7.2 EPOXY ADHESIVES


### EPOX RIPRESA

Two-component epoxy adhesive for concrete casting joints.

- Slightly thixotropic
- Water-based product

The consumption of Epox Ripresa is approx. 600-800 g/m<sup>2</sup>



Code	Color	Bicomponent	Packaging	Packaging size	Cat.	Price €/kg
5486	 Yellow	2 components	bucket	4x3 kg	H2	29,45€



## 7.3 CEMENTITIOUS MORTARS



### FLASH

Extra-fast setting, premixed cementitious mortar for small installation works.

- Thixotropic
- Ideal for electrical and hydraulic installations
- Prefect construction engineering finishing
- Extra fast setting

Consumption: 18 kg/l



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6040	 Grey	bag	4x5 kg	40 cardboards	H1	1,24€
6041	 Grey	bag	25 kg	50 bags	H1	0,62€



## ESPANSOL ANCOR

Pre-mixed, fluid, self-levelling cementitious mortar for anchoring and precise grouting works.

- Fluid
- Extremely high resistance
- Limited expansion
- Non-shrinking

Consumption: 2100 kg/m<sup>3</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6032	Grey	bag	25 kg	50 bags	H1	1,09€



## 7.4 ACCESSORIES

### CHEMICAL ANCHOR CAGE

Cage for application of chemical anchors on perforated bricks in combination with threaded rods of different size. Hole diameter 12 mm and hole length 80 mm; hole diameter 15 mm and hole length 85 mm; hole diameter 20 mm and hole length 85 mm.


















Code	Detail	Dimensions	Packaging size	Cat.	Price €/pc
15254	M8	12x80 mm	100 piece	H9	0,25€
15255	M10-M12	15x85 mm	100 piece	H9	0,28€
15256	M12-M16	20x85 mm	50 piece	H9	0,36€



## WINDOW FRAME SCREW FOR ALUMINIUM

Special screw made of galvanised steel for fixing aluminium profiles on concrete, with high-low thread, reduced cylinder head, TX30 drive and various lengths from 50 to 300 mm.



















Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15396	100 mm	Ø 7,5 mm	100 piece	H9	0,29€	 8030334153969
15397	110 mm	Ø 7,5 mm	100 piece	H9	0,33€	 8030334153976
15398	120 mm	Ø 7,5 mm	100 piece	H9	0,36€	 8030334153983
15399	135 mm	Ø 7,5 mm	100 piece	H9	0,42€	 8030334153990
15400	150 mm	Ø 7,5 mm	100 piece	H9	0,48€	 8030334154003
15401	160 mm	Ø 7,5 mm	100 piece	H9	0,52€	 8030334154010
15402	180 mm	Ø 7,5 mm	100 piece	H9	0,66€	 8030334154027
15403	200 mm	Ø 7,5 mm	100 piece	H9	0,80€	 8030334154034
15404	220 mm	Ø 7,5 mm	100 piece	H9	1,00€	 8030334154041
15391	50 mm	Ø 7,5 mm	100 piece	H9	0,15€	 8030334153914
15392	60 mm	Ø 7,5 mm	100 piece	H9	0,17€	 8030334153921
15393	70 mm	Ø 7,5 mm	100 piece	H9	0,19€	 8030334153938
15394	80 mm	Ø 7,5 mm	100 piece	H9	0,21€	 8030334153945
15395	90 mm	Ø 7,5 mm	100 piece	H9	0,26€	 8030334153952
15406	300 mm	Ø 7,5 mm	100 piece	H9	2,19€	 8030334154065

**WINDOW FRAME SCREW FOR PVC AND WOOD**

Special screw made of galvanised steel for fixing PVC and wood profiles to concrete, with high-low thread, flat countersunk head, TX30 drive and various lengths from 50 to 300 mm.




Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15412	100 mm	Ø 7,5 mm	100 piece	H9	0,29€	 8030334154126
15414	110 mm	Ø 7,5 mm	100 piece	H9	0,33€	 8030334154140
15415	120 mm	Ø 7,5 mm	100 piece	H9	0,36€	 8030334154157
15416	135 mm	Ø 7,5 mm	100 piece	H9	0,42€	 8030334154164
15417	150 mm	Ø 7,5 mm	100 piece	H9	0,48€	 8030334154171
15418	160 mm	Ø 7,5 mm	100 piece	H9	0,52€	 8030334154188
15419	180 mm	Ø 7,5 mm	100 piece	H9	0,66€	 8030334154195
15420	200 mm	Ø 7,5 mm	100 piece	H9	0,80€	 8030334154201
15421	220 mm	Ø 7,5 mm	100 piece	H9	1,00€	 8030334154218
15423	300 mm	Ø 7,5 mm	100 piece	H9	2,19€	 8030334154232
15407	50 mm	Ø 7,5 mm	100 piece	H9	0,15€	 8030334154072
15408	60 mm	Ø 7,5 mm	100 piece	H9	0,17€	 8030334154089
15409	70 mm	Ø 7,5 mm	100 piece	H9	0,19€	 8030334154096
15410	80 mm	Ø 7,5 mm	100 piece	H9	0,21€	 8030334154102
15411	90 mm	Ø 7,5 mm	100 piece	H9	0,26€	 8030334154119
15422	250 mm	Ø 7,5 mm	100 piece	H9	1,59€	 8030334154225

**CHEMICAL ANCHOR MIXER**

Mixer for chemical anchors.



Code	Packaging	Packaging size	Cat.	Price €/ pc	
15253	bag	12 piece	H9	0,45€	 8030334152535



# 8. Restoration


8.1 Surface Preparation

8.2 Cementitious Dehumidification Mortars

8.3 Dehumidification Finishing Mortars

8.4 Renovation with Calcium Silicate Panels

8.5 Finishing Mortars for Facades and Walls





## 8.1 SURFACE PREPARATION

### RINZAFFO

Rendering coat for renovating and/or dehumidifying plasters.

- Perfect compatibility with renovating and/or dehumidifying plasters
- Good breathability
- Excellent workability
- Excellent adhesion on all types of masonry even when treated with Antisale
- Hand and machine application

Consumo: 1,4 - 1,6 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6502	Grey	bag	25 kg	50 bags	11	1,05€



### SHIELD

Hydrophobic pre-treatment for calcium silicate-based panels or porous and/or absorbent surfaces.

- High water repellency
- Water based product
- Ready to use
- Quick and easy application

Consumption is approximately 0.3 - 0.5 l/m<sup>2</sup>, but this can vary depending on the characteristics of the substrate.



Code	Packaging	Packaging size	Pallet	Cat.	Price €/l
5419	canister	5 l	128 canisters	11	12,14€



**DEEP CLEANER**

Biocide for sanitizing surfaces with mould and microbiological growths.

- High cleaning strength
- Miscible in water
- Wide range of action
- Quick and lasting effect



Code	Packaging	Packaging size	Pallet	Cat.	Price € / pc
5424	bottle	8x750 ml	46 cardboards	11	14,31€



8030334054242

**ANTISALE**

Universal keying agent for protection against saline efflorescence.

- Excellent barrier against all salts
- Water based environment friendly product
- Good water repellent properties
- Ready to use

Depending on the porosity and smoothness of the background, consumption ranges from 0.3 to 0.5 litres/m<sup>2</sup>.



Code	Packaging	Packaging size	Pallet	Cat.	Price € / l
6344	canister	5 l	128 canisters	11	12,32€



8030334063442

## 8.2 CEMENTITIOUS DEHUMIDIFICATION MORTARS

### RISAN ONE

Pre-mixed cementitious mortar 3-in-1. Multi-functional for the creation of renovation plasters on masonry affected by rising damp and saline efflorescence.

- Does not require saline efflorescence treatment
- Single product used for both keying and rendering
- High efflorescence resistance
- Excellent porosity and water repellent properties
- Quick to apply

Consumption: 13 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6337	Grey	bag	25 kg	50 bags	11	1,24€



### INTONACO WTA

Premixed plastering mortar for the renovation of masonry subject to rising capillary damp, according to EN 998-1 type R, WTA certified.

- New improved formula based on special cements
- Increased resistance to saline efflorescence and weather
- Improved resistance to nitrates
- Higher yield

Consumption: 12 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6293	Grey	bag	25 kg	50 bags	11	1,44€




**DP 501** EKOR

Premixed cementitious mortar for dehumidifying plasters.

- **Excellent breathability**
- **Good water repellency**
- **Optimized porosity**
- **Applicable by hand and machine**

Consumo: 14 kg/m<sup>2</sup>/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5451	 Grey	bag	25 kg	50 bags	11	0,95€



### 8.3 DEHUMIDIFICATION FINISHING MORTARS


**FINITURA**

Breathable, fine-grain premixed mortar for the finishing of renovating and/or dehumidifying plasters.

- **Perfect compatibility with renovating and/or dehumidifying plasters**
- **High breathability and water repellence**
- **Excellent workability**
- **White and grey available**

Consumo: 1,4 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6316	 White	bag	25 kg	50 bags	11	1,87€



**FINISSIMO**

Very fine, breathable, premixed mortar to give a smooth finish to indoor renovation and/or dehumidifying plasters.

- Perfect compatibility with renovating and/or dehumidifying plasters
- High breathability
- Excellent workability
- Smooth finish

Consumo: 1,2 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6529	<input type="checkbox"/> White	bag	15 kg	50 bags	I1	1,32€

**8.4 RENOVATION WITH CALCIUM SILICATE PANELS****BOND & FINISH**

Pre-mixed mineral mortar to be used to lay calcium-silicate panels, both as an adhesive for bonding to the support, and for the finishing and smoothing of fiberglass reinforcing mesh.

- Highly adhesive to the support surface
- Excellent workability
- Hardening with reduced stress
- High water vapour diffusion
- Attainable thickness of 2-5 mm
- Smooth finish

Consumption as adhesive: 3 - 7.5 kg/m<sup>2</sup>  
Consumption as finishing mortar: 1.5 kg/m<sup>2</sup>/layer



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5361	<input type="checkbox"/> White	bag	25 kg	50 bags	I1	1,73€




## PANEL LIFE

Calcium silicate panel for interior applications, to resolve the problems of surface condensation, mould and harmful salts.

- Good thermal insulation
- High water vapour diffusion
- Non-combustible
- Natural non-hydraulic lime and silicate based product
- Can prevent the formation of surface condensation
- Simple, fast and economical to use



Code	Color	Dimensions	Thickness	Packaging	Packaging size	Pallet	Cat.	Price €/pc
15528	 Grey	500x305 mm	25 mm	package	8 piece	384 pieces	11	6,40€



## 8.5 FINISHING MORTARS FOR FACADES AND WALLS


### R.E.D.

Pre-mixed fibre-reinforced mortar/plaster for regularisation, levelling and restoration work from 3 to 40 mm. Skim plaster for façade renovation with very high adhesion power and excellent workability, type GP CSII W0, according to EN 998-1, for restoration and levelling work, for thickness from 3 to 40 mm. For manual and machine applications.

- Adhesion to various substrates
- Fibre-reinforced
- Excellent workability
- For manual and mechanical applications

The consumption of R.E.D. is approx. 1.4 kg/m<sup>2</sup> each mm of thickness.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5519	 Ivory	bag	25 kg	50 bags	11	0,87€



## MULTIFINISH

Fibre-reinforced, thixotropic, cementitious mineral mortar for repairing and finishing various types of surfaces, up to 10 mm thickness.

- Excellent workability
- Excellent thixotropic properties
- Excellent quality of finish
- High breathability
- Low capillary absorption
- White colour
- Application thicknesses up to 10 mm

Consumption: 1,3 kg/m<sup>2</sup>/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5328	White	bag	4x5 kg	40 cardboards	11	1,56€
5589	Grey	bag	25 kg	50 bags	11	0,98€
5279	White	bag	25 kg	50 bags	11	1,21€



8030334053283



8030334055898



8030334052798

## STUCCOSOL

Very fine cement mortar for grouting and smoothing cement elements.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6035	Grey	bag	20kg	50 bags	11	1,43€



8030334060359

**GP 100** *EKOR*

Ready-to-use paste putty for indoor use.

Consumption: 0,6 kg/m<sup>2</sup>/mm

Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
8063	<input type="checkbox"/> White	bucket	5 kg	120 buckets	11	2,39€
8064	<input type="checkbox"/> White	bucket	20kg	44 buckets	11	1,89€




8030334080630



8030334080647





# 9. Thermal Insulation

9.1 Adhesives


9.2 Insulation Panels

9.3 Mechanical Mounting

9.4 Accessories and System Components

9.5 Components for air and water tightness

9.6 Installation items



## 9.1 ADHESIVES

### MASTOFIX® LIGHT MAK

Adhesive and levelling compound based on cementitious, selected mineral aggregates, EPS fibres, additives. For bonding and smoothing of EPS, MW, and PIR-coated polyiso foam insulation panels.

- Excellent workability
- Light
- Low modulus of elasticity

As smoothing agent approx. 5 - 6 kg/m<sup>2</sup>, as adhesive approx. 3 - 4 kg/m<sup>2</sup>.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8325	<input type="checkbox"/> White	bag	20kg	50 bags	J1	1,38€



8030334083259

### EKOMIX EKOR

Powder finishing mortar and adhesive made of cement, selected mineral aggregates, additives. For bonding and rendering polystyrene insulation panels. Component of the Ekomix EPS system.

Consumption: 3 - 5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5428	<input type="checkbox"/> White	bag	25 kg	50 bags	J1	0,92€
5427	<input checked="" type="checkbox"/> Grey	bag	25 kg	50 bags	J1	0,86€



8030334054280





8030334054273

**EKOMIX PLUS** EKOR

Powder finishing mortar and adhesive made of cement, selected mineral aggregates, additives. For bonding and smoothing mineral wool insulation panels. Component of the Ekomix Wool system.

Consumption: 3 - 5 kg/m<sup>2</sup>



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5456	 White	bag	25 kg	50 bags	J1	1,03€
5429	 Grey	bag	25 kg	50 bags	J1	0,98€















## 9.2 INSULATION PANELS

### ETICS WHITE RECYCLED

White mixed with grey sintered expanded polystyrene panel, cut by block, straight edge for the thermal insulation of vertical walls with insulation.

- Constant density
- Excellent cutting accuracy






Code	Dimensions	Thickness	Packaging	Packaging size	Pallet	m <sup>2</sup> Package	m <sup>2</sup> Pallet	Cat.	Price €/m <sup>2</sup>	
15453	1000x500 mm	30 mm	package	20 piece	10 packages	10 m <sup>2</sup>	100 m <sup>2</sup>	J2	6,86€	 8030334154539
15454	1000x500 mm	40 mm	package	15 piece	10 packages	7,5 m <sup>2</sup>	75 m <sup>2</sup>	J2	9,16€	 8030334154546
15455	1000x500 mm	50 mm	package	12 piece	10 packages	6 m <sup>2</sup>	60 m <sup>2</sup>	J2	11,45€	 8030334154553
15456	1000x500 mm	60 mm	package	10 piece	10 packages	5 m <sup>2</sup>	50 m <sup>2</sup>	J2	13,75€	 8030334154560
15457	1000x500 mm	80 mm	package	7 piece	10 packages	3,50 m <sup>2</sup>	35 m <sup>2</sup>	J2	18,32€	 8030334154577
15458	1000x500 mm	100 mm	package	6 piece	10 packages	3 m <sup>2</sup>	30 m <sup>2</sup>	J2	22,90€	 8030334154584
15459	1000x500 mm	120 mm	package	5 piece	10 packages	2,5 m <sup>2</sup>	25 m <sup>2</sup>	J2	27,49€	 8030334154591
15460	1000x500 mm	140 mm	package	4 piece	10 packages	2 m <sup>2</sup>	20 m <sup>2</sup>	J2	32,07€	 8030334154607
15461	1000x500 mm	160 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	36,65€	 8030334154614
15462	1000x500 mm	180 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	41,23€	 8030334154621
15463	1000x500 mm	200 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	45,80€	 8030334154638

**ETICS GREEN START** 

Sintered expanded polystyrene panel resistant to water absorption, cut from a block with a straight edge for making the starting skirting in heat insulation systems.

- Very high protection against water and humidity
- Excellent cutting precision
- Ideal for all applications where high mechanical strength and low water absorption are required (starting for "external insulations", ground bearing, roofing, subflooring, etc.)
















Code	Dimensions	Thickness	Packaging	Packaging size	Pallet	m <sup>2</sup> Package	m <sup>2</sup> Pallet	Cat.	Price €/m <sup>2</sup>	
15475	1000x500 mm	30 mm	package	20 piece	10 packages	10 m <sup>2</sup>	100 m <sup>2</sup>	J2	12,14€	 8030334154751
15476	1000x500 mm	40 mm	package	15 piece	10 packages	7,5 m <sup>2</sup>	75 m <sup>2</sup>	J2	16,19€	 8030334154768
15477	1000x500 mm	50 mm	package	12 piece	10 packages	6 m <sup>2</sup>	60 m <sup>2</sup>	J2	20,24€	 8030334154775
15478	1000x500 mm	60 mm	package	10 piece	10 packages	5 m <sup>2</sup>	50 m <sup>2</sup>	J2	24,29€	 8030334154782
15479	1000x500 mm	80 mm	package	7 piece	10 packages	3,50 m <sup>2</sup>	35 m <sup>2</sup>	J2	32,38€	 8030334154799
15480	1000x500 mm	100 mm	package	6 piece	10 packages	3 m <sup>2</sup>	30 m <sup>2</sup>	J2	40,48€	 8030334154805
15481	1000x500 mm	120 mm	package	5 piece	10 packages	2,5 m <sup>2</sup>	25 m <sup>2</sup>	J2	48,58€	 8030334154812
15482	1000x500 mm	140 mm	package	4 piece	10 packages	2 m <sup>2</sup>	20 m <sup>2</sup>	J2	56,67€	 8030334154829
15483	1000x500 mm	160 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	64,77€	 8030334154836
15484	1000x500 mm	180 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	72,86€	 8030334154843
15485	1000x500 mm	200 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	80,96€	 8030334154850

**ETICS BLACK ALL SEASON** 

Sintered expanded polystyrene panel with graphite/other carbon derivatives additive, cut from block, straight edge for the thermal insulation of vertical walls with coat.


- Constant density
- Excellent cutting accurac























Code	Dimensions	Thickness	Packaging	Packaging size	Pallet	m <sup>2</sup> Package	m <sup>2</sup> Pallet	Cat.	Price €/m <sup>2</sup>	
15464	1000x500 mm	30 mm	package	20 piece	10 packages	10 m <sup>2</sup>	100 m <sup>2</sup>	J2	8,23€	 8030334154645
15465	1000x500 mm	40 mm	package	15 piece	10 packages	7,5 m <sup>2</sup>	75 m <sup>2</sup>	J2	10,98€	 8030334154652
15466	1000x500 mm	50 mm	package	12 piece	10 packages	6 m <sup>2</sup>	60 m <sup>2</sup>	J2	13,72€	 8030334154669
15467	1000x500 mm	60 mm	package	10 piece	10 packages	5 m <sup>2</sup>	50 m <sup>2</sup>	J2	16,47€	 8030334154676
15468	1000x500 mm	80 mm	package	7 piece	10 packages	3,50 m <sup>2</sup>	35 m <sup>2</sup>	J2	21,96€	 8030334154683
15469	1000x500 mm	100 mm	package	6 piece	10 packages	3 m <sup>2</sup>	30 m <sup>2</sup>	J2	27,45€	 8030334154690
15470	1000x500 mm	120 mm	package	5 piece	10 packages	2,5 m <sup>2</sup>	25 m <sup>2</sup>	J2	32,93€	 8030334154706
15471	1000x500 mm	140 mm	package	4 piece	10 packages	2 m <sup>2</sup>	20 m <sup>2</sup>	J2	38,42€	 8030334154713
15472	1000x500 mm	160 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	43,91€	 8030334154720
15473	1000x500 mm	180 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	49,40€	 8030334154737
15474	1000x500 mm	200 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	54,89€	 8030334154744

**EKOMIX PANEL EPS WHITE** EKOR

White sintered expanded polystyrene panel, cut by block, straight edge for the thermal insulation of vertical walls with coat.














Code	Color	Dimensions	Thickness	Packaging	Packaging size	Pallet	m <sup>2</sup> Package	m <sup>2</sup> Pallet	Cat.	Price €/m <sup>2</sup>	
15222	 White	1000x500 mm	40 mm	package	15 piece	10 packages	7,50 m <sup>2</sup>	75 m <sup>2</sup>	J2	9,16€	 8030334152221
15223	 White	1000x500 mm	50 mm	package	12 piece	10 packages	6 m <sup>2</sup>	60 m <sup>2</sup>	J2	11,45€	 8030334152238
15224	 White	1000x500 mm	60 mm	package	10 piece	10 packages	5 m <sup>2</sup>	50 m <sup>2</sup>	J2	13,75€	 8030334152245
15225	 White	1000x500 mm	80 mm	package	7 piece	10 packages	3,50 m <sup>2</sup>	35 m <sup>2</sup>	J2	18,32€	 8030334152252
15226	 White	1000x500 mm	100 mm	package	6 piece	10 packages	3 m <sup>2</sup>	30 m <sup>2</sup>	J2	22,90€	 8030334152269
15227	 White	1000x500 mm	120 mm	package	5 piece	10 packages	2,50 m <sup>2</sup>	25 m <sup>2</sup>	J2	27,49€	 8030334152276
15228	 White	1000x500 mm	140 mm	package	4 piece	10 packages	2 m <sup>2</sup>	20 m <sup>2</sup>	J2	32,07€	 8030334152283
15229	 White	1000x500 mm	160 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	36,65€	 8030334152290
15230	 White	1000x500 mm	180 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	41,23€	 8030334152306
15231	 White	1000x500 mm	200 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	45,80€	 8030334152313



**EKOMIX PANEL EPS GREY** EKOR


Sintered expanded polystyrene panel with graphite additive, cut from block, straight edge for the thermal insulation of vertical walls with coat.











Code	Color	Dimensions	Thickness	Packaging	Packaging size	Pallet	m <sup>2</sup> Package	m <sup>2</sup> Pallet	Cat.	Price €/m <sup>2</sup>	
15232	Grey	1000x500 mm	40 mm	package	15 piece	10 packages	7,50 m <sup>2</sup>	75 m <sup>2</sup>	J2	10,98€	 8030334152320
15233	Grey	1000x500 mm	50 mm	package	12 piece	10 packages	6 m <sup>2</sup>	60 m <sup>2</sup>	J2	13,72€	 8030334152337
15234	Grey	1000x500 mm	60 mm	package	10 piece	10 packages	5 m <sup>2</sup>	50 m <sup>2</sup>	J2	16,47€	 8030334152344
15235	Grey	1000x500 mm	80 mm	package	7 piece	10 packages	3,50 m <sup>2</sup>	35 m <sup>2</sup>	J2	21,96€	 8030334152351
15236	Grey	1000x500 mm	100 mm	package	6 piece	10 packages	3 m <sup>2</sup>	30 m <sup>2</sup>	J2	27,45€	 8030334152368
15237	Grey	1000x500 mm	120 mm	package	5 piece	10 packages	2,50 m <sup>2</sup>	25 m <sup>2</sup>	J2	32,93€	 8030334152375
15238	Grey	1000x500 mm	140 mm	package	4 piece	10 packages	2 m <sup>2</sup>	20 m <sup>2</sup>	J2	38,42€	 8030334152382
15239	Grey	1000x500 mm	160 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	43,91€	 8030334152399
15241	Grey	1000x500 mm	180 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	49,40€	 8030334152412
15242	Grey	1000x500 mm	200 mm	package	3 piece	10 packages	1,50 m <sup>2</sup>	15 m <sup>2</sup>	J2	54,89€	 8030334152429

**EKOMIX PANEL BASE** *EKOR*

Sintered polystyrene foam panel with external film transparent to resist water absorption printed on straight edge for the creation of the starting skirting in coat systems.












Code	Color	Dimensions	Thickness	Packaging	Packaging size	Pallet	m <sup>2</sup> Package	m <sup>2</sup> Pallet	Cat.	Price €/m <sup>2</sup>	
15243	Grey	1000x600 mm	60 mm	package	9 piece	10 packages	5,40 m <sup>2</sup>	54 m <sup>2</sup>	J2	24,29€	 8030334152436
15244	Grey	1000x600 mm	80 mm	package	7 piece	10 packages	4,20 m <sup>2</sup>	42 m <sup>2</sup>	J2	32,38€	 8030334152443
15245	Grey	1000x600 mm	100 mm	package	5 piece	10 packages	3 m <sup>2</sup>	30 m <sup>2</sup>	J2	40,48€	 8030334152450
15246	Grey	1000x600 mm	120 mm	package	4 piece	12 packages	2,40 m <sup>2</sup>	28,8 m <sup>2</sup>	J2	48,58€	 8030334152467
15247	Grey	1000x600 mm	140 mm	package	4 piece	10 packages	2,40 m <sup>2</sup>	24 m <sup>2</sup>	J2	56,67€	 8030334152474
15248	Grey	1000x600 mm	160 mm	package	3 piece	12 packages	1,80 m <sup>2</sup>	21,6 m <sup>2</sup>	J2	64,77€	 8030334152481
15249	Grey	1000x600 mm	180 mm	package	3 piece	10 packages	1,80 m <sup>2</sup>	18 m <sup>2</sup>	J2	72,86€	 8030334152498
15250	Grey	1000x600 mm	200 mm	package	2 piece	14 packages	1,20 m <sup>2</sup>	16,8 m <sup>2</sup>	J2	80,96€	 8030334152504

**EKOMIX PANEL WOOL - P** *EKOR*

Mineral wool insulation panels with double thickness for thermal insulation, soundproofing and fire protection, especially for thermal insulation composite systems. Manufactured in accordance with the required environmental criteria.

- Soundproofing properties
- Dimensional stability
- Fire protection




Code	Dimensions	Thickness	Packaging	Packaging size	Pallet	m <sup>2</sup> Package	m <sup>2</sup> Pallet	Cat.	Price €/m <sup>2</sup>	
15298	1200x600 mm	200 mm	package	2 piece	6 packages	1,44 m <sup>2</sup>	8,64 m <sup>2</sup>	J2	76,04€	 8030334152986
15297	1200x600 mm	180 mm	package	2 piece	6 packages	1,44 m <sup>2</sup>	8,64 m <sup>2</sup>	J2	68,48€	 8030334152979
15296	1200x600 mm	160 mm	package	2 piece	8 packages	1,44 m <sup>2</sup>	11,52 m <sup>2</sup>	J2	60,90€	 8030334152962
15294	1200x600 mm	140 mm	package	2 piece	8 packages	1,44 m <sup>2</sup>	11,52 m <sup>2</sup>	J2	53,32€	 8030334152948
15293	1200x600 mm	120 mm	package	2 piece	10 packages	1,44 m <sup>2</sup>	14,4 m <sup>2</sup>	J2	45,60€	 8030334152931
15292	1200x600 mm	100 mm	package	4 piece	6 packages	2,88 m <sup>2</sup>	17,28 m <sup>2</sup>	J2	38,02€	 8030334152924
15291	1200x600 mm	80 mm	package	5 piece	6 packages	3,6 m <sup>2</sup>	21,6 m <sup>2</sup>	J2	30,45€	 8030334152917
15290	1200x600 mm	60 mm	package	5 piece	8 packages	3,6 m <sup>2</sup>	28,8 m <sup>2</sup>	J2	22,79€	 8030334152900
15289	1200x600 mm	50 mm	package	5 piece	10 packages	3,6 m <sup>2</sup>	36 m <sup>2</sup>	J2	19,01€	 8030334152894

**9.3 MECHANICAL MOUNTING****ETICS TWISTER** *etics*

Universal screw anchor for EPS, MW, PIR and PF insulation panels.



Code	Packaging size	Pallet	Cat.	Price €/pc	
15450	100 piece	45 cardboards	J9	1,24€	 8030334154508

**ETICS TWISTER INSTALLATION TOOL** 

Adjustable mounting tool depending on the insulating panel thickness from 100 mm to 260 mm.

Rapid installation



Code	Dimensions	Packaging size	Cat.	Price €/pc
15486	260 mm	1 piece	J9	57,20€



8030334154867

**TERMOZ CS II** 

Screw-in anchor for all types of insulation panels.



Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/pc
15443	8x135 mm	100 mm	100 piece	54 cardboards	J9	0,69€
15444	8x155 mm	120 mm	100 piece	45 cardboards	J9	0,77€
15445	8x175 mm	140 mm	100 piece	45 cardboards	J9	0,84€
15446	8x195 mm	160 mm	100 piece	45 cardboards	J9	0,99€
15447	8x215 mm	180 mm	100 piece	45 cardboards	J9	1,20€
15448	8x235 mm	200 mm	100 piece	45 cardboards	J9	1,38€
15449	8x255 mm	220 mm	100 piece	45 cardboards	J9	1,65€



8030334154430



8030334154447



8030334154454



8030334154461




8030334154478



8030334154485












8030334154492

**TERMOZ 6H** 

Screw-in anchor for installation on wooden structures, wooden panels, OSB, chipboards, MDF or gypsum fibre.




Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/ pc	
15427	80 mm	60 mm	100 piece	60 cardboards	J9	0,68€	 8030334154270
15428	100 mm	80 mm	100 piece	30 cardboards	J9	0,79€	 8030334154287
15429	120 mm	100 mm	100 piece	45 cardboards	J9	0,86€	 8030334154294
15430	140 mm	120 mm	100 piece	54 cardboards	J9	0,90€	 8030334154300
15431	160 mm	140 mm	100 piece	54 cardboards	J9	1,01€	 8030334154317
15432	180 mm	160 mm	100 piece	45 cardboards	J9	1,14€	 8030334154324
15433	200 mm	180 mm	100 piece	54 cardboards	J9	1,34€	 8030334154331
15434	220 mm	200 mm	100 piece	54 cardboards	J9	1,56€	 8030334154348
15435	240 mm	220 mm	100 piece	18 cardboard	J9	1,78€	 8030334154355

**WASHER MW60** 

Hole cover disc made of mineral wool for Termoz CS II and Termow 6H screw-in anchors. Suitable for MW panels.



Code	Thickness	Packaging size	Pallet	Cat.	Price €/ pc	
15493	60 mm	100 piece	75 cardboard	J9	0,52€	 8030334154935

**WASHER PS60** 

Grey EPS cover plate for Termoz CS II and Termoz 6H screw-in anchors.  
Suitable for EPS and PIR panels.



Code	Color	Packaging size	Cat.	Price €/ pc
15451	 Grey	100 piece	J9	0,13€

**ETICS SCREW-IN DOWEL INSTALLATION KIT** 

Installation kit for fastening Termoz CS II and Termoz 6H screw-in anchors.










Code	Packaging size	Cat.	Price €/ pc
15495	1 piece	J9	224,00€



**TERMOZ CN 8** 

Percussion driven anchor with composite pin for all types of insulation panels.





Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/ pc	
15436	110 mm	60 mm	100 piece	54 cardboards	J9	0,42€	 8030334154362
15437	130 mm	80 mm	100 piece	54 cardboards	J9	0,43€	 8030334154379
15438	150 mm	100 mm	100 piece	54 cardboards	J9	0,47€	 8030334154386
15439	170 mm	120 mm	100 piece	45 cardboards	J9	0,53€	 8030334154393
15440	190 mm	140 mm	100 piece	45 cardboards	J9	0,57€	 8030334154409
15441	210 mm	160 mm	100 piece	45 cardboards	J9	0,64€	 8030334154416
15442	230 mm	180 mm	100 piece	45 cardboards	J9	1,10€	 8030334154423

**MASONRY DRILL BIT SDS PLUS II** 


Drill bit for installing insulation anchors.



Code	Packaging size	Cat.	Price €/ pc	
15494	1 piece	J9	35,50€	 8030334154942

**R-TFIX-8S** 

Screw-in insulation anchor with high performance on all types of material, recommended for ETICS.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/ pc
15488	8x135 mm	200 piece	40 cardboards	J9	0,68€
15489	8x155 mm	200 piece	32 boxes	J9	0,75€
15490	8x175 mm	200 piece	32 boxes	J9	0,81€
15491	8x195 mm	200 piece	32 boxes	J9	0,95€



## 9.4 ACCESSORIES AND SYSTEM COMPONENTS

**REVEAL CORNER ANGLE FOR WINDOWS** 

Preformed three-dimensional reinforcement mesh for reinforcing the inside corners of window and door soffits on ETICS systems.




Code	Packaging size	Pallet	Cat.	Price €/ m
15527	25 piece	24 cardboards	J9	6,80€





**PVC MESH CORNER BEAD** 


PVC corner protection profile with fibreglass mesh for thermal insulation systems.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15502	2,5 m	125 m	5000 m	J9	1,38€

**CORNER BEAD ROLL** 


Corner roll profile for variable angle creation with fibreglass mesh for thermal insulation systems.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15506	12,5 x 12,5 cm	25 m	600 m	J9	3,00€

**DRIP EDGE PROFILE** 

PVC corner profile with fibreglass mesh for making drip ledges on balconies, ledges, window lintels, horizontal edges.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15504	2,5 m	62,5 m	2500 m	J9	4,90€



**SHEET METAL CONNECTION PROFILE** 


Connecting profile for flashings, adjustable, it guarantees a watertight seal and perfect aesthetics thanks to the hidden drip ledge.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15517	2,5 m	62,5 m	2500 m	J9	9,00€

**PLASTER STOP PROFILE** 

End profile with mesh for perfect closure of façade coatings. It can be used on ETICS or reinforced skim coats up to 3 or 6 mm.




Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/m
15515	2,5 m	3 mm	62,5 m	2500 m	J9	3,48€
15514	2,5 m	6 mm	62,5 m	2500 m	J9	3,70€



**MOVEMENT JOINT PROFILE** 

Vertical expansion profile with protective tape and flexible band to ensure the aesthetic safety on façades of possible minor stresses on non-structural construction elements.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15516	2,5 m	62,5 m	625 m	J9	14,60€

**EXPANSION JOINT PROFILE E-SHAPE** 


Profile for linear expansion joints in façades in ETICS systems.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15512	2,5 m	62,5 m	1312,5 m	J9	16,34€

**EXPANSION JOINT PROFILE V-SHAPE** 

Profile for making angular expansion joints in façades in ETICS systems.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15513	2,5 m	62,5 m	1312,5 m	J9	16,34€



**MOVEMENT JOINT PROFILE HORIZONTAL PROFI PU** 

Horizontal expansion profile with integrated PE sealing tape to ensure a watertight seal, small movements and compressive stress of the joint located in the transition zone between two structures, e.g. between a solid and a lightweight construction.



Code	Dimensions	Packaging size	Cat.	Price €/ pc
15526	2,5 m	1 piece	J9	176,25€

**STANDARD WINDOW CONNECTION PROFILE**


PVC adhesive profile with fibreglass mesh for connecting windows, doors and similar elements.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/ m
15503	2,4 m	72 m	2880 m	J9	4,50€

**WINDOW CONNECTION PROFILE 3D-PRO** 

Heavy-duty rainproof profile for plaster connections to windows, doors and similar construction elements with stress-relieving function in three 3D dimensions, protective lip and expanding seal.








Code	Dimensions	Packaging size	Pallet	Cat.	Price €/ m
15505	2,4 m	60 m	1260 m	J9	7,60€



**WINDOW REVEAL ELEMENT LAI-SYS**

Window reveal element Lai-Sys made of expanded polystyrene (EPS) for accommodating window and door reveals in thermal insulation systems.











Code	Dimensions	Cat.	Price €/m	
15573	300x1350 mm	J9	53,00€	 8030334155734
15574	300x1600 mm	J9	53,00€	 8030334155741
15575	300x2000 mm	J9	53,00€	 8030334155758
15576	300x2500 mm	J9	53,00€	 8030334155765
15577	400x1350 mm	J9	57,00€	 8030334155772
15578	400x1600 mm	J9	57,00€	 8030334155789
15579	400x2000 mm	J9	57,00€	 8030334155796
15580	400x2500 mm	J9	57,00€	 8030334155802

**WINDOW LINTEL ELEMENT LAI-SYS**


Window lintel element Lai-Sys made of expanded polystyrene (EPS) for accommodating window and door reveals in thermal insulation systems.




Code	Dimensions	Cat.	Price €/m	
15565	300x1350 mm	J9	52,00€	 8030334155659
15566	300x1600 mm	J9	52,00€	 8030334155666
15567	300x2000 mm	J9	52,00€	 8030334155673
15568	300x2500 mm	J9	52,00€	 8030334155680
15569	400x1350 mm	J9	54,00€	 8030334155697
15570	400x1600 mm	J9	54,00€	 8030334155703
15571	400x2000 mm	J9	54,00€	 8030334155710
15572	400x2500 mm	J9	54,00€	 8030334155727

**CONNECTOR PROFILE TYPE U**

Connector profile type U for window reveal elements Lai-Sys.



Code	Dimensions	Cat.	Price €/m	
15582	2500 mm	J9	14,00€	 8030334155826

**CONNECTOR PROFILE TYPE U-AL**

Connector profile type U-AL for window reveal elements Lai-Sys.



Code	Dimensions	Cat.	Price €/ m
15583	1350 mm	J9	11,00€
15584	1600 mm	J9	11,00€
15585	2000 mm	J9	11,00€
15586	2700 mm	J9	11,00€

**FIXING PINS**

For window reveal elements Lai-Sys.







Code	Packaging size	Cat.	Price €/ box
15581	370 pieces	J9	48,00€



**RUSTICATION MESH** 


Rusticated mesh for longitudinal reinforcement in the grooves of eTics systems.






Code	Detail	Dimensions	Packaging size	Pallet	Cat.	Price €/m	
15518	Typ 1	30x20x17 mm	20 m	1000 m	J9	2,32€	 8030334155185
15520	Typ 3	35x20x17 mm	20 m	1000 m	J9	2,32€	 8030334155208
15519	Typ 2	35x20x17 mm	20 m	1000 m	J9	2,32€	 8030334155192

**RUSTICATION MESH FOR EXTERNAL CORNERS** 

Three-dimensional reinforcement mesh for external corners in the grooves of eTics systems.













Code	Detail	Packaging size	Pallet	Cat.	Price €/pc	
15521	Typ 1	10 m	500 m	J9	5,40€	 8030334155215
15522	Typ 2	10 m	240 m	J9	5,40€	 8030334155222
15523	Typ 3	10 m	500 m	J9	5,40€	 8030334155239



**ALUMINIUM BASE STARTER PROFILE** EKOR


Aluminium starter profile to hold the insulation panel at the base of the system.




Code	Dimensions	Thickness	Packaging size	Cat.	Price €/m	
15305	35x55 mm x 2,5 m	50 mm	20 piece	J9	3,57€	 8030334153051
15306	35x65 mm x 2,5 m	60 mm	20 piece	J9	4,79€	 8030334153068
15307	35x85 mm x 2,5 m	80 mm	20 piece	J9	6,88€	 8030334153075
15308	35x105 mm x 2,5 m	100 mm	20 piece	J9	7,98€	 8030334153082
15309	35x125 mm x 2,5 m	120 mm	20 piece	J9	8,86€	 8030334153099
15310	35x145 mm x 2,5 m	140 mm	10 piece	J9	8,28€	 8030334153105
15311	35x165 mm x 2,5 m	160 mm	10 piece	J9	10,36€	 8030334153112
15312	35x185 mm x 2,5 m	180 mm	10 piece	J9	11,28€	 8030334153129
15313	35x205 mm x 2,5 m	200 mm	10 piece	J9	12,96€	 8030334153136

**CLIP ON PROFILE** EKOR

Connection profile for aluminium starter profile, with hidden drip ledge.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m	
15509	2,5 m	62,5 m	2500 m	J9	5,24€	 8030334155093

**PVC BASIC BASEBOARD PROFILE** 


PVC starter profile, L-shaped, for thermal insulation system with thickness up to 240 mm in combination with the insertion profile.



Code	Detail	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/m
15510	L 55	2,5 m	120 mm	62,5 m	2500 m	J9	4,98€
15507	L 100	2,5 m	180 mm	37,5 m	1500 m	J9	7,84€
15511	L 160	2,5 m	240 mm	25 m	1000 m	J9	11,68€

**PVC BASEBOARD PROFILE** 

PVC insertion profile in combination with starter profiles L55, L100, L160, hermetically seals and completes the starting point of ETICS systems, with hidden drip ledge.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15508	2,5 m	62,5 m	1312,5 m	J9	6,94€



**NET EKOR A150** *EKOR*

EKOR A150 is an alkali-resistant reinforcing mesh for thermal insulation systems, coatings and the Wall Remedy System.



Code	Packaging size	Cat.	Price €/m <sup>2</sup>
15487	1x50 m	J9	1,87€




8030334154874

**NET T4**

Type E alkali-resistant, fine-mesh type glass fibre net with spacing of 4.0 x 4.5 mm, with a basis weight of 150 gr/m<sup>2</sup> universally applicable.



Code	Color	Packaging	Packaging size	Cat.	Price €/m <sup>2</sup>
15021	 Red	roll	1x50 m	J9	1,30€



8030334150210

## 9.5 COMPONENTS FOR AIR AND WATER TIGHTNESS

### SELF-EXPANDING JOINT SEALING TAPE EXP EKOR

Joint tape BG1 (600 Pa) is self-expanding pre-compressed sealing tape made of polyurethane foam impregnated with acrylic dispersion, for joints in building and construction, windows, metal constructions, timber houses, etc. It guarantee perfect thermal insulation between the window and the wall. If compressed between the two elements, they can be directly exposed to weather. The provide insulation against wind, draughts, noise, dust and rain.



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15535	30/5-12	roll	8x8 m	J9	3,47€
15534	20/5-12	roll	12x8 m	J9	2,27€
15533	20/1-4	roll	12x13 m	J9	1,20€
15532	15/1-4	roll	16x13 m	J9	0,95€



### SELF-EXPANDING JOINT SEALING TAPE EXP BG2

Joint tape BG2 (300 Pa) is self-expanding pre-compressed sealing tape made of polyurethane foam impregnated with acrylic dispersion, for joints in building and construction, windows, metal constructions, timber houses, etc. It guarantee perfect thermal insulation between the window and the wall. If compressed between the two elements, they can be directly exposed to weather. The provide insulation against wind, draughts, noise, dust and rain.

- Proprietà termiche isolanti
- Tenuta alla pioggia battente
- Resistenze alle intemperie oltre dieci anni
- Impermeabilità all'aria
- Resistente ai raggi UV: può rimanere a vista



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15531	30/4-11	roll	8x8 m	J9	2,64€



**SELF-EXPANDING JOINT SEALING TAPE EXP MULTI** EKOR

Multi-functional BG1/BGR pre-compressed, single-sided tape made of soft, fine-pored, permanently elastic polyurethane foam. For standard-compliant waterproofing of defined structural connection joints (windows and doors) and for sealing assembly joints between window and building shell.




Code	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15280	58/6-16	roll	5x8 m	J9	8,23€
15281	64/6-16	roll	4x8 m	J9	10,07€
15282	58/10-20	roll	5x6 m	J9	10,76€
15283	64/10-20	roll	4x6 m	J9	9,96€

**BUTYL TAPE GREY**

Adhesive butyl sealing tape for airtight joints on the 4th side of the window.

- Compression adhesiveness
- Self-amalgamating
- Waterproof and self-sealing
- Excellent heat stability
- No oil transmigration



Code	Color	Dimensions	Packaging	Packaging size	Cat.	Price €/pc
15590	 Grey	30x2 mm	cartboard	12x20 m	C9	56,00€



**PCV TAPE**

Compression deformable PVC 4th side sealing tape to seal and adapt to frame cavities.

- **Adhesive**
- **Excellent water resistance**
- **Deformable to compression**
- **Adapts to frame geometries, creating an airtight barrier**



Code	Dimensions	Packaging	Packaging size	Cat.	Price € / pc
15530	50x6 mm	roll	15 m	J9	70,47€

**PE TAPE**

Single-sided adhesive, closed-cell PE sealing tape for the use on the underside of windows and doors. Maintains impermeability to water even in the presence of backwater.



Code	Dimensions	Packaging	Packaging size	Cat.	Price € / pc
15375	30x3 mm	roll	10x20 m	J9	12,90€




**BUTYL TAPE WITH ALUFOIL**

Butyl tape with aluminium foil for hermetic seals.

- Tear resistant
- Can be applied in cold conditions
- Excellent adhesion at low temperatures
- Waterproof and self-sealing
- High heat stability
- Anti-ageing and UV-resistant
- No oil transmigration



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/ pc
15591	40x0,6 mm	cartboard	12x20 m	C9	25,00€
15592	100x0,6 mm	cartboard	8x10 m	C9	50,00€
15593	150x1 mm	cartboard	4x10 m	C9	61,00€

**EPDM MEMBRANE WITH BUTYL**

EPDM membrane and perimeter seal for curtain walling/ventilated facades and window frames.

- Tear resistant
- Fast and easy installation
- Suitable for long-term contact with water or moisture
- UV-resistant
- High temperature resistance [-45 °C / +130 °C]
- High mechanical resistance



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/ pc
15587	150x0,5 mm	cartboard	2x20 m	C9	150,00€
15588	250x0,5 mm	cartboard	20 m	C9	176,00€
15589	300x0,5 mm	cartboard	20 m	C9	190,00€



## INSULATION MEMBRANE ISO INSIDE



Code	Detail	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15263	Inside	150 mm	roll	25 m	J9	2,57€
15262	Inside	100 mm	roll	25 m	J9	2,02€
15260	Inside	70 mm	roll	25 m	J9	1,86€

INSULATION MEMBRANE ISO OUTSIDE *EKOR*

Insulating membrane for timber, PVC and aluminium windows and doors, made up of high-performance polymeric tape in water vapour-proof fabric (from the inside to the outside), which can be plastered and painted. The UV-resistant surface is coated with a high-quality acrylic adhesive. Applied on the inside of the primary joint between the wall and the sub-frame or window, it follows the movements of the connected parts thanks to its high elongation capacity.



Code	Detail	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15264	Outside	70 mm	roll	25 m	J9	2,02€
15265	Outside	100 mm	roll	25 m	J9	2,28€
15266	Outside	150 mm	roll	25 m	J9	3,14€





## 9.6 INSTALLATION ITEMS

### VARIR 120X160

Expansion moulded mounting block in EPS, with a high specific weight of 140 kg/m<sup>3</sup> for thermal bridge suppression when securing light loads.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/pc
15379	120x160x1000 mm	1 piece	75 pieces	J9	128,00€



### VARIZ 90

Expansion moulded mounting cylinder in EPS, with a high specific weight of 140 kg/m<sup>3</sup> for thermal bridge suppression when securing light loads.



Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/pc
15380	1000 mm	Ø 90 mm	4 piece	90 pieces	J9	90,00€



**MILLING TOOL ROD**

Element to be combined with the Ø 90 mm disc for fitting the VARIZ 90 mounting cylinder.



Code	Packaging size	Cat.	Price €/ pc
15500	1 piece	J9	39,60€



8030334155000

**MILLING TOOL PLATE**

Disc to match the depth milling bits for fitting VARIZ 90 mounting cylinder.



Code	Thickness	Cat.	Price €/ pc
15501	Ø 90 mm	J9	34,80€



8030334155017

**ELECTRIC BOX E-LINE** EKOR

Insulated electrical box for securing electrical components in external thermal insulation systems, avoiding the formation of thermal bridges on the insulation.





Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15354	150x150 mm	80 mm	1 piece	J9	35,04€	 8030334153549
15355	150x150 mm	100 mm	1 piece	J9	35,76€	 8030334153556
15356	150x150 mm	120 mm	1 piece	J9	36,12€	 8030334153563
15357	150x150 mm	140 mm	1 piece	J9	37,02€	 8030334153570
15358	150x150 mm	160 mm	1 piece	J9	38,46€	 8030334153587
15359	150x150 mm	180 mm	1 piece	J9	38,82€	 8030334153594
15360	150x150 mm	200 mm	1 piece	J9	40,44€	 8030334153600

**TRA WIK PU** 

Mounting bracket made of rigid, rot-proof polyurethane foam, with three foam washers. The 20 mm grid on both sides marks the precise cut of the saw, allowing the desired thickness to be used, from 60 to 200 mm. Recommended for hinges and parapets. (incl. 3 screw anchors SXRL).




Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15498	280x125 mm	140 mm	1 piece	J9	72,40€	 8030334154980
15499	280x125 mm	200 mm	1 piece	J9	79,60€	 8030334154997

**K1-PE**

Hinge mounting element.



Code	Dimensions	Thickness	Cat.	Price €/ pc	
15382	240x125 mm	60 mm	J9	48,00€	 8030334153822
15383	240x125 mm	80 mm	J9	50,00€	 8030334153839
15384	240x125 mm	100 mm	J9	52,00€	 8030334153846
15385	240x125 mm	120 mm	J9	54,00€	 8030334153853
15386	240x125 mm	140 mm	J9	56,00€	 8030334153860
15387	240x125 mm	160 mm	J9	58,00€	 8030334153877
15388	240x125 mm	180 mm	J9	60,00€	 8030334153884
15389	240x125 mm	200 mm	J9	62,00€	 8030334153891

**UMP ALU TR** *EKOR*


Rectangular plate for securing heavy loads in thermal insulation systems and preventing the formation of thermal bridges.



Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15339	238x138 mm	80 mm	1 piece	J9	156,02€	 8030334153396
15340	238x138 mm	100 mm	1 piece	J9	162,50€	 8030334153402
15341	238x138 mm	120 mm	1 piece	J9	170,52€	 8030334153419
15342	238x138 mm	140 mm	1 piece	J9	176,74€	 8030334153426
15343	238x138 mm	160 mm	1 piece	J9	183,76€	 8030334153433
15344	238x138 mm	180 mm	1 piece	J9	190,70€	 8030334153440
15345	238x138 mm	200 mm	1 piece	J9	196,74€	 8030334153457



**Torggler**



# 10. Paints and coatings

10.1 Primers for Coatings and Paints

10.2 Coatings

10.3 Paints





## 10.1 PRIMERS FOR COATINGS AND PAINTS



### PRIMER VIP

Universal pigmented primer with high filling and masking power, suitable for application of paste coatings on plasters, reinforced skim coats and eTics systems.

- High filling and masking power
- Suitable for eTics systems

Consumption: 10 l/m<sup>2</sup>



Code	Color	Packaging size	Pallet	Cat.	Price €/l
8194	 White	14 l	33 buckets	K1	9,77€
8195	 Coloured	14 l	33 buckets	K1	11,33€




### CONSOLIDA

Highly penetrating water-based levelling and consolidating fixative.

Consumption: 7 - 10 m<sup>2</sup>/l



Code	Color	Packaging size	Pallet	Cat.	Price €/l
8193	 Transparent	20 l	33 canisters	K1	11,65€



## 10.2 COATINGS

### SKIN ACRYL








































Acrylic protective coating with compacted skim effect.

Consumption 1,0 mm: 1,8 - 2 l/m<sup>2</sup>

Consumption 1,2 mm: 2 - 2,4 l/m<sup>2</sup>

Consumption 1,5 mm: 2,2 - 3 l/m<sup>2</sup>








































Code	Color	Detail	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/kg		
8196		White	1.0 mm	bucket	25 kg	33 buckets	-	K1	3,12€	 8030334081965
8297		Coloured	1.0 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334082979
8293		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC I	K1	3,45€	 8030334082931
8294		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC II	K1	3,60€	 8030334082948
8295		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC III	K1	3,95€	 8030334082955
8296		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC 	K1	4,56€	 8030334082962
8200		White	1.2 mm	bucket	25 kg	33 buckets	-	K1	3,12€	 8030334082009
8302		Coloured	1.2 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083020
8298		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC I	K1	3,45€	 8030334082986
8299		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC II	K1	3,60€	 8030334082993
8300		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC III	K1	3,95€	 8030334083006
8301		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC 	K1	4,56€	 8030334083013
8204		White	1.5 mm	bucket	25 kg	33 buckets	-	K1	3,12€	 8030334082047
8307		Coloured	1.5 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083075
8303		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC I	K1	3,45€	 8030334083037
8304		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC II	K1	3,60€	 8030334083044
8305		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC III	K1	3,95€	 8030334083051
8306		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC 	K1	4,56€	 8030334083068

SKIN SILOXAN 

1.0 / 1.2 / 1.5 mm siloxane-fibre-reinforced coating with a skimmed appearance.

Consumption 1,0 mm: 1,8 - 2 l/m<sup>2</sup>  
 Consumption 1,2 mm: 2 - 2,4 l/m<sup>2</sup>  
 Consumption 1,5 mm: 2,2 - 3 l/m<sup>2</sup>



Code	Color	Detail	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/kg		
8247		White	1.0 mm	bucket	25 kg	33 buckets	-	K1	5,67€	 8030334082474
8312		Coloured	1.0 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083129
8308		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC I	K1	5,91€	 8030334083082
8309		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC II	K1	6,13€	 8030334083099
8310		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC III	K1	6,59€	 8030334083105
8311		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC 	K1	7,28€	 8030334083112
8250		White	1.2 mm	bucket	25 kg	33 buckets	-	K1	5,67€	 8030334082504
8317		Coloured	1.2 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083174
8313		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC I	K1	5,91€	 8030334083136
8314		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC II	K1	6,13€	 8030334083143
8315		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC III	K1	6,59€	 8030334083150
8316		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC 	K1	7,28€	 8030334083167
8254		White	1.5 mm	bucket	25 kg	33 buckets	-	K1	5,67€	 8030334082542
8322		Coloured	1.5 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083228
8318		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC I	K1	5,91€	 8030334083181
8319		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC II	K1	6,13€	 8030334083198
8320		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC III	K1	6,59€	 8030334083204
8321		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC 	K1	7,28€	 8030334083211

**SKIN ACRILOXAN** 

Fibre-reinforced acryl-siloxane coating with compacted skim coat effect.

Consumption 1,0 mm: 1,8 - 2 l/m<sup>2</sup>Consumption 1,2 mm: 2 - 2,4 l/m<sup>2</sup>Consumption 1,5 mm: 2,2 - 3 l/m<sup>2</sup>

Code	Color	Detail	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/kg	
8208	 White	1.0 mm	bucket	25 kg	33 buckets	-	K1	3,64€	 8030334082085
8282	 Coloured	1.0 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334082825
8278	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC I	K1	3,93€	 8030334082788
8279	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC II	K1	4,16€	 8030334082795
8280	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC III	K1	4,60€	 8030334082801
8281	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC 	K1	4,84€	 8030334082818
8212	 White	1.2 mm	bucket	25 kg	33 buckets	-	K1	3,64€	 8030334082122
8287	 Coloured	1.2 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334082870
8283	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC I	K1	3,93€	 8030334082832
8284	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC II	K1	4,16€	 8030334082849
8285	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC III	K1	4,60€	 8030334082856
8286	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC 	K1	4,84€	 8030334082863
8216	 White	1.5 mm	bucket	25 kg	33 buckets	-	K1	3,64€	 8030334082160
8292	 Coloured	1.5 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334082924
8288	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC I	K1	3,93€	 8030334082887
8289	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC II	K1	4,16€	 8030334082894
8290	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC III	K1	4,60€	 8030334082900
8291	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC 	K1	4,84€	 8030334082917








## 10.3 PAINTS


FINISH SILOXAN 

Smooth siloxane paint with lotus effect.

Consumption per coat: 7-9 m<sup>2</sup>/l










Code	Color	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/l
8240	 White	bucket	14 l	33 buckets	-	K2	23,36€
8272	 Coloured	bucket	1 l	216 buckets	Sample	K2	26,00€
8268	 Coloured	bucket	14 l	33 buckets	PC I	K2	24,68€
8269	 Coloured	bucket	14 l	33 buckets	PC II	K2	25,77€
8270	 Coloured	bucket	14 l	33 buckets	PC III	K2	26,86€
8271	 Coloured	bucket	14 l	33 buckets	PC 	K2	27,96€


FINISH ACRYL 

Quartz-based acrylic paint for exterior wall surfaces with high filling power. Water-repellent, contains special anti-algae and anti-mould protective film.

Consumption per coat: 5-6 m<sup>2</sup>/l
















Code	Color	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/l
8226	 White	bucket	14 l	33 buckets	-	K2	9,82€
8267	 Coloured	bucket	1 l	216 buckets	Sample	K2	26,00€
8263	 Coloured	bucket	14 l	33 buckets	PC I	K2	10,48€
8265	 Coloured	bucket	14 l	33 buckets	PC III	K2	11,36€
8266	 Coloured	bucket	14 l	33 buckets	PC 	K2	14,63€
8264	 Coloured	bucket	14 l	33 buckets	PC II	K2	10,92€



**FINISH ACRIOXAN** 

Highly filling quartz-based acryloyloxane paint.

Consumption per coat: 10-12 m<sup>2</sup>/l

Code	Color	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/l	
8220	 White	bucket	14 l	33 buckets	-	K2	14,87€	 8030334082207
8262	 Coloured	bucket	1 l	33 buckets	Sample	K2	26,00€	 8030334082627
8258	 Coloured	bucket	14 l	33 buckets	PC I	K2	15,72€	 8030334082580
8259	 Coloured	bucket	14 l	33 buckets	PC II	K2	16,16€	 8030334082597
8260	 Coloured	bucket	14 l	33 buckets	PC III	K2	16,60€	 8030334082603
8261	 Coloured	bucket	14 l	33 buckets	PC 	K2	18,13€	 8030334082610

**Torggler**



# 11. Additives





## 11. ADDITIVES

### NEOPLAST GRIP

Additive based on special latex, modifying agent for hydraulic cements and limes with gripping adhesive function.



Code	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6503	canister	5 kg	32 canisters	L1	7,69€



8030334065033

### NEOPLAST LATEX

Additive based on special resins, modifying agent for cements and hydraulic limes with gripping adhesive function.



Code	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6097	bottle	20x0,8 kg	24 cardboards	L1	12,33€
6098	canister	6kg	128 canisters	L1	10,11€
6099	canister	10kg	60 canisters	L1	9,78€
6100	canister	25 kg	28 canisters	L1	9,67€



8030334060977



8030334060984



8030334060991



8030334061004





## 12. Tools



## 12. TOOLS

## MULTIPURPOSE GUN



Code	Packaging size	Cat.	Price €/ pc
15008	1 piece	M1	65,52€



## MANUAL CARTRIDGE GUN



Code	Packaging size	Cat.	Price €/ pc
15287	1 piece	M1	31,72€



**GUN XTREME 300 PRO**

Code	Packaging size	Cat.	Price €/ pc
15257	1 piece	M1	50,92€



8030334152573

**GUN XTREME 400 PRO**

Code	Packaging size	Cat.	Price €/ pc
15258	1 piece	M1	62,26€



8030334152580

**POLYURETHANE FOAM GUN T500**

Code	Packaging size	Cat.	Price €/ pc
15288	1 piece	M1	27,56€



8030334152887

**POLYURETHANE FOAM GUN T2000**

Code	Packaging	Packaging size	Cat.	Price €/ pc
15011	cartboard	1 piece	M1	48,55€



8030334150111

**PVC CHOPPING BOARD WITH RUBBER HANDLE 280X130**

PVC trowel with rubber handle, for applying acrylic, siloxane coatings for thermal insulation systems. Dimensions 280 x 130 x 2,5 mm.



Code	Dimensions	Packaging size	Cat.	Price €/ pc
15371	280x130 mm	1 piece	M1	16,78€



8030334153716

**NOTCHED TROWEL WITH WOODEN HANDLE T12 480X130**

Steel trowel with semicircular tothing 12 x 20 mm, with wooden handle, for applying coatings and adhesives for thermal insulation systems. Dimensions 480 x 130 x 0.6 mm.



Code	Detail	Dimensions	Packaging size	Cat.	Price €/ pc
15372	T12	480x130	1 piece	M1	29,84€



8030334153723

**NOTCHED TROWEL WITH WOODEN HANDLE T16 480X130**

Steel trowel with semi-circular toothing 16 x 20 mm, with wooden handle, for applying coatings and adhesives for thermal insulation systems. Dimensions 480 x 130 x 0.6 mm.



Code	Detail	Dimensions	Packaging size	Cat.	Price €/ pc
15373	T16	480x130	1 piece	M1	30,84€

**TROWEL FOR RUSTICATION MESH **

Special tool for the application of the rustication mesh, consisting of 4 pieces, a stainless steel trowel and three interchangeable plastic profiles Typ 1, Typ 2 and Typ 3.



Code	Packaging size	Cat.	Price €/ pc
15524	1 piece	J9	138,00€





# Torggler



**Torggler S.r.l.**

Via Prati Nuovi 9  
39020 Marlengo (BZ)  
Tel. +39 0473 282400  
info@torggler.com

**torggler.com**

