

Torggler

PRICE LIST
2025

Torggler

PRICE LIST 2025

INDEX BY PRODUCT CATEGORY

01 SEALANTS AND ADHESIVES	12	2.2 Polyurethane Foams	39
1.1 Primers for Sealants and Adhesives	13	Coppi	39
Sitol® Primer Glass	13	Volt	39
Primer Silicone	13	Window & Door	40
1.2 Silicone Sealants and Adhesives	14	Flex 365	40
Lamiera	14	Fire Resistant	41
Domus	15	Multiuso	41
Marble & Stone	16	F 2.0	42
Neutral	17	C 2.0	42
Low Modulus	17	M 2.0	43
Fire Resistant	18	2.3 Accessories for Polyurethane Foams	43
Floor	18	Cleaner for Polyurethane Foams	43
Polycarbonate	19		
Mirror	19		
Window Pro	20		
Window	21		
Acetic Professional	22		
Acetic Standard	22		
Heat Resistant	23		
AC 2.0	23		
1.3 Acrylic Sealants and Adhesives	24	03 WATERPROOFING	46
Acryl 15	24	3.1 Primers for Waterproofers	47
Acryl 10	24	Flex PU Primer 2K	47
Acryl Fire Resistant	25	Flex PU Primer	47
A 2.1	25	Primer Aquatech	48
AR 2.0	26	3.2 Cementitious Waterproofers	48
AF 2.0	26	Flexistar	48
Tack	26	Flexistar Rapid	49
1.4 Hybrid Sealants and Adhesives	27	Flex 2K	49
Acrysil PRO	27	Flex 1K	50
Strong	27	Aquaproof	50
Sitol® Infinity	28	Stop	51
Hybrid LM	28	3.3 Polymeric Waterproofers	51
Hybrid HM	29	Waterblock	51
1.5 Special Products	29	Aquatech	52
PU HM Edilia	29	Aquatech® Rapid	53
Refractory	30	Promural® Silicon	53
Bitumen Seal	30	Emulsione Epossidica 723	54
Sitol® Meta 45	31	Epoxy	54
Smooth	31	3.4 Polyurethane Waterproofers	55
Adhesive for EPDM membrane	32	Flex PU Catalyser	55
1.6 Accessories for Sealants and Adhesives	32	Flex PU	55
Synthetic Plugging Cord	32	Flex PU Drive	56
Nozzle for foil bags	33	Flex PU Walk	56
Cartridge Nozzles	33	Flex PU Detail	57
		3.5 Bituminous Waterproofers	57
		Asfredol 1000	57
		Asfredol® 2000	58
		Sitol A	58
		Black Hydro Easy	59
		Black Hydro Pittura	59
		Black Hydro Poly 1K	60
		Black Hydro Poly 2K	60
		Black Hydro Spray	61
		BW 100	61
		BW 200	62
02 POLYURETHANE FOAMS	36	3.6 Accessories for Waterproofing	62
2.1 Polyurethane Adhesives	37	PP Tape 120 mm - 50 m	62
Panel Pro	37	BU Tape	63
Panel F	37	Shower Tape	63
High Tack	38	Corner Tissue 90°	64
Hydro	38	Corner Tissue 270°	64

Floor Collar	65	Restauro R2	95
Mat 1000 mm - 30 m	65	Strutturale	95
Band 140 mm	65	Colabile	96
Bridge Mat 1000 mm - 50 m	66	Restauro Finitura	96
Flex Pipe Collar 93 - 146	66	Rinnova	97
Flex Pipe Collar 50 - 75	66	Umafix	97
Flex Pipe Collar 22 - 37	67	Umatixo	98
Non Woven Tissue NT 50	67	Umaflow	98
Black Hydro Tex	67	6.3 Paints	99
Geotex	68	Restauro Pittura	99
04 FLOORING	70	07 STRUCTURAL REINFORCEMENT, ANCHORING AND MOUNTING	102
Screed	71	7.1 Structural consolidation	103
Fast Screed	71	Rocksolid Lime M15	103
Livellina 0-10	72	Rocksolid M15	103
Livellina 5-30	72	Rocksolid M30	104
Livellina HS	73	7.2 Chemical Anchors	104
Multimix Evo	73	Xtreme Grip Vinylester	104
Floorrep	74	CA Poly	105
Quarz	74	7.3 Epoxy Adhesives	105
05 TILES AND NATURAL STONE INSTALLATION	76	Epox Ripresa	105
5.1 Primers and Detergents	77	7.4 Cementitious Mortars	106
Multigrip	77	Flash	106
Tile Primer	77	Espansol Ancor	106
Flex	78	7.5 Accessories	107
Tile Cleaner	78	Chemical Anchor Cage	107
Tile Epoxy Cleaner	78	Window frame screw for aluminium	107
5.2 Tile Adhesives	79	Window frame screw for PVC and wood	108
Tile Bond 2K	79	Chemical Anchor Mixer	108
Tile 2020	79	08 RESTORATION	110
Tile 900	80	8.1 Surface Preparation	111
Tile 700	80	Rinzaffo	111
Tile 600	81	Shield	111
Tile 480	81	Deep Cleaner	112
Tile 350	82	Antisale	112
Tile 250	82	8.2 Cementitious Dehumidification Mortars	113
T 480	83	Risan One	113
T 250	83	Intonaco WTA	113
T 50	84	DP 501	114
5.3 Tile Grouts	85	8.3 Dehumidification Finishing Mortars	114
Ultimate	85	Finitura	114
Tile Grout ≤8 mm	87	Finissimo	115
Tile Grout 5-15 mm	88	8.4 Renovation with Calcium Silicate Panels	115
Tile Epoxy	88	Panel ^{life}	115
5.4 Accessories for Tiles and Natural Stone Installation	89	Bond & Finish	116
Levelling Base	89	Panel ^{life} Window	116
Wedge for Levelling System	89	Panel ^{life} Ceiling	117
06 CONCRETE RESTORATION	92	8.5 Finishing Mortars for Facades and Walls	117
6.1 Pretreatments	93	R.E.D.	117
Restauro Ferri	93	Multifinish	118
6.2 Cementitious Mortars	93	Stuccosol	118
Umafix HP	93		
Restauro R4	94		
Restauro R3	94		

GP 100	119	EPDM membrane with butyl	150
		Guaina EPDM	151
09 THERMAL INSULATION	122	Insulation membrane ISO Inside	151
9.1 Adhesives	123	Insulation membrane ISO Outside	152
Mastofix® Hydro Light	123	Membrane DU0	152
Mastofix® Light	123	9.6 Installation items	153
Mastofix®	124	Varir 120x160	153
Ekomix Plus	124	Variz 90	153
Ekomix	125	Milling tool rod	154
9.2 Insulation Panels	126	Milling tool plate	154
Ekomix Panel EPS White	126	Electric box E-LINE	155
Ekomix Panel EPS Grey	127	TRA WIK PU	155
Ekomix Panel Base	128	K1-PE	156
Steinopor EPS-F Plus	129	UMP ALU TR	157
Ekomix Panel Wool - P	130		
Varitherm	131	10 PAINTS AND COATINGS	160
9.3 Mechanical Mounting	131	10.1 Primers for Coatings and Paints	161
eTics Twister	131	Consolida	161
eTics Twister installation tool	132	Primer VIP	161
Termoz CS II	132	10.2 Coatings	162
Termoz 6H	133	Mineral Skin	162
Washer MW60	133	Skin Acryl	163
Washer PS60	134	Skin Siloxan	164
eTics Screw-in dowel installation kit	134	Skin Acriloxan	165
Termoz CN 8	135	10.3 Exterior Paints	166
Masonry drill bit SDS Plus II	135	Finish Siloxan	166
9.4 Accessories and System Components	136	Finish Acryl	166
Reveal corner angle for windows	136	Finish Acriloxan	167
PVC mesh corner bead	136	10.4 Interior Paints	167
Corner bead roll	137	Finish Calce	167
Drip edge profile	137	Finish Silikat	168
Sheet metal connection profile	137	Breathe	168
Plaster stop profile	138	Clean	169
Movement joint profile	138	Wash	169
Expansion joint profile E-shape	139	11 ADDITIVES	172
Expansion joint profile V-shape	139	Neoplast Grip	173
Movement joint profile horizontal Profi PU	139	Neoplast Latex	173
Standard window connection profile	140	12 TOOLS	176
Window connection profile 3D-PRO	140	Pneumatic gun CSGII 370	177
Window reveal element Lai-Sys	141	Metal pliers for leveling system	177
Window lintel element Lai-Sys	142	Multipurpose gun	178
Connector profile type U	142	Manual Cartridge Gun	178
Connector profile type U-AL	143	Polyurethane Foam Gun T2000	178
Fixing pins	143	Polyurethane Foam Gun T500	179
Rustication mesh	144	Manual Gun Sitol® Meta 45	179
Rustication mesh for external corners	144	Gun Xtreme 400 PRO	179
Aluminium base starter profile	145	Gun Xtreme 300 PRO	180
Clip on profile	145	PVC chopping board with rubber handle 280x130	180
PVC basic baseboard profile	146	Notched trowel with wooden handle T12 480x130	180
PVC baseboard profile	146	Notched trowel with wooden handle T16 480x130	181
Rete SSA	147	Trowel for rustication mesh	181
9.5 Components for Air and Water Tightness	147	Joint smoother set angle	181
Self-expanding joint sealing tape EXP	147	Joint smoother set rounded	182
Self-expanding joint sealing tape EXP Multi	148	Inox spatula serrated B1 with wooden handle 200x120	182
Butyl tape grey	148	Inox spatula serrated B2 with wooden handle 200x120	182
PE tape	149		
PCV tape	149		
Butyl tape with alufoil	150		

PRODUCT INDEX IN ALPHABETICAL ORDER

A

25	A 2.1
23	AC 2.0
22	Acetic Professional
22	Acetic Standard
24	Acryl 10
24	Acryl 15
25	Acryl Fire Resistant
27	Acrysil PRO
32	Adhesive for EPDM membrane
26	AF 2.0
145	Aluminium base starter profile
112	Antisale
50	Aquaproof
52	Aquatech
53	Aquatech® Rapid
26	AR 2.0
57	Asfredol 1000
58	Asfredol® 2000

B

65	Band 140 mm
30	Bitumen Seal
59	Black Hydro Easy
59	Black Hydro Pittura
60	Black Hydro Poly 1K
60	Black Hydro Poly 2K
61	Black Hydro Spray
67	Black Hydro Tex
116	Bond & Finish
168	Breathe
66	Bridge Mat 1000 mm - 50 m
63	BU Tape
148	Butyl tape grey
150	Butyl tape with alufoil
61	BW 100
62	BW 200

C

42	C 2.0
105	CA Poly
33	Cartridge Nozzles
107	Chemical Anchor Cage
108	Chemical Anchor Mixer
169	Clean
43	Cleaner for Polyurethane Foams
145	Clip on profile
96	Colabile
142	Connector profile type U
143	Connector profile type U-AL
161	Consolida
39	Coppi
137	Corner bead roll
64	Corner Tissue 270°

64	Corner Tissue 90°
----	-------------------

D

112	Deep Cleaner
15	Domus
114	DP 501
137	Drip edge profile

E

125	Ekomix
128	Ekomix Panel Base
127	Ekomix Panel EPS Grey
126	Ekomix Panel EPS White
130	Ekomix Panel Wool - P
124	Ekomix Plus
155	Electric box E-LINE
54	Emulsione Epossidica 723
150	EPDM membrane with butyl
105	Epox Ripresa
54	Epoxy
106	Espansol Ancor
134	eTics Screw-in dowel installation kit
131	eTics Twister
132	eTics Twister installation tool
139	Expansion joint profile E-shape
139	Expansion joint profile V-shape

F

42	F 2.0
71	Fast Screed
167	Finish Acriloxan
166	Finish Acryl
167	Finish Calce
168	Finish Silikat
166	Finish Siloxan
115	Finissimo
114	Finitura
18	Fire Resistant (Sealants and Adhesives)
41	Fire Resistant (Polyurethane Foams)
143	Fixing pins
106	Flash
78	Flex
50	Flex 1K
49	Flex 2K
40	Flex 365
67	Flex Pipe Collar 22 - 37
66	Flex Pipe Collar 50 - 75
66	Flex Pipe Collar 93 - 146
55	Flex PU
55	Flex PU Catalyser
57	Flex PU Detail
56	Flex PU Drive
47	Flex PU Primer
47	Flex PU Primer 2K
56	Flex PU Walk

- 48 Flexistar
- 49 Flexistar Rapid
- 18 Floor
- 65 Floor Collar
- 74 Floorrep

G

- 68 Geotex
- 119 GP 100
- 151 Guaina EPDM
- 180 Gun Xtreme 300 PRO
- 179 Gun Xtreme 400 PRO

H

- 23 Heat Resistant
- 38 High Tack
- 29 Hybrid HM
- 28 Hybrid LM
- 38 Hydro

I

- 182 Inox spatula serrated B1 with wooden handle 200x120
- 182 Inox spatula serrated B2 with wooden handle 200x120
- 151 Insulation membrane ISO Inside
- 152 Insulation membrane ISO Outside
- 113 Intonaco WTA

J

- 181 Joint smoother set angle
- 182 Joint smoother set rounded

K

- 156 K1-PE

L

- 14 Lamiera
- 89 Levelling Base
- 72 Livellina 0-10
- 72 Livellina 5-30
- 73 Livellina HS
- 17 Low Modulus

M

- 43 M 2.0
- 178 Manual Cartridge Gun
- 179 Manual Gun Sitol® Meta 45
- 16 Marble & Stone
- 135 Masonry drill bit SDS Plus II
- 124 Mastofix®
- 123 Mastofix® Hydro Light
- 123 Mastofix® Light
- 65 Mat 1000 mm - 30 m
- 152 Membrane DUO
- 177 Metal pliers for leveling system
- 154 Milling tool plate
- 154 Milling tool rod
- 162 Mineral Skin
- 19 Mirror
- 138 Movement joint profile

- 139 Movement joint profile horizontal Profi PU
- 118 Multifinish
- 77 Multigrip
- 73 Multimix Evo
- 178 Multipurpose gun
- 41 Multiuso

N

- 173 Neoplast Grip
- 173 Neoplast Latex
- 17 Neutral
- 67 Non Woven Tissue NT 50
- 180 Notched trowel with wooden handle T12 480x130
- 181 Notched trowel with wooden handle T16 480x130
- 33 Nozzle for foil bags

P

- 115 Panel^{life}
- 117 Panel^{life} Ceiling
- 116 Panel^{life} Window
- 37 Panel F
- 37 Panel Pro
- 149 PCV tape
- 149 PE tape
- 138 Plaster stop profile
- 177 Pneumatic gun CSGII 370
- 19 Polycarbonate
- 178 Polyurethane Foam Gun T2000
- 179 Polyurethane Foam Gun T500
- 62 PP Tape 120 mm - 50 m
- 48 Primer Aquatech
- 13 Primer Silicone
- 161 Primer VIP
- 53 Promural® Silicon
- 29 PU HM Edilia
- 146 PVC baseboard profile
- 146 PVC basic baseboard profile
- 180 PVC chopping board with rubber handle 280x130
- 136 PVC mesh corner bead

Q

- 74 Quarz

R

- 117 R.E.D.
- 30 Refractory
- 93 Restauro Ferri
- 96 Restauro Finitura
- 99 Restauro Pittura
- 95 Restauro R2
- 94 Restauro R3
- 94 Restauro R4
- 147 Rete SSA
- 136 Reveal corner angle for windows
- 97 Rinnova
- 111 Rinzafo
- 113 Risan One
- 103 Rocksolid Lime M15
- 103 Rocksolid M15

- 104 Rocksolid M30
- 144 Rustication mesh
- 144 Rustication mesh for external corners

S

- 71 Screed
- 147 Self-expanding joint sealing tape EXP
- 148 Self-expanding joint sealing tape EXP Multi
- 137 Sheet metal connection profile
- 111 Shield
- 63 Shower Tape
- 58 Sitol A
- 28 Sitol® Infinity
- 31 Sitol® Meta 45
- 13 Sitol® Primer Glass
- 165 Skin Acriloxan
- 163 Skin Acryl
- 164 Skin Siloxan
- 31 Smooth
- 140 Standard window connection profile
- 129 Steinopor EPS-F Plus
- 51 Stop
- 27 Strong
- 95 Strutturale
- 118 Stuccosol
- 32 Synthetic Plugging Cord

T

- 83 T 250
- 83 T 480
- 84 T 50
- 26 Tack
- 133 Termoz 6H
- 135 Termoz CN 8
- 132 Termoz CS II
- 79 Tile 2020
- 82 Tile 250
- 82 Tile 350
- 81 Tile 480
- 81 Tile 600
- 80 Tile 700

- 80 Tile 900
- 79 Tile Bond 2K
- 78 Tile Cleaner
- 88 Tile Epoxy
- 78 Tile Epoxy Cleaner
- 88 Tile Grout 5-15 mm
- 87 Tile Grout ≤8 mm
- 77 Tile Primer
- 155 TRA WIK PU
- 181 Trowel for rustication mesh

U

- 85 Ultimate
- 97 Umafix
- 93 Umafix HP
- 98 Umaflow
- 98 Umatixo
- 157 UMP ALU TR

V

- 153 Varir 120x160
- 131 Varitherm
- 153 Variz 90
- 39 Volt

W

- 169 Wash
- 133 Washer MW60
- 134 Washer PS60
- 51 Waterblock
- 89 Wedge for Levelling System
- 21 Window
- 40 Window & Door
- 140 Window connection profile 3D-PRO
- 107 Window frame screw for aluminium
- 108 Window frame screw for PVC and wood
- 142 Window lintel element Lai-Sys
- 20 Window Pro
- 141 Window reveal element Lai-Sys

X

- 104 Xtreme Grip Vinylster



1. Sealants and Adhesives

- 1.1 Primers for Sealants and Adhesives
- 1.2 Silicone Sealants and Adhesives
- 1.3 Acrylic Sealants and Adhesives
- 1.4 Hybrid Sealants and Adhesives
- 1.5 Special Products
- 1.6 Accessories for Sealants and Adhesives



1.1 PRIMERS FOR SEALANTS AND ADHESIVES

SITOL[®] PRIMER GLASS

Primer formulated as a black pre-treatment for glass surfaces to provide a protective coating against UV radiation.



Code	Color	Packaging	Packaging size	Cat.	Price €/ pc
5684	 Black	metal bucket	250 ml	N1	60,00€



PRIMER SILICONE

Pre-spreading for silicone sealants, siloxane resin in solvent-based, for priming the sides of joints subject to high stress and/or where adhesion may be difficult.

Consumption on smooth, non-absorbent surfaces: 20 g/m² Consumption on porous absorbent surfaces: 50-300 g/m²



Code	Color	Packaging	Packaging size	Cat.	Price €/ l
6352	 Transparent	metal bucket	0,5 l	A5	81,54€



1.2 SILICONE SEALANTS AND ADHESIVES

LAMIERA

Neutral curing silicone sealant specifically for tin roofing works.

- High sealing properties
- Permanent elasticity
- High UV and ageing resistance
- Wide range of colours
- Meko free formulation

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc	
5343		Ivory 1013	cartridge	24x310 ml	64 cardboards	A1 10,49€	
5714		Dusty grey 7037	cartridge	24x310 ml	64 cardboards	A1 10,49€	
5259		White 9010	cartridge	24x310 ml	64 cardboards	A1 10,49€	
6168		Sand grey 9002	cartridge	24x310 ml	64 cardboards	A1 10,49€	
5299		Aluminium 9006	cartridge	24x310 ml	64 cardboards	A1 10,49€	
6165		Grey 7045	cartridge	24x310 ml	64 cardboards	A1 10,49€	
5277		Anthracite 7016	cartridge	24x310 ml	64 cardboards	A1 10,49€	
6166		Copper 8004	cartridge	24x310 ml	64 cardboards	A1 10,49€	
6167		Dark brown 8022	cartridge	24x310 ml	64 cardboards	A1 10,49€	
5154		Sienared 3009	cartridge	24x310 ml	64 cardboards	A1 10,49€	
5717		Corten	cartridge	24x310 ml	64 cardboards	A1 11,86€	

DOMUS

Neutral curing silicone sealant with anti-mould agent and low modulus of elasticity.

- High UV-resistance
- For indoor and outdoor use
- Elastic elongation over 25% from -50 °C to +150 °C
- Colour matching with cementitious tile grout
- Meko Free formulation

Consumption per linear metre Joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc	
5603	Transparent	cartridge	24x310 ml	64 cardboards	A1	10,28€	 8030334056031
5606	White 9010	cartridge	24x310 ml	64 cardboards	A1	10,28€	 8030334056062
5607	White 9016	cartridge	24x310 ml	64 cardboards	A1	10,28€	 8030334056079
5617	Jasmin 1013	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056178
5618	Manhattan 7035	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056185
5608	Bright grey 7047	cartridge	24x310 ml	64 cardboards	A1	10,28€	 8030334056086
5616	Pearl grey 7040	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056161
5600	Cement grey 7032	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056000
5614	Grey 7030	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056147
5615	Metallic grey 7024	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056154
5605	Ivory 1013	cartridge	24x310 ml	64 cardboards	A1	10,28€	 8030334056055
5623	Vanilla 1015	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056239
5610	Bahama 1001	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056109
5611	Beige	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056116
5620	Hazelnut 1011	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056208
5619	Brown 1019	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056192
5613	Chocolate 8003	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056130
5622	Terracotta 3012	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056222
5621	Walnut 8011	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056215
5612	Chestnut 8028	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056123
5598	Anthracite 7022	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334055980
5604	Anthracite 7016	cartridge	24x310 ml	64 cardboards	A1	10,28€	 8030334056048
5609	Black 9005	cartridge	24x310 ml	64 cardboards	A1	10,28€	 8030334056093
5624	Green 6005	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334056246

5720*		Dark grey	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057205
5723*		Biscuit	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057236
5724*		Caramel	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057243
5730*		Mocha Mousse	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057304
5725*		Antique gold	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057250
5719*		Sandbrown	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057199
5727*		Sage	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057274
5721*		Silk	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057212
5729*		Avio	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057298
5728*		Cerulean	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057281
5726*		Grey green	cartridge	12x310 ml	116 cardboards	A1	10,28€	 8030334057267

MARBLE & STONE

Neutral curing silicone sealant with low modulus of elasticity for marble and natural stone.

- Does not stain absorbent substrates
- High UV resistance
- Ideal for outdoor and indoor applications
- Elastic elongation from -50 °C to +150 °C
- Meko free formulation

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / pc
5602	 Transparent	cartridge	12x310 ml	116 cardboards	A1	10,08€
5599	White 9003	cartridge	12x310 ml	116 cardboards	A1	10,08€



NEUTRAL

Transparent, neutral-curing silicone sealant for corner joints and glass.

- Low modulus of elasticity
- High ageing resistance to UV radiation and weathering
- Indoor and outdoor use
- High tightness
- Meko Free formulation

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc	
6188	Transparent	cartridge	24x310 ml	64 cardboards	A1	9,67€	8030334061882
6523	Transparent	foil bag	20x600 ml	36 cardboards	A1	18,03€	8030334065231
6651*	-	drum	20 l	-	A1	29,61€/l	8030334066511

LOW MODULUS

Neutral cured silicone sealant.

- Suitable for construction, civil engineering and prefabricated elements
- High UV resistance
- High adhesion
- 30 years proven efficiency

Consumption per linear metre Joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1

Linear metres made from one bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc	
6460	White 9003	cartridge	24x310 ml	64 cardboards	A1	9,60€	8030334064609
6163	Grey C1 7047	cartridge	24x310 ml	64 cardboards	A1	9,60€	8030334061639
6521	Grey C1 7047	foil bag	20x600 ml	36 cardboards	A1	18,57€	8030334065217
6151	Grey 7004	cartridge	24x310 ml	64 cardboards	A1	9,60€	8030334061516
6153	Black 9005	cartridge	24x310 ml	64 cardboards	A1	9,60€	8030334061530

FIRE RESISTANT

Neutral silicone sealant with high fire resistance.

- High adhesion to smooth and porous substrates
- High resistance to UV rays
- Low elastic modulus
- Suitable for applications subject to fire regulations up to EI 240
- MEKO FREE formulation

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6766	Grey 7045	cartridge	24x310 ml	64 cardboards	A1	18,55€



8030334067662

FLOOR

Neutral curing silicone sealant for floor applications.

- High resistance to UV rays
- High resistance to traffic
- Colours: grey

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6183	Grey 7040	cartridge	24x310 ml	64 cardboards	A1	11,35€



8030334061837

POLYCARBONATE

Neutral cured silicone sealant for polycarbonate elements.

- Good adhesion
- High elasticity
- Resistant to UV rays
- Colour: transparent

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6177	Transparent	cartridge	24x310 ml	64 cardboards	A1	10,93€



8030334061776

MIRROR

Neutral silicone adhesive for bonding and installing mirrors.

- Does not corrode and stain mirrors
- Compatible with lacquered glass and most materials
- High elastic modulus to resist stress and vibration
- High viscosity
- Meko Free formulation

Consumption per linear metre with 5 mm nozzle opening: 20 ml

Linear metres with one cartridge: 14.5



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5715	White 9016	cartridge	12x290 ml	116 cardboards	A1	10,00€



8030334057151

WINDOW PRO

Professional neutral single-component silicone sealant for windows and doors and the sealing between glass, frame and finishing on glass fastening elements. Compatible with double-glazing and PVB.

- Mould-resistant
- UV-resistant
- Indoor and outdoor use
- Compatible with IG sealants
- Compatible with PVB
- Does not stain natural stone
- Meko free formulation

Consumption per linear metre Joint section 10 x 10 mm: 100 ml
 Linear metres made from one cartridge: 3,1
 Linear metres made from one foil bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / pc	
5637	 Transparent	cartridge	24x310 ml	64 cardboards	A1	10,00€	 8030334056376
5638*	 Transparent	foil bag	20x400 ml	36 cardboards	A1	11,45€	 8030334056383
5639	 Transparent	foil bag	20x600 ml	36 cardboards	A1	17,64€	 8030334056390
5700*	 Transparent	drum	20 l	-	A1	28,19€/l	 8030334057007
5642	 White 9010	cartridge	24x310 ml	64 cardboards	A1	10,35€	 8030334056420
5649*	 White 9010	foil bag	20x400 ml	36 cardboards	A1	13,50€	 8030334056499
5652	 White 9010	foil bag	20x600 ml	36 cardboards	A1	19,05€	 8030334056529
5675*	 White 9010	drum	20 l	-	A1	28,00€/l	 8030334056758
5640	 Anthracite 7015	cartridge	24x310 ml	64 cardboards	A1	10,35€	 8030334056406
5648*	 Anthracite 7015	foil bag	20x400 ml	36 cardboards	A1	13,50€	 8030334056482
5650	 Anthracite 7015	foil bag	20x600 ml	36 cardboards	A1	19,05€	 8030334056505
5677*	 Anthracite 7015	drum	20 l	-	A1	28,00€/l	 8030334056772
5646	 Black 9005	cartridge	24x310 ml	64 cardboards	A1	10,35€	 8030334056468
5699*	 Black 9005	foil bag	20x400 ml	36 cardboards	A1	13,50€	 8030334056994
5655	 Black 9005	foil bag	20x600 ml	36 cardboards	A1	19,05€	 8030334056550
5676*	 Black 9005	drum	20 l	-	A1	28,00€/l	 8030334056765

WINDOW

Neutral curing single-component silicone sealant for the installation and sealing of connection and expansion joints between frames and walls.

- Conforme alla norma UNI 11673
- UV-resistant
- For interior and outdoor use
- Adhesion on glass
- MEKO FREE formulation

Consumption per linear metre Joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1

Linear metres made from one foil bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc	
5625	Transparent	cartridge	24x310 ml	64 cardboards	A1	7,22€	
5626	Transparent	foil bag	20x600 ml	36 cardboards	A1	13,38€	
5627	White 9010	cartridge	24x310 ml	64 cardboards	A1	7,56€	
5632	White 9010	foil bag	20x600 ml	36 cardboards	A1	13,44€	
5628	White 9016	cartridge	24x310 ml	64 cardboards	A1	7,56€	
5631	Ivory 1013	cartridge	24x310 ml	64 cardboards	A1	7,82€	
5630	Anthracite 7016	cartridge	24x310 ml	64 cardboards	A1	7,82€	
5629	Black 9005	cartridge	24x310 ml	64 cardboards	A1	7,82€	
5644	Bright grey 7047	cartridge	24x310 ml	64 cardboards	A1	7,82€	
5683	Grey 7004	cartridge	12x310 ml	116 cardboards	A1	7,41€	
5682	Dark brown 8017	cartridge	12x310 ml	116 cardboards	A1	7,41€	
5681	Golden oak 8003	cartridge	12x310 ml	116 cardboards	A1	7,41€	
5680	Walnut Nussbaum 8011	cartridge	12x310 ml	116 cardboards	A1	7,41€	
5679	Metallic grey 7024	cartridge	12x310 ml	116 cardboards	A1	7,41€	
5678	Green 6005	cartridge	12x310 ml	116 cardboards	A1	7,41€	
5716	Argento 9006	cartridge	12x310 ml	116 cardboards	A1	7,41€	

ACETIC PROFESSIONAL

Acetic curing silicone sealant, resistant to moulds for door and window frames and sanitary use.

- Resistant to UV-rays
- High resistance to aging
- 4 colours

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8118	Transparent	cartridge	24x310 ml	60 cardboards	A2	6,46€
8117	White 9010	cartridge	24x310 ml	60 cardboards	A2	6,92€



ACETIC STANDARD


Acetic curing silicone sealant with anti-mould agent for sanitary use and facades.

- Fast curing
- High resistant to UV-rays
- Excellent chemical resistance
- 10 colours in combination with Tile Grout

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 2,8



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8105	Cement grey 7032	cartridge	24x280 ml	64 cardboards	A2	7,02€
8110	Beige	cartridge	24x280 ml	64 cardboards	A2	7,02€
8004	Black 9005	cartridge	24x280 ml	60 cardboards	A2	5,53€
8001	Transparent	cartridge	24x280 ml	60 cardboards	A2	4,86€
8003	White 9010	cartridge	24x280 ml	60 cardboards	A2	5,53€
8103	Manhattan 7035	cartridge	24x280 ml	64 cardboards	A2	5,96€
8104	Pearl grey 7040	cartridge	24x280 ml	64 cardboards	A2	5,96€
8106	Grey 7030	cartridge	24x280 ml	60 cardboards	A2	5,96€
8107	Anthracite 7022	cartridge	24x280 ml	64 cardboards	A2	5,96€
8112	Brown 1019	cartridge	24x280 ml	60 cardboards	A2	5,96€



HEAT RESISTANT

Acetic silicone sealant for temperatures up to 300 °C.

- High resistance to heat
- Resistance to aging
- Resistant to UV rays
- Excellent for industrial plants

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6185	 Red 3013	cartridge	24x310 ml	64 cardboards	A2	12,40€



AC 2.0

Single-component silicone sealant with acetic cross-linking for bonding and elastic sealing of expansion joints with a maximum working elongation of 25%. The hardening takes place by reaction with atmospheric humidity. Mould resistant formulation.

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 2,8



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8030	 Transparent	cartridge	24x280 ml	64 cardboards	A2	4,85€
8031	 White 9010	cartridge	24x280 ml	64 cardboards	A2	5,00€



1.3 ACRYLIC SEALANTS AND ADHESIVES

ACRYL 15

High-performance paintable acrylic sealant for elastic sealing of connection joints.

- **Paintable**
- **Adheres also to damp surfaces**
- **Elastic elongation over 15%**
- **Low emissions of volatile organic compounds**


Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1

Linear metres made with a bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6335	White	cartridge	24x310 ml	64 cardboards	A3	4,24€
6332	Grey	cartridge	24x310 ml	64 cardboards	A3	4,98€
6542	White	foil bag	20x600 ml	36 cardboards	A3	8,06€
6530	Grey	foil bag	20x600 ml	36 cardboards	A3	8,06€



ACRYL 10

Paintable acrylic sealant for elastic sealing of connection joints.

- **High adhesive strength**
- **Paintable**
- **Colours: white, grey**

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6580	White	cartridge	24x310 ml	64 cardboards	A3	3,73€
6578	Grey	cartridge	24x310 ml	64 cardboards	A3	3,73€



ACRYL FIRE RESISTANT

Acrylic sealant for applications subject to fire regulations up to EI 240.

- Prevents smoke and flames from entering emergency areas
- Certified for ceiling applications
- High resistance to ageing
- Paintable

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5515	White	foil bag	20x600 ml	36 cardboards	A3	12,91€
5516	Grey	foil bag	20x600 ml	36 cardboards	A3	12,91€



8030334055157



8030334055164

A 2.1

Multipurpose paintable acrylic sealant.

- Maximum working elongation of 10%
- Excellent quality/price ratio
- Very low emissions of volatile organic compounds

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 3,1
Linear metres made with a bag: 5,5



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5130	White	cartridge	24x310 ml	64 cardboards	A3	2,35€



8030334051302

AR 2.0

Single-component, elastic, acrylic-based sealant in aqueous dispersion, workable with trowel, for overpaintable sealing of cracks and fissures where a rough material appearance similar in grain to civil finishes is required.

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8028	White	cartridge	24x310 ml	60 cardboards	A3	4,77€

**AF 2.0**

Single-component acrylic-based elasto-plastic sealant in aqueous dispersion for overpaintable sealing of cracks, fissures and connection joints between façade elements with a maximum working elongation of 7.5%.

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8029	White	cartridge	24x310 ml	60 cardboards	A3	4,47€

**TACK**

Multi-purpose adhesive based on acrylic resins for internal applications.

- High adhesion
- Easy to use
- Solvent-free product

Consumption per linear metre joint section 14 x 2 mm: 28 ml
Linear metres made from one cartridge: 11



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8154	Ivory	cartridge	24x310 ml	60 cardboards	A3	10,57€



1.4 HYBRID SEALANTS AND ADHESIVES

ACRYSIL PRO

Acrylic-silane sealant for sealing flexible joints.

- Good resistance to UV rays
- Paintable
- Operating elongation capacity of 15%

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1

Linear metres made with a bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5544	White	cartridge	24x310 ml	64 cardboards	A3	4,35€
5049	White	foil bag	20x600 ml	36 cardboards	A3	7,66€
5138	Grey	foil bag	20x600 ml	36 cardboards	A3	7,67€



STRONG

Super strong, hybrid polymer adhesive with high initial tack. No need of external mechanical fixture during hardening.

- Suitable for substrates subject to vibrations
- High mechanical resistance
- Resistant to atmospheric agents
- Adheres without primer even on damp substrates
- Paintable
- Suitable for installation of mirrors

Linear metres made from one cartridge: 6,4



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8007	White	cartridge	12x290 ml	104 cardboards	A4	14,86€




SITOL® INFINITY

Fast curing hybrid adhesive and sealant suitable for wet surfaces.

- Excellent adhesion on typical industrial and building materials, even wet and immersed (smooth, non-absorbent substrates)
- Excellent workability and thixotropy, does not shrink during curing and does not crumble
- Can be painted quickly
- High modulus of elasticity guaranteeing high-performance and permanently flexible bonding
- Good resistance to UV rays, ageing in general, chemicals and salt water
- Free of solvents and diisocyanates



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8332	White 9016	cartridge	12x290 ml	130 cardboards	A4	15,60€
8333	Grey 7038	cartridge	12x290 ml	130 cardboards	A4	15,60€
8334	Black 9004	cartridge	12x290 ml	130 cardboards	A4	15,60€



HYBRID LM

Low modulus of elasticity sealant, based on hybrid polymers, for façades and windows.

- Good UV resistance
- Low modulus of elasticity
- Paintable
- Indoor and outdoor use, even on damp substrates
- Suitable for certified installation of windows and doors according to UNI 11673-1

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 2,9



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5498	Black 9005	cartridge	12x290 ml	116 cardboards	A4	11,96€
5499	Hazel 8007	cartridge	12x290 ml	116 cardboards	A4	11,96€
5490	White 9016	cartridge	12x290 ml	116 cardboards	A4	11,96€
5491	Grey 7004	cartridge	12x290 ml	116 cardboards	A4	11,96€
5507*	White 9016	foil bag	20x400 ml	72 cardboards	A4	15,10€
5508*	Grey 7004	foil bag	20x400 ml	72 cardboards	A4	15,10€
5509	White 9016	foil bag	20x600 ml	36 cardboards	A4	21,44€
5510	Grey 7004	foil bag	20x600 ml	36 cardboards	A4	21,44€



HYBRID HM


Single-component, hybrid polymer-based adhesive-sealant with anti mould agent for overpaintable elastic bonding and sealing of joints in construction and industry in general.

- Overpaintable
- Suitable for indoor and outdoor use, also on moist substrates
- Ideal for both construction and industry
- Very low emissions of Volatile Organic Compounds

Consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5665	White 9016	cartridge	12x290 ml	116 cardboards	A4	11,75€
5666	Grey 7004	cartridge	12x290 ml	116 cardboards	A4	11,75€
5667	Black 9005	cartridge	12x290 ml	116 cardboards	A4	11,75€
5513	White 9016	foil bag	20x600 ml	36 cardboards	A4	20,78€
5514	Grey 7004	foil bag	20x600 ml	36 cardboards	A4	20,78€
5512	Black 9005	foil bag	20x600 ml	36 cardboards	A4	20,78€
8037	Crystal clear	cartridge	12x290 ml	116 cardboards	A4	18,14€



1.5 SPECIAL PRODUCTS

PU HM EDILIA

High performance polyurethane adhesive/sealer for façades and floors.

- Excellent resistance to weather and ageing
- High modulus of elasticity
- It bonds and seals simultaneously
- Paintable
- Indoor and outdoor use, even on damp substrates

Consumption per linear metre joint section 10 x 10 mm: 100 ml

Linear metres made from one cartridge: 3,1

Linear metres made with a bag: 6



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8146*	White	foil bag	20x600 ml	50 cardboards	A5	18,67€
8147	Grey	foil bag	20x600 ml	50 cardboards	A5	18,67€



REFRACTORY

Refractory mastic for grouting in situations exposed to temperatures up to 1000 °C.

- Suitable for direct exposure to open flame
- Ideal for sealing and filling joints, cracks and fissures in boilers, chimneys, ovens, mufflers
- Excellent workability also in vertical
- Quick and easy application

Consumption per linear metre joint section 10 x 10 mm: 100 ml
Linear metres made from one cartridge: 3,1



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6994	 Grey	cartridge	24x310 ml	64 cardboards	A5	12,65€



8030334069949

BITUMEN SEAL

Ready-to-use, single-component elasto-plastic adhesive-sealant, based on bituminous polymers in solvent, specific for bonding and sealing various types of substrates, even the wet ones.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8021	 Black	cartridge	12x280 ml	72 cardboards	A5	11,97€



8030334080210

SITOL® META 45

A two-component, methacrylate-based structural adhesive with excellent thixotropic properties that enable the creation of vertical lines without dripping and medium curing time.

- Medium curing time
- Non-staining, application on vertical surfaces
- Excellent environmental resistance
- Minimal surface preparation
- High abrasion resistance



Code	Color	Bicomponent	Packaging	Packaging size	Cat.	Price €/ pc
8366	 Creamy	2 components	cartridge	12x490 ml	N1	58,00€

**SMOOTH**

Neutral smoothing agent based on amphoteric surfactants in aqueous solution, for professional surface finishing of connection joints and expansion joints made with silicone, acrylic and hybrid sealants.

- Ready to use
- Suitable for all types of sealants
- Improves the finish of joints
- Does not trigger microbiological growth

Depending on the laying technique: approx. 0.3 l/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5457	 Transparent	bottle	8x750 ml	46 cardboards	A5	19,00€
5731	 Transparent	canister	5 l	128 canisters	A5	15,75€/l



ADHESIVE FOR EPDM MEMBRANE

High-viscosity adhesive for the façade application of EPDM membrane on vertical and horizontal surfaces.



Code	Color	Packaging	Packaging size	Cat.	Price €/ pc
8326	 Black	foil bag	12x600 ml	A5	32,00€



1.6 ACCESSORIES FOR SEALANTS AND ADHESIVES

SYNTHETIC PLUGGING CORD

Closed-cell polythene plugging cord of variable thickness for preparation of expansion joints.

- Correct joint sizing
- Avoids waste of material
- Isolates the sealant from the joint bottom
- Quick and easy application



Code	Color	Thickness	Packaging	Packaging size	Cat.	Price €/ m
15365	 Grey	Ø 30 mm	cartboard	180 m	A9	1,31€
15366	 Grey	Ø 40 mm	cartboard	120 m	A9	1,47€
15013	 Grey	Ø 10 mm	roll	600 m	A9	0,95€
15014	 Grey	Ø 15 mm	roll	250 m	A9	1,16€
15015	 Grey	Ø 20 mm	roll	150 m	A9	1,22€



NOZZLE FOR FOIL BAGS

Nozzle for sealants in foilbags.



Code	Packaging	Packaging size	Cat.	Price €/ pc
5548	cartboard	50 piece	A9	0,38€



8030334055485

CARTRIDGE NOZZLES

Code	Packaging	Packaging size	Cat.	Price €/ pc
5421	cartboard	100 piece	A9	0,52€



8030334054211



2. Polyurethane Foams

2.1 Polyurethane Adhesives

2.2 Polyurethane Foams

2.3 Accessories for Polyurethane Foams



2.1 POLYURETHANE ADHESIVES

PANEL PRO

Self-extinguishing PU adhesive for bonding insulation panels.

- Installation adhesive in fire resistance class B1 in accordance with DIN 4102-1
- Excellent adhesion to various substrates, regardless of whether they are porous or non-porous
- Heat-insulating and fire-resistant filling of gaps between panels
- Ideal for sealing between sandwich panels
- Solves all adhesion problems on smooth or moulded panels
- Optimally equalises irregularities
- Reduces laying times by up to 30% compared to cement adhesive
- Significant reduction in processing and overall costs: approx. 12 m² of insulation panels can be laid with one canister
- Avoids the formation of thermal bridges
- High cleanliness on site

Linear metres realised with one can: 50 m per 12 m² of insulation panels laid



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8380		Natural yellow	Gun application	can	12x750 ml	42 cardboards	B1 15,89€



PANEL F

Single-component, quick-hardening polyurethane adhesive for bonding plasterboard and insulation panels.

- Excellent adhesion on various types of porous and non-porous substrates
- It solves any adhesion problem on smooth or moulded boards (adhesion to polystyrene according to ETAG 004)
- Extremely fast installation: after 2 hours it can be dowelled and immediately smoothed afterwards
- Installation time reduced up to 50% compared to cement glue
- Significant reduction of processing and overall costs: with one can it is possible to install about 12 m² of insulation panels
- Avoids the formation of thermal bridges
- Extremely clean construction site

Linear metres achieved with one tank: 50 m per 12 m² di insulation panels laid



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5558		Natural yellow	Gun application	can	12x750 ml	42 cardboards	B1 15,67€



HIGH TACK

Polyurethane adhesive for waterproof bonding and sealing.

- Good chemical resistance
- Highly impermeable (up to 0,5 bar)
- Tested for installation of insulation boards in accordance with ETAG 004
- Fast laying times (50% faster than laying thin bed mortars)
- Usable in temperatures above -5 °C
- Excellent adhesion onto various kinds of surfaces

Yield in terms of laid masonry surface area: 5 - 10 m²
Linear metres achieved with one tank: 40 m (5 m² of insulation panels laid)



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5337		Light blue	Gun application	can	12x750 ml	42 cardboards	B1 14,28€



HYDRO

Specific one-component polyurethane adhesive for waterproof sealing of hydraulic elements.

- Quick and easy application
- Quick drying and hardening compared to traditional application with mortar or cement-based adhesive
- Excellent adhesion capacity on all types of substrates, even wet
- Good chemical resistance to bacteria normally present in wet environments
- Usable at temperatures beyond the usual range for cement-based mortars (down to -5 °C)
- High waterproofing capacity (up to 0.5 bar)

Yield in litres free expansion: 40 l
Linear metres achieved with one tank: 40



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6319		Green	Manual application	can	12x750 ml	42 cardboards	B1 15,70€



2.2 POLYURETHANE FOAMS

COPPI

Polyurethane foam with extended open time, reduced post-expansion, and high tear resistance.

- Up to 10 m² area of laid tiles
- Waterproof
- High tear resistance
- Wind-resistant
- Long open time

Yield in litres free expansion: 26 l

Linear metres achieved with one tank: 45



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
6909		Brown Gun application	can	12x750 ml	42 cardboards	B2	10,29€
6427		Brown Manual application	can	12x750 ml	42 cardboards	B2	10,10€



VOLT

Glow wire resistant polyurethane foam for electrical installations.

- Ideal for fixing junction boxes and cable conduits
- Can be used up to an environmental temperature of -10 °C
- Prevents the formation of thermal and acoustic bridges in sealed joints between cable conduits and brickwork
- Very low VOC emissions: ideal for interior applications

Yield in litres free expansion: 45 l

Linear metres achieved with one can: 45

The stated values refer to laboratory conditions and can deviate considerably depending on the actual application and ambient conditions.



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5633		Natural yellow Gun application	can	12x750 ml	42 cardboards	B2	9,52€



WINDOW & DOOR

Polyurethane foam for various type of installations.

- Ideal for thermal and acoustic isolation
- usable from -10 to +35 °C
- Suitable for electrical and hydraulic installations
- Waterproof
- Up to 45 l

Yield in litres free expansion: 45 l

Linear metres achieved with one can: 45



Code	Color	Application	Packaging	Packaging size	Pallet	Cat. Price €/ pc
6345		Natural yellow	Manual application	can	12x750 ml	42 cardboards B2 9,27€
6347		Natural yellow	Gun application	can	12x750 ml	42 cardboards B2 9,42€



8030334063459



8030334063473

FLEX 365

Flexible polyurethane foam for the assembly of wooden, PVC or aluminium window frames and shutters, up to -10 °C.

- Application at any temperature from -10 °C to +35 °C
- Ideal for thermal and acoustic insulation
- Excellent alternative to laying multifunctional self-expanding tapes
- Reduced post-expansion
- Elongation at break > 40
- Certified very-low emission EC1 Plus
- Air tightness up to 1000 Pa

Yield is highly dependent on can and ambient temperatures. Free expansion yield: 35 litres.

The values indicated refer to laboratory conditions and may vary considerably depending on the actual application and environmental conditions.



Code	Color	Application	Packaging	Packaging size	Pallet	Cat. Price €/ pc
5561		White	Gun application	can	12x750 ml	42 cardboards B2 14,23€



8030334055614

FIRE RESISTANT

Polyurethane foam with high resistance to fire.

- Fire resistance up to EI 120
- Essential in the installation of fire doors
- Ideal for applications subject to fire regulations
- Ideal for mounting electrical junction boxes/plants

Yield in litres free expansion: 41 l

Linear metres achieved with one tank: 40



Code	Color		Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5533		Grey	Manual application	can	12x750 ml	42 cardboards	B2	19,38€
6911		Grey	Gun application	can	12x750 ml	42 cardboards	B2	20,19€



8030334055331



8030334069116

MULTIUSO

Multi-purpose polyurethane foam.

- Up to 50 l yield
- For acoustic and thermal insulation
- Waterproof

Yield in litres free expansion: 50 l

Linear metres achieved with one tank: 30



Code	Color		Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
5067		Natural yellow	Manual application	can	12x750 ml	42 cardboards	B2	7,70€
5333		Natural yellow	Gun application	can	12x750 ml	42 cardboards	B2	7,70€



8030334050671



8030334053337

F 2.0

Elastic one-component polyurethane foam for the assembly of window frames in wood, pvc or aluminium. It guarantees rapidity and cleaning during installation. Adheres to most porous and non-porous supports.

- Ideal for thermal and acoustic insulation
- Excellent alternative to laying multi-purpose self-expanding tapes
- Low post-expansion
- Elongation at break > 40%
- Very low Volatile Organic Compound emissions
- Air tightness up to 1000 P

Yield: 35 l



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8046	White	Gun application	can	12x750 ml	70 cardboards	B2	11,47€



8030334080463

C 2.0

Highly adhesive single-component polyurethane foam for installation of roof tiles or bent tiles. It hardens by reaction with the humidity of the atmosphere and of the substrates. It guarantees quick, easy and clean installation operations.

- Up to 15 m² of laid tile surface
- Waterproof
- High tear resistance
- Extended open time

Tank surface: manual 8 m²; gun 10 m²



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8044	Natural yellow	Manual application	can	12x750 ml	70 cardboards	B2	9,20€
8045	Natural yellow	Gun application	can	12x750 ml	70 cardboards	B2	9,26€



8030334080449



8030334080456

M 2.0

Single-component multifunctional polyurethane foam for thermo-insulating filling and bonding in building, industrial and plant engineering sectors. It guarantees quick and clean installation operations. It adheres to most porous and non-porous substrates.

- **Waterproof**
- **For thermal and acoustic insulation**
- **Sandable and plasterable**

Yield: manual 30 l; gun 40 l



Code	Color	Application	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8042		Natural yellow	Manual application	can	12x750 ml	70 cardboards	B2 6,92€
8043		Natural yellow	Gun application	can	12x750 ml	70 cardboards	B2 7,10€




2.3 ACCESSORIES FOR POLYURETHANE FOAMS

CLEANER FOR POLYURETHANE FOAMS


Spray cleaner for fresh polyurethane foam of any type and sealants.

- **Easy application**
- **Fast action without residues**
- **Dual use: with gun or by means of the dispenser button**
- **Excellent for both gun and manual foam cans**
- **Allows multiple use of cans**



Code	Packaging	Packaging size	Cat.	Price €/ pc
15010	can	12 x 500ml	B1	10,25€





3. Waterproofing

- 3.1 Primers for Waterproofers
- 3.2 Cementitious Waterproofers
- 3.3 Polymeric Waterproofers
- 3.4 Polyurethane Waterproofers
- 3.5 Bituminous Waterproofers
- 3.6 Accessories for Waterproofing



3.1 PRIMERS FOR WATERPROOFERS

FLEX PU PRIMER 2K

Water-based, rigid and transparent epoxy primer. Used as a primer in waterproofing, sealing and floor coating applications on non-absorbent surfaces.

- Easy to apply (roller or brush)
- Almost odourless
- Excellent adhesion on absorbent and non-absorbent surfaces
- Can be applied on damp surfaces without loss of adhesion
- Resistant to water stagnation
- Can be diluted with water
- Offers high tensile strength and impact resistance
- Resistant to heat and frost
- Stops the creation of dust
- Resistant to chemicals



Code	Bicomponent	Packaging size	Cat.	Price €/ kg
8349	2 components	3+1 kg	C3	30,82€



8030334083495

FLEX PU PRIMER

A solvent-based, transparent, rigid, deep-penetrating, fast-drying polyurethane primer.

- Easy to apply (roller or brush)
- Fast-drying
- Deep penetration
- Excellent anchorage on absorbent surfaces
- Resistant to water stagnation
- Offers high tensile strength and impact resistance
- Resistant to heat and frost
- Resistant to chemicals



Code	Packaging size	Cat.	Price €/ kg
8339	5 kg	C3	24,40€



8030334083396

PRIMER AQUATECH

Aquatech waterproofing liquid sheath primer.

- Perfect adhesion on critical substrates such as bituminous sheaths and metal substrates
- Ready to use

Consumption: 0,1 - 0,2 l/m²



Code	Packaging	Packaging size	Cat.	Price €/l
8186	metal bucket	4x1 l	C3	16,79€



3.2 CEMENTITIOUS WATERPROOFERS

FLEXISTAR

Extra-flexible, single-component, fibre-reinforced cementitious polymer sheath for waterproofing and protecting concrete.

- Highly adhesive to the substrate
- Excellent workability
- Applicable with roller, brush and trowel
- Suitable for contact with drinking water
- UV resistant
- Waterproof even under pressure
- Resistant to freeze-thaw cycles
- Good treadable surface

Consumption: approx. 1,2 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5324	Grey	bag	4x5 kg	40 cardboards	C1	5,85€
5002	Grey	bag	20kg	50 bags	C1	4,30€



FLEXISTAR RAPID

Single component, flexible, fibre-reinforced, cementitious, polymer waterproofing membrane with fast hardening.

- Fast hardening
- Highly adhesive to the substrate
- Excellent workability
- Applicable with roller, brush and trowel
- Waterproof even under pressure
- Resistant to freeze-thaw cycles
- Good treadable surface

Consumption: approx. 1,2 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5532	Grey	bag	20kg	50 bags	C1	4,90€



8030334055324

FLEX 2K

Two-component, flexible, fibre-reinforced, waterproofing cementbased mortar, which can be reinforced with fibreglass mesh, for flexible waterproofing and protective smoothing of cementitious substrates. Good UV resistance, elastic to -20 °C.

- Fibre-reinforced
- Extra high flexibility
- High anti-CO₂ and UV resistant protection
- Resistant to frost-thaw cycles
- Suitable for substrates even of large size and with a certain mobility
- For indoor and outdoor use. Waterproof even under pressure
- The waterproofing in combination with tiles complies with DIN 18531, DIN 18534 and DIN 18535
- Waterproofing of building components in contact with the ground according to DIN 18 533-1 for Water Impact Classes W1-E, W2.1E, W2-B, W4-E
- With "General Building Inspection Test Certificates"
- - Based on the tests for the release of an AbP according to PG-AIV-F and the resulting scopes of application resulting, it is possible to assign the following classes of exposure from ÖNORM B 3407: W1, W2, W3, W4, W5(except areas with increased chemical exposure) and W6.

Consumption: Comp. A ca. 1,4 kg/m²/mm - Comp. B ca. 0,5 kg/m²/mm



Code	Color	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6362	Grey	2 components	bag + canister	25 kg + 8,5 kg	50 bags + 50 canisters	C1	3,26€



8030334063626

FLEX 1K

Single-component, flexible, fibre-reinforced, waterproofing cementitious mortar, which can be reinforced with fibreglass mesh, for flexible waterproofing and protective smoothing of cementitious substrates.

- New improved formula with new generation fibres
- Excellent workability and easy to apply
- Excellent adhesion to the substrate
- Waterproof even under pressure
- Resistant to frost-thaw cycles
- UV Resistant

Consumption: approx. 1,4 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6361	Grey	bag	25 kg	50 bags	C1	3,89€



AQUAPROOF

Fine waterproofing mortar.

- Very easy to apply with roller or brush
- Spray application
- Excellent waterproofing capability
- Good permeability to water vapour
- Can be used in environments with negative hydrostatic pressure

Consumption: 2-6 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6360	Grey	bag	25 kg	50 bags	C1	2,09€



STOP

Very fast-setting pre-mixed mortar.

- Ease of application
- Very high water tightness
- Very fast commissioning

Consumption is approximately 1.6 kg per litre of cavity to be filled.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5441	 Grey	bag	4x5 kg	40 cardboards	C1	7,41€

**3.3 POLYMERIC WATERPROOFERS****WATERBLOCK**

Ready-to-use, mineral solvent-based, liquid waterproofer for pedestrian floors.



Code	Color	Packaging	Packaging size	Cat.	Price €/ l
8396	 Transparent	metal bucket	12x1 l	C3	47,35€



AQUATECH

Single-component liquid waterproofing sheath in water emulsion.

- High elasticity
- Resistant to water stagnation
- Good treadable surface
- Can be covered with ceramic tiles
- UV resistant
- High initial solar reflectance index (SRI) for white version
- According to DIN 18534: for wall and floor surfaces in water exposure classes W0-I and W1-I as well as, together with Tile 250 or Tile 480 adhesives, on wall surfaces in zone W2-I (without Class C)
- With "General Building Authority Test Certificate"
- Based on the tests for the release of an AbP according to PG-AIV-F and the relevant fields of application, the following can be assigned stress classes by ÖNORM B 3407: W1, W2, W3 and W4

Consumption: 1 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg	
5074	White	bucket	6kg	64 buckets	C3	11,26€	 8030334050749
5115	Red	bucket	6kg	64 buckets	C3	11,26€	 8030334051159
5075	Grey	bucket	6kg	64 buckets	C3	11,26€	 8030334050756
5076	White	bucket	15 kg	33 buckets	C3	10,34€	 8030334050763
5116	Red	bucket	15 kg	33 buckets	C3	10,34€	 8030334051166
5077	Grey	bucket	15 kg	33 buckets	C3	10,34€	 8030334050770

AQUATECH® RAPID

Elastic, single-component, quick-hardening liquid waterproofing membrane in water emulsion for exterior and interior waterproofing.

- High elasticity
- Rapid hardening
- Resistant to water stagnation
- Good walkability
- Coatable with ceramics
- High initial solar reflectance index (SRI) for white version

Consumption: 1,2 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5565	White	bucket	6kg	64 buckets	C3	11,87€
5566	Grey	bucket	6kg	64 buckets	C3	11,87€
5567	White	bucket	15 kg	33 buckets	C3	11,08€
5568	Grey	bucket	15 kg	33 buckets	C3	11,08€

**PROMURAL® SILICON**


Transparent, ready-to-use hydrophobising impregnating agent based on siloxane polymers dissolved in solvent, type H for PI, MC, IR according to EN 1504-2, for the protective treatment of absorbent mineral substrates.

- Good penetration capacity
- Very high resistance to lime and cement (unlike silicone based impregnating agents that can be diluted with water that are rapidly degraded by cement substrates)
- Non-sticky after drying
- High permeability to water vapour
- Exceptionally waterproof (heavy rainfall pushed by winds at a speed of 100 km/h cannot penetrate the substrate)
- Unchanged effectiveness over time (proven effectiveness for a period of 15 years)

Consumption: 0,2 - 1,0 l/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ l
8187	Transparent	metal bucket	18x1 l	24 cardboards	C3	23,28€
8188	Transparent	metal bucket	5 l	90 metal buckets	C3	19,72€
8189	Transparent	metal bucket	20 l	33 metal buckets	C3	17,51€



EMULSIONE EPOSSIDICA 723

Protective, water-based, type C, two-component epoxy resin paint, according to EN 1504-2.

- Water-based (solvent-free and non-flammable)
- High abrasion resistance
- Good resistance to chemical agents

Consumption: 150 g/m²/layer

Total consumption: 400 - 800 g/m²



Code	Color	Bicomponent	Packaging	Packaging size	Cat.	Price €/ kg	
5483	Grey	2 components	bucket	4x3 kg	C3	22,95€	 8030334054839
5484	Red	2 components	bucket	4x3 kg	C3	22,95€	 8030334054846
5482	Ivory	2 components	bucket	4x3 kg	C3	22,95€	 8030334054822

EPOXY

Two-component epoxy protection coating.

- Solvent-free
- Resistant to chemicals
- High thickness also in vertical

Consumption: 600 - 800 g/m²



Code	Color	Bicomponent	Packaging	Packaging size	Cat.	Price €/ kg	
5487	Grey	2 components	bucket	4x3 kg	C3	28,55€	 8030334054877

3.4 POLYURETHANE WATERPROOFERS

FLEX PU CATALYSER

Accelerating additive used with Flex PU liquid polyurethane waterproofing membrane.

- Additivo accelerante
- Accelera il processo di polimerizzazione del Flex PU, permettendo di indurire in modo omogeneo e più rapidamente
- Accelera la polimerizzazione anche a basse temperature e permette l'applicazione della successiva mano dopo 3-5 ore

Il consumo varia in base al rapporto di miscelazione (vedi scheda tecnica)



Code	Color	Packaging size	Cat.	Price €/pc
8381	 Neutral	1 kg	L1	43,60€



FLEX PU

Liquid polyurethane membrane with high permanent elasticity, used for long-lasting waterproofing based on pure hydrophobic elastomeric polyurethane resins, which provide excellent mechanical, chemical, thermal, UV and natural resistance.

- Seamless membrane when applied
- Resistant to water stagnation
- Resistant to frost and high temperatures (maintains mechanical properties over a temperature range of -30 °C to +90 °C)
- Crack resistance up to 3 mm, even at -20 °C
- Offers water vapour permeability, so the surface can breathe
- Offers excellent weathering and UV resistance



Code	Color	Packaging	Packaging size	Cat.	Price €/kg
8341	 Grey	bucket	6kg	C3	15,69€
8340	 White	bucket	6kg	C3	15,69€
8335	 White	bucket	25 kg	C3	13,62€
8336	 Grey	bucket	25 kg	C3	13,62€



FLEX PU DRIVE

Polyurethane, pigmented, abrasion-resistant, semi-rigid, colour-stable and UV-resistant coating used as finishing for the protection of exposed waterproofing coatings subject to high abrasion conditions, particularly suitable for public areas and driveways.

- Easy to apply (roller or airless sprayer)
- Resistant to strong and continuous abrasion
- UV-resistant and colour-stable
- Gives a glossy, easy-to-clean surface
- Does not flake
- Resistant to water stagnation, heat and frost
- Maintains mechanical properties between -40 °C and +90 °C
- Resistant to heavy traffic (vehicles and pedestrians)



Code	Color	Packaging	Packaging size	Cat.	Price €/ kg
8345	Grey	bucket	20kg	C3	49,18€
8344	White	bucket	20kg	C3	49,18€
8347	Grey	bucket	5 kg	C3	56,54€
8346	White	bucket	5 kg	C3	56,54€




FLEX PU WALK

Polyurethane, pigmented, UV-resistant, colour-stable coating with high permanent elasticity, used as a top coat for protecting exposed polyurethane waterproofing coatings. Particularly suitable for pedestrian areas.

- Easy to apply (roller or airless sprayer)
- Increases the abrasion and wear resistance of the underlying waterproofing membrane
- Offers high solar reflectivity (white colour), contributing to thermal insulation
- UV-resistant and colour-stable
- Gives a glossy, easy-to-clean surface
- Does not flake
- Resistant to water stagnation, heat and frost
- Maintains mechanical properties between -40 °C and + 90 °C
- Waterproof surface is walkable (light foot traffic)



Code	Color	Packaging	Packaging size	Cat.	Price €/ kg
8343	Grey	bucket	5 kg	C3	45,36€
8342	White	bucket	5 kg	C3	45,36€
8338	Grey	bucket	20kg	C3	38,69€
8337	White	bucket	20kg	C3	38,69€



FLEX PU DETAIL

Liquid, permanently elastic, thixotropic, fibre-reinforced polyurethane membrane for complex spots and details.

- Simple to apply (brush or roller)
- Forms a membrane without joints or possibility of leakage
- Resistant to water stagnation and rain
- Maintains mechanical properties between -30 °C and +80 °C
- Resistant to frost
- Offers water vapour permeability
- Full surface adhesion without additional anchorage
- Even if the membrane is damaged, it can be easily repaired



Code	Color	Packaging	Packaging size	Cat.	Price €/ kg
8348	 Grey	bucket	6kg	C3	31,47€



3.5 BITUMINOUS WATERPROOFERS

ASFREDOL 1000

Cold asphalt, composed of an anionic bituminous emulsion, free of organic solvents, for waterproofing and surface protection of porous surfaces, both wet and dry.

- Odourless
- Easy to use
- Fast drying
- High flexibility
- High impermeability

Consumption: 0,8 - 1,2 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
15179	 Black	bucket	20kg	33 buckets	C2	3,94€



ASFREDOL® 2000

Resin-bonded cold bituminous emulsion ready to use.

- Odourless
- Easy to use
- Fast drying
- High flexibility
- High impermeability and chemical resistance
- Great thixotropy
- Non-toxic, solvent-free product
- Good resistance to saline solutions

Consumption: 1 - 2 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
15180	Black	bucket	20kg	33 buckets	C2	4,23€

**SITOL A**

Bituminous, waterproofing and anti-corrosion paint.

- Fast drying
- Non-sticky

Consumption: 250 - 300 ml/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ l
8176	Black	metal bucket	18x1 l	24 cardboards	C2	15,30€
8177	Black	metal bucket	5 l	96 latte	C2	11,04€
8178	Black	metal bucket	20 l	33 metal buckets	C2	10,03€



BLACK HYDRO EASY

Multipurpose, thixotropic, bituminous liquid waterproofer made up of inert fillers, elastomeric resins and additives. Suitable for waterproofing earth retaining foundation walls. Used as sealant and finisher for roof waterproofing and insulation panel bonding applications.

- Good elasticity
- Provides protection against water, the elements and UV rays
- Resistant to the corrosive action of many acids
- Easy cold application
- Perfect adherence on different materials
- Compatible with cementitious adhesives
- Odourless and non-flammable
- Non-toxic, solvent-free

Consumption: 1,2 - 1,8 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8122	 Black	bucket	5 kg	80 buckets	C2	9,57€
8068	 Black	bucket	20kg	33 buckets	C2	8,70€



8030334080685

BLACK HYDRO PITTURA

Solvent-based protective and decorative paint, based on bitumen, aluminium paste, selected synthetic resins and special additives.

- High reflectance
- Insulating and protective properties

Consumption: 300/400 m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ l
8171	 Aluminium	bucket	20 l	33 buckets	C2	13,78€



8030334081712

BLACK HYDRO POLY 1K

Single component, polymer-modified bituminous thick coating.

- Solvent-free and environmentally friendly
- Contains polystyrene spheres
- High crack bridging value and highly flexible
- Easy application
- High stability
- Dries perfectly
- Can be troweled
- High resistance to all natural and aggressive substances in the soil
- Ready to use
- Resistant to frost and de-icing salt



Consumption: 3,7 l/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/l
8168	 Black	bucket	30 l	18 buckets	C2	5,17€

**BLACK HYDRO POLY 2K**

Bicomponent, polymer-modified, bituminous thick coating.

- Solvent-free and environmentally friendly
- Contains polystyrene spheres
- Fast drying
- High flexibility
- High yield
- Low shrinkage
- High crack bridging value
- Easy application
- High stability
- Can be troweled
- High resistance to all natural and aggressive substances in the soil
- Resistant to frost and de-icing salt



Consumption: 3,5 l/m²



Code	Color	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/l
8169	 Black	2 components	bucket	30 l	18 buckets	C2	5,86€



BLACK HYDRO SPRAY

Solvent-based bituminous waterproofing protective sealant in spray can, suitable on any type of substrate.

- Flexible
- Long-lasting protection
- Quick drying

Consumption: about 4 m²/bottle



Code	Color	Packaging	Packaging size	Cat.	Price €/ pc
8070	Black	can	12 x 500ml	C3	18,98€



8030334080708

BW 100

Bituminous liquid waterproofer.

- It waterproofs concrete surfaces affected by micro cracks and surfaces subject to thermal expansion
- Once dried it has excellent elasticity
- It adapts to any surface geometry to be coated
- Faster drying times compared to bituminous emulsions
- Good resistance to stagnant water
- Resistant to low temperatures: it can also be used in the winter period
- Excellent resistance on surfaces of industrial areas

Consumption: 0,8 - 1 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8066	Black	bucket	20kg	33 buckets	C2	7,21€



8030334080661

BW 200

Multi-function bituminous waterproofer.

- High waterproofing power
- Excellent adhesion to the substrate
- High elasticity
- Duration in time
- Resistance to weathering, UV rays and occasional water stagnation
- Easy laying: allows considerable savings in time and manpower
- Can be left exposed or covered with cement-based mortar and can be painted
- Odourless, solvent-free, non-flammable product

Consumption: 1,5 - 2 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg	
8123	Black	bucket	5 kg	80 buckets	C2	8,37€	
8387	White	bucket	5 kg	80 buckets	C2	8,89€	
8388	Grey	bucket	20kg	33 buckets	C2	7,31€	
8386	White	bucket	20kg	33 buckets	C2	8,14€	
8390	Red	bucket	20kg	33 buckets	C2	7,96€	
8391	Terracotta	bucket	20kg	33 buckets	C2	7,45€	
8392	Green	bucket	20kg	33 buckets	C2	7,98€	
8389	Grey	bucket	5 kg	80 buckets	C2	8,05€	
8067	Black	bucket	20kg	33 buckets	C2	7,60€	

3.6 ACCESSORIES FOR WATERPROOFING**PP TAPE 120 MM - 50 M**

Polypropylene reinforcement tape with side perforations



Code	Packaging size	Pallet	Cat.	Price €/m	
15207	50 m	100 rolls	C9	6,03€	

BU TAPE

Butyl reinforcement tape.

- Self-adhesive
- Easy peel
- Solvent free
- Heat stable
- For flexible joint sealing in a tile and plate system - suitable for water exposure classes W0-W2 according to DIN 18534



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15600	100 mm	roll	20 m	C9	4,23€

**SHOWER TAPE**

Self-adhesive shower/bathtub connection tape.

- For tub/shower tray
- Self-adhesive
- Easy to apply
- For wet and damp areas
- Alkali-resistant
- Complies with DIN 18534



Code	Color	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15218	 Grey	120 mm	10 m	500 rolls	C9	7,68€



CORNER TISSUE 90°

Reinforcement tissue for closed corners.

- Simple application
- Water-resistant, waterproof and water vapour permeable
- Thin and resistant
- For flexible joint sealing in combination with tiles and slabs, suitable for Water exposure classes W0-W3



Code	Packaging size	Pallet	Cat.	Price €/ pc
15209	25 piece	250 pieces	C9	7,57€



8030334152092

CORNER TISSUE 270°

Reinforcement tissue for open corners.

- Easy application
- Water-resistant
- Waterproof
- Thin and coatable
- Permeable to water vapour
- For flexible sealing of joints and fittings in combination with liquid waterproofings and membranes, certified for water exposure classes W0-W3



Code	Packaging size	Pallet	Cat.	Price €/ pc
15210	25 piece	250 pieces	C9	7,57€



8030334152108

FLOOR COLLAR

Self-adhesive butyl collar for floor drains.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
15214	 Grey	cartboard	25 piece	250 pieces	C9	17,58€

**MAT 1000 MM - 30 M**

Waterproof membrane.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/ m
15215	1000 mm	30 m	33 rolls	C9	10,75€

**BAND 140 MM**

Waterproof membrane in tape format.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/ m
15216	140 mm	10 m	250 rolls	C9	2,79€



BRIDGE MAT 1000 MM - 50 M

Desolarizing waterproof membrane.



Code	Dimensions	Packaging	Packaging size	Pallet	Cat.	Price €/m
15217	1000 mm	roll	50 m	20 rolls	C9	22,52€



8030334152177

FLEX PIPE COLLAR 93 - 146

Collar for through-hose with flexible reinforcement.




Code	Detail	Packaging	Packaging size	Pallet	Cat.	Price €/pc
15213	93-146 mm	cartboard	25 piece	250 pieces	C9	15,54€



8030334152139

FLEX PIPE COLLAR 50 - 75

Collar for through-hose with flexible reinforcement.



Code	Packaging size	Pallet	Cat.	Price €/pc
15212	25 piece	250 pieces	C9	14,14€



8030334152122

FLEX PIPE COLLAR 22 - 37

Collar for through-hose with flexible reinforcement.



Code	Packaging size	Pallet	Cat.	Price €/ pc
15211	25 piece	250 pieces	C9	7,45€



8030334152115

NON WOVEN TISSUE NT 50

Code	Dimensions	Packaging	Packaging size	Cat.	Price €/ m
15175	1000 mm	roll	4x50 m	C9	2,88€



8030334151750

BLACK HYDRO TEX

Code	Color	Dimensions	Packaging	Cat.	Price €/ m
15529	 Light green	100 m	roll	C9	3,02€



8030334155291

GEOTEX

Non-woven polyester geotextile (60 g/m²) used as reinforcement in conjunction with Flex PU liquid waterproofing membranes.

- Easy to apply
- Good absorption and compatibility with Flex PU coatings
- Excellent tear resistance
- UV-resistant

If it is applied over the entire surface, an overlap of 5-10 cm must be calculated between the reinforcement strips.



Code	Color	Dimensions	Packaging	Cat.	Price € / m ²
15620	White	1x100 m	roll	C9	3,95€



8030334156205



4. Flooring



4. FLOORING

SCREED

Medium-drying, premixed cementitious mortar, class CT C20 F5 according to EN 13813, for the production of adherent or floating screeds.

- Suitable for heating floors
- Applicable by pump and hand
- Easy workability

Consumo: 16 kg/m²/cm

Prodotto disponibile previa comunicazione.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8431	Grey	bag	25 kg	50 bags	D1	0,24€



FAST SCREED

Pre-mixed, fast setting and hardening cementitious mortar class CT C30 F6 according to EN 13813, for floating or adherent screeds. For internal and external use.

- Controlled shrinkage
- Can be applied by hand or using a mortar pump
- Rapid application, drying and development of mechanical resistances
- Easy to work with and can be walked on quickly
- Ideal for heating floor realizations

Consumption: 18 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
15182	Grey	bag	25 kg	54 bags	D1	0,36€



LIVELLINA 0-10

Self-levelling screed for irregular surfaces, up to 10 mm thickness, also for heated floors.

- Self-levelling
- High resistance
- Fast setting
- For indoor use
- Up to 10 mm thickness

Consumption: 1,6 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6716	Grey	bag	22 kg	50 bags	D1	1,78€



8030334067167

LIVELLINA 5-30

Self-levelling screed for irregular surfaces, from 5 to 30 mm thickness, also for heated floors.

- Self-levelling
- High resistance
- Fast setting
- For indoor use
- Thickness from 5 to 30 mm

Consumption: 18 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6963	Grey	bag	25 kg	50 bags	D1	1,92€



8030334069635

LIVELLINA HS

Self-levelling, quick hardening, cementitious screed with very low emissions particularly suitable for underfloor heating and for the equalisation of substrates with thickness from 5 to 40 mm.

- Self-levelling and fibre-reinforced
- Suitable for manual and machine application
- High strength
- Indoor use
- Thickness achievable in a single application from 5 to 40 mm
- Thickness above the pipe minimum 5 mm

Consumption: 18 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5439	Grey	bag	25 kg	50 bags	D1	1,32€



8030334054396

MULTIMIX EVO

Quick-setting pre-mixed and fibre-reinforced mortar for restoration, renovation and levelling work both on façades and floors in thickness from 3 to 50 mm. Good adhesion and excellent workability. For manual and machine applications.

- Excellent adhesion to multiple substrates
- After two hours tiles can be applied and can be walked over
- Excellent workability
- Use both horizontally and vertically

Consumption: 14 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
5454	Grey	bag	25 kg	50 bags	D1	1,08€




8030334054549

FLOORREP

Self-levelling rapid cement mortar for repairing industrial floors with thickness of 3 mm to 30 mm.

- Excellent adhesion to the surface
- High mechanical resistance
- For indoor use

Consumption: 20 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6704	 Grey	bag	25 kg	50 bags	D1	2,64€



QUARZ

Pre-mixed anti-wear dry-shake finish for industrial floors, class CT-C70-F7-AR1 according to EN 13813 - material for cement-based screeds for use inside buildings.

- Wear-resistant
- Abrasion-resistant
- Heavy load resistant

Consumption: 4 - 6 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6390	 Grey	bag	25 kg	50 bags	D1	0,86€





5. Tiles and Natural Stone Installation

5.1 Primers and Detergents

5.2 Tile Adhesives

5.3 Tile Grouts

5.4 Accessories for Tiles and Natural Stone Installation



5.1 PRIMERS AND DETERGENTS

MULTIGRIP

Multigrip is a single component, adhesion promoting primer, based on a styrene-acrylic resin water based emulsion and selected aggregates.

- Improves adhesion even on smooth or not very absorbent substrates
- Primes surfaces so cementitious adhesives can be applied on gypsum substrates
- Ready to use
- Solvent free

Consumption: 0,3 - 0,5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5278	Grey	bucket	5 kg	72 buckets	E1	7,72€
5522	Grey	bucket	15 kg	33 buckets	E1	7,59€



TILE PRIMER

Improved adhesion, absorption and insulation pretreatment for the installation of tiles on gypsum, anhydrite and cementitious substrates.

- High insulating capacity
- Good adhesion
- Easy to apply
- Solvent free
- Dilutable with water
- Extends the open time of adhesives
- Prevents bubble formation
- Prevents shrinkage cracks

For consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5520	Bright red	canister	5 kg	128 pieces	E1	9,49€



FLEX

Flexibilizing agent for Aquaproof and cementitious adhesives.

- High adhesion
- Good physical and chemical resistance
- High elasticity

For consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
6056	 White	canister	10kg	60 pieces	E1	15,65€

**TILE CLEANER**

Acid detergent for ceramic tiles.

- Ready to use
- Acts effectively to clean from stains and efflorescence



Code	Packaging	Packaging size	Pallet	Cat.	Price € / kg
6091	canister	6kg	128 pieces	E2	4,28€

**TILE EPOXY CLEANER**

Special cleaner for epoxy grouts.

- Strong
- Fast
- Clean and shiny result



Code	Packaging	Packaging size	Pallet	Cat.	Price € / pc
5564	bottle	8x750 ml	46 cardboards	E2	23,41€



5.2 TILE ADHESIVES

TILE BOND 2K

Two-component epoxy mortar, class R2 T according to EN 12004, for bonding and grouting ceramic elements, ceramic and glass mosaic, marble and natural stone, indoors and outdoors, in wet and immersion environments.

- Excellent workability and cleanability
- High mechanical capacity and chemical resistance
- Perfect impermeability
- Suitable as an adhesive and for grouting
- For interior, exterior environments and substrates subject to moisture and immersion
- Maximum colour stability

Consumo: consultare la scheda tecnica
Prodotto disponibile previa comunicazione.



Code	Color	Bicomponent	Packaging	Packaging size	Cat.	Price €/ kg
8429	Grey	2 components	bucket	4+1 kg	E2	21,90€



TILE 2020

Highly deformable, quick-setting, lightened cementitious adhesive for tiles, porcelain stoneware, stones and large marble.

- Ideal for very large formats
- Fast drying due to crystal-clear water bonding
- High strength
- Extended open time
- Super flexible and highly deformable
- Excellent workability
- High yield

Consumption: 3,3 kg/m²/double coating



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5452	White	bag	15 kg	50 bags	E1	3,58€
5453	Grey	bag	15 kg	50 bags	E1	2,89€



TILE 900

Single-component, improved cementitious adhesive, type C2 TE according to EN 12004, flexible and waterproof. Particularly suitable for waterproof laying on walls and floors, in bathrooms and kitchens, but also outdoors and on all types of substrates, of porcelain and glazed stoneware and ceramics, including large format. Frost-resistant.

- **Waterproofing**
- **Ideal for bathrooms and kitchens**
- **Laying of all types of tiles, including large sizes, on all types of substrate.**
- **Flexible**

Consumption: 1,5 - 3,5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5223	 Grey	bag	25 kg	50 bags	E1	1,91€



TILE 700

Improved one-component cementitious adhesive type C2 E S1 according to EN 12004, quick setting and hardening, highly flexible and high strength, for gluing wall, floor and paving slabs or blocks of marble or natural stone and ceramic tiles of all kinds. Can be used indoors and outdoors. Frost resistant.

- **For marble and natural stone**
- **Deformable**
- **Quick setting and hardening**
- **Floors laid ready for use almost immediately**
- **Does not cause blooming or rings**
- **Longer open time**

Consumption: 3 - 8 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5222	 White	bag	25 kg	50 bags	E1	2,39€



TILE 600

Single-component, adhesive cement powder, type C2 FE to EN 12004, quick setting and hardening, flexible and high strength, for gluing over old tiles or surfaces. For indoor and outdoor applications. For ceramic wall and floor tiles of all types. Frost resistant.

- Designed specifically for overlaying
- Quick setting and hardening
- Rapid usability
- Very short wait time for grouting
- Long open time

Consumption: 2 - 5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5360	Grey	bag	25 kg	50 bags	E1	1,37€



TILE 480

One-component, improved, high strength, cementitious adhesive, with long open time, deformable, class C2 TE S1 in compliance with EN 12004. For indoor and outdoor use on walls and floors, even for overlaying, for porcelain and glazed stoneware and ceramic tiles of all types and sizes. Frost resistant.

- Ideal for large-sized tiles
- Very resistant
- Longer open time
- Very flexible and deformable

Consumption: 2 - 5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5221	White	bag	25 kg	50 bags	E1	1,53€
5219	Grey	bag	25 kg	50 bags	E1	1,52€



TILE 350

Improved, single-component, cementitious tile adhesive, type C2 TE according to EN 12004. Anti-slip, flexible, high resistance. Can be used indoors and outdoors, for walls and floors, even over old tiles. Suitable for porcelain and glazed stoneware and all ceramic tiles. Frost resistant.

- Ideal for medium- and large-size tiles
- Extended open time
- Suitable for heating floors
- Suitable for laying over old tiles
- Suitable for mosaic tiles when mixed with one part Antol Flex

Consumption: 2 - 5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5326	White	bag	4x5 kg	40 cardboards	E1	1,59€
5327	Grey	bag	4x5 kg	40 cardboards	E1	1,57€
5306	White	bag	25 kg	50 bags	E1	1,05€
5307	Grey	bag	25 kg	50 bags	E1	0,99€

**TILE 250**

Improved, single-component, cementitious tile adhesive, type C2 TE according to EN 12004, antislip and flexible, for gluing porcelain or glazed tiles of medium size. Can be used indoors and outdoors, on walls and floors. Frost resistant.

- Extended open time
- High adhesion
- Anti-slip
- Suitable for porcelain or glazed tiles of medium size
- Gluing ceramic wall and floor tiles indoors and outdoors
- Gluing of ceramic tiles on stable substrates of limited size

Consumption: 2 - 5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5304	White	bag	25 kg	50 bags	E1	0,92€
5305	Grey	bag	25 kg	50 bags	E1	0,87€



T 480

A deformable cement adhesive for all sizes of porcelain stoneware tiles and glazed tiles. Even for overlap. For indoor and outdoor use also on substrates subject to movement.

- Ideal for large formats
- Can also be used for overlapping
- Flexible and deformable

Consumption: 2 - 5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5448	White	bag	25 kg	50 bags	E1	1,24€
5450	Grey	bag	25 kg	50 bags	E1	1,15€

**T 250**

Single-component powder cementitious tile adhesive, type C2 TE according to EN 12004, flexible, non-slip and with extended open time, for bonding all types of ceramic tiles of medium/small size, both indoors and outdoors, to walls and floors.

- Increased open time
- High adhesiveness
- Anti-slip

Consumption: 2 - 5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5445	White	bag	25 kg	50 bags	E1	0,79€
5447	Grey	bag	25 kg	50 bags	E1	0,75€



T 50

Cementitious adhesive for laying absorbent ceramic tiles, indoors and outdoors. Suitable for single-fired and double-fired ceramic materials and aerated concrete materials. It can also be used as thin-layer masonry mortar.

- Extended open time
- For bathrooms and kitchens
- For indoor and outdoor use

Consumption: 2 - 5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
5442	 White	bag	25 kg	50 bags	E1	0,64€
5444	 Grey	bag	25 kg	50 bags	E1	0,59€




5.3 TILE GROUTS

ULTIMATE

Powdered, resin-bonded, flexibilised, high-performance, mould-resistant, waterproof, fast-setting and hardening grout , type CG 2 F W A according to EN 13888, for joints up to 20 mm, with very low emission of volatile organic compounds.

- Single-component
- Flexibilised
- Hydrophobised
- Anti-mould
- High abrasion resistance
- Ideal for bathrooms and swimming pools
- Wide range of colours



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg	
8401	White 9016	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084010
8402	Jasmin 1013	bag	4x5 kg	40 cardboards	E2	4,89€	 8030334084027
8403	Manhattan 7035	bag	4x5 kg	40 cardboards	E2	4,89€	 8030334084034
8404	Pearl grey 7040	bag	4x5 kg	40 cardboards	E2	4,89€	 8030334084041
8405	Cement grey 7032	bag	4x5 kg	40 cardboards	E2	4,89€	 8030334084058
8406	Grey 7030	bag	4x5 kg	40 cardboards	E2	4,89€	 8030334084065
8418*	Dark grey	bag	4x5 kg	40 cardboards	E2	4,89€	 8030334084188
8407	Anthracite 7022	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084072
8408	Black 9005	bag	4x5 kg	40 cardboards	E2	5,71€	 8030334084089
8421*	Biscuit	bag	4x5 kg	40 cardboards	E2	4,89€	 8030334084218
8409	Vanilla 1015	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084096
8410	Bahama 1001	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084102
8411	Beige	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084119
8415	Terracotta 3012	bag	4x5 kg	40 cardboards	E2	5,71€	 8030334084157
8412	Hazelnut 1011	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084126
8413	Brown 1019	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084133
8422*	Caramel	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084225
8428*	Mocha Mousse	bag	4x5 kg	40 cardboards	E2	5,71€	 8030334084287
8414	Chocolate 8003	bag	4x5 kg	40 cardboards	E2	5,71€	 8030334084140
8416	Chestnut 8028	bag	4x5 kg	40 cardboards	E2	5,71€	 8030334084164
8423*	Antique gold	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084232

8417*		Sandbrown	bag	4x5 kg	40 cardboards	E2	4,89€	 8030334084171
8425*		Sage	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084256
8419*		Silk	bag	4x5 kg	40 cardboards	E2	4,89€	 8030334084195
8427*		Avio	bag	4x5 kg	40 cardboards	E2	5,71€	 8030334084270
8426*		Cerulean	bag	4x5 kg	40 cardboards	E2	5,71€	 8030334084263
8424*		Grey green	bag	4x5 kg	40 cardboards	E2	5,18€	 8030334084249

TILE GROUT ≤8 MM

Cement-based powder grout, classified as CG2 WA in compliance with EN 13888, for rigid filling of joints up to 8 mm.

- Single component
- Waterproof
- High abrasion resistance
- Wide range of colours

For consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg	
5362	White 9010	bag	4x5 kg	40 cardboards	E2	2,18€	8030334053627
5363	Jasmin 1013	bag	4x5 kg	40 cardboards	E2	2,78€	8030334053634
5364	Manhattan 7035	bag	4x5 kg	40 cardboards	E2	2,78€	8030334053641
5365	Pearl grey 7040	bag	4x5 kg	40 cardboards	E2	2,78€	8030334053658
5366	Cement grey 7032	bag	4x5 kg	40 cardboards	E2	2,18€	8030334053665
5367	Grey 7030	bag	4x5 kg	40 cardboards	E2	2,18€	8030334053672
8433	Dark grey	bag	4x5 kg	40 cardboards	E2	2,78€	8030334084331
5368	Anthracite 7022	bag	4x5 kg	40 cardboards	E2	2,78€	8030334053689
5369	Black 9005	bag	4x5 kg	40 cardboards	E2	2,78€	8030334053696
5370	Vanilla 1015	bag	4x5 kg	40 cardboards	E2	3,46€	8030334053702
5371	Bahama 1001	bag	4x5 kg	40 cardboards	E2	2,78€	8030334053719
5372	Beige	bag	4x5 kg	40 cardboards	E2	2,78€	8030334053726
5373	Hazelnut 1011	bag	4x5 kg	40 cardboards	E2	3,46€	8030334053733
5374	Brown 1019	bag	4x5 kg	40 cardboards	E2	3,46€	8030334053740
5375	Chocolate 8003	bag	4x5 kg	40 cardboards	E2	3,46€	8030334053757
5376	Terracotta 3012	bag	4x5 kg	40 cardboards	E2	3,46€	8030334053764
5377	Chestnut 8028	bag	4x5 kg	40 cardboards	E2	3,46€	8030334053771

TILE GROUT 5-15 MM

Cement-based powder grout, classified as CG2 to UNI EN 13888, for filling joints 5 to 15 mm wide.

- Resistant to water and frost
- Ideal for swimming pools and terraces

For consumption see technical data sheet.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6928		Cement grey 7032	bag	25 kg	50 bags	E2 1,47€



TILE EPOXY

Two-component epoxy mortar, class R2 T according to EN 12004 and class RG according to EN 13888, for the bonding and grouting up to 15 mm of ceramic, ceramic and glass mosaic, marble and natural stone elements.

- Excellent workability and easy clean-up
- High chemical and mechanical resistance
- Perfectly waterproof
- Maximum colour stability

For consumption see technical data sheet.



Code	Color	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
15536		Slate grey	2 components	bucket	3kg	100 buckets	E2 23,07€
15189		Neutral	2 components	bucket	3kg	100 buckets	E2 22,36€
15190		White	2 components	bucket	3kg	100 buckets	E2 18,04€
15191		Jasmin 1013	2 components	bucket	3kg	100 buckets	E2 18,04€
15196		Bright grey 7047	2 components	bucket	3kg	100 buckets	E2 18,04€
15197		Grey	2 components	bucket	3kg	100 buckets	E2 18,04€
15198		Black 9005	2 components	bucket	3kg	100 buckets	E2 18,04€
15193		Bahama 1001	2 components	bucket	3kg	100 buckets	E2 18,04€
15194		Chestnut 8028	2 components	bucket	3kg	100 buckets	E2 18,04€



5.4 ACCESSORIES FOR TILES AND NATURAL STONE INSTALLATION

LEVELLING BASE



Code	Color	Thickness	Packaging size	Cat.	Price €/ pc
15627	 White	1 mm	10x200 pieces	E9	0,05€
15628	 Crocus	2 mm	10x200 pieces	E9	0,05€
15629	 Red	3 mm	10x200 pieces	E9	0,05€



8030334156274



8030334156281



8030334156298

WEDGE FOR LEVELLING SYSTEM



Code	Color	Packaging size	Cat.	Price €/ pc
15630	 Black	8x200 pieces	E9	0,10€



8030334156304



6. Concrete Restoration

6.1 Pretreatments

6.2 Cementitious Mortars

6.3 Paints



6.1 PRETREATMENTS

RESTAURO FERRI

Single-component mortar for protective anticorrosive and CO₂ barrier treatment of rebars. It meets the minimum requirements of EN 1504-7.

- Exceptional adhesion to rebars and concrete
- High anti-CO₂ protection
- Extremely easy to apply
- It ensures the perfect adhesion of mortars to the substrate
- Excellent thixotropy

Consumption: 1,2 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5523	Bright grey	bag	4x5 kg	40 cardboards	G1	4,02€



8030334055232


6.2 CEMENTITIOUS MORTARS

UMAFIX HP

Fast-setting, high-strength, premixed cementitious mortar of class R3 and type CC according to EN 1504-3.

- Quick setting and hardening
- High mechanical strength
- Anti-shrinkage
- Extremely versatile in a wide range of applications
- Fast to prepare and use
- Use in thicknesses from 0 to 60 mm
- Fibre-reinforced

Consumption: approximately 18 kg/m² per cm of thickness



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5702	Grey	bag	25 kg	50 bags	G1	1,53€



8030334057021

RESTAURO R4

Premixed, single-component, anti-shrinkage, normal setting, pre-mixed mortar for concrete and reinforced concrete reconstruction and protection, PCC type and class R4 according to EN 1504-3.

- High mechanical strength
- Excellent thixotropy
- Anti-shrinkage
- Applicable in thickness between 10 and 40 mm

Consumo: 19 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
5525	Grey	bag	25 kg	50 bags	G1	1,27€



RESTAURO R3

Premixed, single-component, anti-shrinkage, semi-rapid, pre-mixed mortar for concrete and reinforced concrete reconstruction and protection, PCC type and class R3 according to EN 1504-3.

- High mechanical strength
- Great thixotropy
- Anti-shrinkage
- Applicable in thickness between 10 and 40 mm for structural rehabilitation and greater than 5 mm for the rehabilitation of the concrete cover in situation localized
- Manually and mechanically applicable

Consumo: 19 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
5524	Grey	bag	25 kg	50 bags	G1	1,21€



RESTAURO R2

Premixed fast setting thixotropic mortar, uni en 1504-3 pcc type and r2 class, resin-bonded and fibre-reinforced, for reconstruction of concrete.

- Exceptional workability
- Excellent thixotropy
- Excellent mechanical strength
- Applicable in layers 10 to 60 mm thick
- Semi-rapid product
- Low modulus of elasticity

Consumo: 19 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6312	Grey	bag	25 kg	50 bags	G1	1,25€



STRUTTURALE

Premixed, high-strength thixotropic mortar, fibre-reinforced, EN 1504-3 CC type and R4 class, for the reconstruction of structural components.

- High mechanical strength
- Excellent thixotropy
- Anti shrinkage
- Applicable in coats between 20 and 40 mm thick

Consumo: 19 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6314	Grey	bag	25 kg	50 bags	G1	1,02€



COLABILE

Premixed, high-strength, fibre-reinforced mortar, UNI EN 1504-3 PCC type and R4 class, applicable by casting in formwork for the reconstruction of structural components.

- High mechanical strength
- Excellent rheological properties
- Anti shrinkage
- Anti bleeding and anti sedimentation

Consumo: 2000 kg/m³



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
6300	 Grey	bag	25 kg	50 bags	G1	1,35€



RESTAURO FINITURA

Premixed, single-component, resin-bonded, fibre-reinforced, class C MC IR fine mortar according to EN 1504-2 for smoothing and protecting concrete elements.

- Outstanding workability and adhesion to the substrate
- Excellent mechanical strength and surface hardness
- Reduced capillary absorption
- Resistant to CO₂ penetration
- Applicable in thickness from 1 to 3 mm
- Perfect degree of finish

Consumo: 1,7 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price € / kg
5527	 Grey	bag	25 kg	50 bags	G1	1,15€



RINNOVA

Quick-setting, single-component premixed mortar. Thixotropic, non-shrink, fibre-reinforced. Type PCC and class R2 as per 1504-3 and type C, MC and IR principles, as per UNI EN 1504-2. For smoothing and repairing concrete.

- Excellent workability
- Excellent finish
- Quick setting
- Non-shrink
- Applicable in thicknesses up to 40 mm

Consumo: 1,8 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5325	Grey	bag	4x5 kg	40 cardboards	G1	1,69€
5088	Grey	bag	25 kg	50 bags	G1	1,11€



UMAFIX

Premixed cement mortar, thixotropic, fast-setting and hardening and with high mechanical strength for various type of reparation.

- Quick setting and hardening
- High mechanical strength
- Extremely versatile in a wide range of applications
- Fast to prepare and use
- Use in thicknesses from 0 to 40 mm
- Perfect construction engineering finish

Consumo: 18 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6046	Grey	bag	25 kg	50 bags	G1	1,23€
6045	Grey	bag	4x5 kg	40 cardboards	G1	2,50€



UMATIXO

One-component, pre-mixed thixotropic cement mortar. Fast setting and hardening times fibre-reinforced with high mechanical strength, type CC and class R4 according to EN 1504-3, for fixing manhole covers, localised repair of interior and exterior industrial floors and repair of reinforced concrete.

- **Rapid hardening and development of mechanical strength**
- **Excellent water impermeability**
- **Resistant to the penetration of CO₂**
- **Withstands freezing/thawing cycles**
- **Resistant to thawing salts**

Consumo: 20 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5134	 Anthracite	bag	25 kg	50 bags	G1	1,51€



UMAFLOW

One-component, pre-mixed, fluid, non-shrinking, fibre-reinforced, fast setting and hardening mortar with high mechanical strength. Type CC and class R4 according to EN 1504-3, for fixing manhole covers, localised repair of interior and exterior industrial floors and repair of reinforced concrete.

- **Rapid hardening and development of mechanical strength**
- **Resistant to the penetration of CO₂**
- **Withstands freezing/thawing cycles**

Consumo: 21 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5081	 Anthracite	bag	25 kg	50 bags	G1	1,74€
5080	 Grey	bag	25 kg	50 bags	G1	1,74€



6.3 PAINTS

RESTAURO PITTURA

Smooth anti-carbonation paint specifically for concrete.

- Anti CO
- Uniforming
- Protective

Consumption per coat: 10-14 m²/l



Code	Color	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/l	
8232	 White	bucket	15l	33 buckets	-	K2	15,95€	 8030334082320
8277	 Coloured	bucket	1 l	216 buckets	Sample	K2	26,00€	 8030334082771
8273	 Coloured	bucket	15l	33 buckets	PC I	K2	16,60€	 8030334082733
8274	 Coloured	bucket	15l	33 buckets	PC II	K2	17,26€	 8030334082740
8275	 Coloured	bucket	15l	33 buckets	PC III	K2	17,91€	 8030334082757
8276	 Coloured	bucket	15l	33 buckets	PC ◆	K2	19,66€	 8030334082764



7. Structural Reinforcement, Anchoring and Mounting

7.1 Structural consolidation

7.2 Chemical Anchors

7.3 Epoxy Adhesives

7.4 Cementitious Mortars

7.5 Accessories



7.1 STRUCTURAL CONSOLIDATION

ROCKSOLID LIME M15

Fibre-reinforced mortar based on NHL natural hydraulic lime for the repair and structural consolidation of plasters, including reinforced plasters and masonry.

- Machine and manual application
- Very high mechanical resistance
- Based on NHL 5 natural hydraulic lime



Code	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8395	bag	25 kg	50 bags		0,81€




8030334083952

ROCKSOLID M15

Fibre-reinforced fine cementitious mortar with high mechanical performance suitable for restoration work and structural consolidation of plaster, including reinforced plaster and masonry.

- Machine and manual application
- Very high mechanical resistance
- For indoor and outdoor use



Code	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8394	bag	25 kg	50 bags	H1	0,53€



8030334083945

ROCKSOLID M30

Fibre-reinforced fine cementitious mortar suitable for repairing and reinforcing both reinforced and unreinforced plaster and masonry structures with very high mechanical performance.

- Machine and manual application
- Very high mechanical resistance
- For structural consolidation
- For indoor and outdoor use



Code	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8393	bag	25 kg	50 bags	H1	0,79€



7.2 CHEMICAL ANCHORS

XTREME GRIP VINYLESTER

Two-component vinylester resin-based chemical anchor without styrene for structural fixings on cracked/un-cracked concrete, solid and perforated brick masonry, wood.

- CE marked and qualified according to the European Technical Assessment (ETA) for anchors on cracked and non-cracked concrete
- Certified for works in seismic category C1 and C2.
- Also suitable for fixings on hollow elements, solid masonry and timber
- Quick commissioning
- Suitable for use on wet substrates or with flooded hole
- Substrate temperatures during installation: from -10 °C to +40 °C
- Fire resistant up to maximum R240
- Possibility of sinking the anchoring hole to a depth of up to 1 metre
- Easy penetration into porous and hollow areas
- Secure fastening without expansion and without tension in the substrate

For consumption see technical data sheet.



Code	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8051	2 components	cartridge	12x300 ml	52 cardboards	H2	14,34€
8052	2 components	cartridge	12x400 ml	72 cardboards	H2	16,16€



CA POLY

Two-component polyester resin-based chemical anchor without styrene for fixing medium-light loads on un-cracked concrete, solid and perforated brick masonry and autoclaved cell concrete.

- CE marked with European Technical Assessment (ETA) for anchorages on hollow brickwork
- CE marking with European Technical Assessment (ETA) for anchoring in non-cracked concrete in conjunction with threaded rods
- Suitable for anchoring on solid and semi-solid masonry, brickwork and aerated autoclaved concrete blocks
- Rapid setting up
- Easy penetration into porosity and hollow areas
- Secure fixing without expansion and without tension in the substrate

For consumption see technical data sheet.



Code	Bicomponent	Packaging	Packaging size	Pallet	Cat.	Price €/ pc
8047	2 components	cartridge	12x300 ml	52 cardboards	H2	8,55€
8048	2 components	cartridge	12x400 ml	72 cardboards	H2	9,83€



7.3 EPOXY ADHESIVES

EPOX RIPRESA

Two-component epoxy adhesive for concrete casting joints.

- Slightly thixotropic
- Water-based product

The consumption of Epox Ripresa is approx. 600-800 g/m²



Code	Color	Bicomponent	Packaging	Packaging size	Cat.	Price €/ kg
5486	 Yellow	2 components	bucket	4x3 kg	H2	32,15€



7.4 CEMENTITIOUS MORTARS

FLASH

Extra-fast setting, premixed cementitious mortar for small installation works.

- Thixotropic
- Ideal for electrical and hydraulic installations
- Prefect construction engineering finishing
- Extra fast setting

Consumption: 18 kg/l



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6040	Grey	bag	4x5 kg	40 cardboards	H1	1,24€
6041	Grey	bag	25 kg	50 bags	H1	0,62€




ESPANSOL ANCOR

Pre-mixed, fluid, self-levelling cementitious mortar for anchoring and precise grouting works.

- Fluid
- Extremely high resistance
- Limited expansion
- Non-shrinking

Consumption: 2100 kg/m³



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6032	Grey	bag	25 kg	50 bags	H1	1,15€



7.5 ACCESSORIES

CHEMICAL ANCHOR CAGE

Cage for application of chemical anchors on perforated bricks in combination with threaded rods of different size. Hole diameter 12 mm and hole length 80 mm; hole diameter 15 mm and hole length 85 mm; hole diameter 20 mm and hole length 85 mm.



Code	Detail	Dimensions	Packaging size	Cat.	Price €/ pc	
15254	M8	12x80 mm	100 piece	H9	0,25€	 8030334152542
15255	M10-M12	15x85 mm	100 piece	H9	0,28€	 8030334152559
15256	M12-M16	20x85 mm	50 piece	H9	0,38€	 8030334152566

WINDOW FRAME SCREW FOR ALUMINIUM

Special screw made of galvanised steel for fixing aluminium profiles on concrete, with high-low thread, reduced cylinder head, TX30 drive and various lengths from 50 to 300 mm.



Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15396	100 mm	Ø 7,5 mm	100 piece	H9	0,29€	 8030334153969
15398	120 mm	Ø 7,5 mm	100 piece	H9	0,36€	 8030334153983
15399	135 mm	Ø 7,5 mm	100 piece	H9	0,42€	 8030334153990
15400	150 mm	Ø 7,5 mm	100 piece	H9	0,48€	 8030334154003
15402	180 mm	Ø 7,5 mm	100 piece	H9	0,66€	 8030334154027
15403	200 mm	Ø 7,5 mm	100 piece	H9	0,80€	 8030334154034
15394	80 mm	Ø 7,5 mm	100 piece	H9	0,21€	 8030334153945

WINDOW FRAME SCREW FOR PVC AND WOOD

Special screw made of galvanised steel for fixing PVC and wood profiles to concrete, with high-low thread, flat countersunk head, TX30 drive and various lengths from 50 to 300 mm.



Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15412	100 mm	Ø 7,5 mm	100 piece	H9	0,29€	 8030334154126
15415	120 mm	Ø 7,5 mm	100 piece	H9	0,36€	 8030334154157
15416	135 mm	Ø 7,5 mm	100 piece	H9	0,42€	 8030334154164
15417	150 mm	Ø 7,5 mm	100 piece	H9	0,48€	 8030334154171
15419	180 mm	Ø 7,5 mm	100 piece	H9	0,66€	 8030334154195
15420	200 mm	Ø 7,5 mm	100 piece	H9	0,80€	 8030334154201
15410	80 mm	Ø 7,5 mm	100 piece	H9	0,21€	 8030334154102

CHEMICAL ANCHOR MIXER

Mixer for chemical anchors.



Code	Packaging	Packaging size	Cat.	Price €/ pc	
15253	bag	12 piece	H9	0,47€	 8030334152535



8. Restoration

8.1 Surface Preparation

8.2 Cementitious Dehumidification Mortars

8.3 Dehumidification Finishing Mortars

8.4 Renovation with Calcium Silicate Panels

8.5 Finishing Mortars for Facades and Walls



8.1 SURFACE PREPARATION

RINZAFFO

Rendering coat for renovating and/or dehumidifying plasters.

- Perfect compatibility with renovating and/or dehumidifying plasters
- Good breathability
- Excellent workability
- Excellent adhesion on all types of masonry even when treated with Antisale
- Hand and machine application

Consumo: 1,4 - 1,6 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6502	Grey	bag	25 kg	50 bags	I1	1,13€



8030334065026

SHIELD

Hydrophobic pre-treatment for calcium silicate-based panels or porous and/or absorbent surfaces.

- High water repellency
- Water based product
- Ready to use
- Quick and easy application

Consumption is approximately 0.3 - 0.5 l/m², but this can vary depending on the characteristics of the substrate.



Code	Packaging	Packaging size	Pallet	Cat.	Price €/l
5419	canister	5 l	128 canisters	I1	12,75€



8030334054198

DEEP CLEANER

Biocide for sanitizing surfaces with mould and microbiological growths.

- High cleaning strength
- Miscible in water
- Wide range of action
- Quick and lasting effect



Code	Packaging	Packaging size	Pallet	Cat.	Price €/pc
5424	bottle	8x750 ml	46 cardboards	11	15,33€



8030334054242

ANTISALE

Universal keying agent for protection against saline efflorescence.

- Excellent barrier against all salts
- Water based environment friendly product
- Good water repellent properties
- Ready to use

Depending on the porosity and smoothness of the background, consumption ranges from 0.3 to 0.5 litres/m².



Code	Packaging	Packaging size	Pallet	Cat.	Price €/l
6344	canister	5 l	128 canisters	11	12,95€



8030334063442

8.2 CEMENTITIOUS DEHUMIDIFICATION MORTARS

RISAN ONE

Pre-mixed cementitious mortar 3-in-1. Multi-functional for the creation of renovation plasters on masonry affected by rising damp and saline efflorescence.

- Does not require saline efflorescence treatment
- Single product used for both keying and rendering
- High efflorescence resistance
- Excellent porosity and water repellent properties
- Quick to apply

Consumption: 13 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6337	Grey	bag	25 kg	50 bags	11	1,33€



8030334063374

INTONACO WTA

Premixed plastering mortar for the renovation of masonry subject to rising capillary damp, according to EN 998-1 type R, WTA certified.

- New improved formula based on special cements
- Increased resistance to saline efflorescence and weather
- Improved resistance to nitrates
- Higher yield

Consumption: 12 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6293	Grey	bag	25 kg	50 bags	11	1,58€




8030334062933

DP 501

Premixed cementitious mortar for dehumidifying plasters.

- **Excellent breathability**
- **Good water repellency**
- **Optimized porosity**
- **Applicable by hand and machine**

Consumo: 14 kg/m²/cm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5451	Grey	bag	25 kg	50 bags	I1	1,02€



8.3 DEHUMIDIFICATION FINISHING MORTARS

FINITURA

Breathable, fine-grain premixed mortar for the finishing of renovating and/or dehumidifying plasters.

- **Perfect compatibility with renovating and/or dehumidifying plasters**
- **High breathability and water repellence**
- **Excellent workability**

Consumo: 1,4 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6316	White	bag	25 kg	50 bags	I1	1,38€



FINISSIMO

Very fine, water-repellent, breathable, premixed mortar to give a smooth finish to traditional indoor and outdoor renovation and/or dehumidifying plasters.

- For the levelling of facades
- Perfect compatibility with renovating and/or dehumidifying plasters
- High breathability
- Excellent workability
- Smooth finish

Consumo: 1,2 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/kg
6529	White	bag	15 kg	50 bags	I1	1,42€

**8.4 RENOVATION WITH CALCIUM SILICATE PANELS****PANEL LIFE**

Calcium silicate panel for interior applications, to resolve the problems of surface condensation, mould and harmful salts.

- Good thermal insulation
- High water vapour diffusion
- Non-combustible
- Natural non-hydraulic lime and silicate based product
- Can prevent the formation of surface condensation
- Simple, fast and economical to use



Code	Color	Dimensions	Thickness	Packaging	Packaging size	Pallet	Cat.	Price €/pc
15623	Grey	1000x610 mm	25 mm	package	8 piece	144 pieces	I1	36,24€



BOND & FINISH

Pre-mixed mineral mortar to be used to lay calcium-silicate panels, both as an adhesive for bonding to the support, and for the finishing and smoothing of fiberglass reinforcing mesh.

- Highly adhesive to the support surface
- Excellent workability
- Hardening with reduced stress
- High water vapour diffusion
- Attainable thickness of 2-5 mm
- Smooth finish

Consumption as adhesive: 3 - 7.5 kg/m²

Consumption as finishing mortar: 1.5 kg/m²/layer



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5361	 White	bag	25 kg	50 bags	I1	1,85€



PANEL LIFE WINDOW

Calcium silicate panel for internal insulation of window relief patterns in the Wall Remedy System.



Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc
15599	500x240 mm	19 mm	10 piece	I1	25,60€



PANEL LIFE CEILING

Calcium silicate panel for insulation of thermal bridges in the ceilings in the Wall Remedy System.



Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc
15598	610x400 mm	28-5 mm	12 piece	I1	15,20€



8030334155987

8.5 FINISHING MORTARS FOR FACADES AND WALLS**R.E.D.**

Pre-mixed fibre-reinforced mortar/plaster for regularisation, levelling and restoration work from 3 to 40 mm. Skim plaster for façade renovation with very high adhesion power and excellent workability, type GP CSII W0, according to EN 998-1, for restoration and levelling work, for thickness from 3 to 40 mm. For manual and machine applications.

- Adhesion to various substrates
- Fibre-reinforced
- Excellent workability
- For manual and mechanical applications

The consumption of R.E.D. is approx. 1.4 kg/m² each mm of thickness.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5519	 Ivory	bag	25 kg	50 bags	I1	0,94€



8030334055195

MULTIFINISH


Fibre-reinforced, thixotropic, cementitious mineral mortar for repairing and finishing various types of surfaces, up to 10 mm thickness.

- Excellent workability
- Excellent thixotropic properties
- Excellent quality of finish
- High breathability
- Low capillary absorption
- White colour
- Application thicknesses up to 10 mm

Consumption: 1,3 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5328	White	bag	4x5 kg	40 cardboards	I1	1,70€
5589	Grey	bag	25 kg	50 bags	I1	1,06€
5279	White	bag	25 kg	50 bags	I1	1,33€



STUCCOSOL

Very fine cement mortar for grouting and smoothing cement elements.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6035	Grey	bag	20kg	50 bags	I1	1,54€



GP 100

Ready-to-use paste putty for indoor use.

Consumption: 0,6 kg/m²/mm



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8063	 White	bucket	5 kg	120 buckets	I1	2,51€
8064	 White	bucket	20kg	44 buckets	I1	1,99€



8030334080630



8030334080647



9. Thermal Insulation

9.1 Adhesives

9.2 Insulation Panels

9.3 Mechanical Mounting

9.4 Accessories and System Components

9.5 Components for Air and Water Tightness

9.6 Installation items



9.1 ADHESIVES

MASTOFIX® HYDRO LIGHT

Hydrophobised skimming adhesive in powder form based on cement, selected mineral aggregates, EPS spheres, additives. For bonding and skimming EPS insulation boards, MW rock wool, and PIR foamed polyiso foam.

- Excellent workability
- Hydrophobised
- Lightweight
- Low elastic modulus

As a coating approx. 5-6 kg/m², as an adhesive approx. 3-4 kg/m². Indicative figure, depending on the flatness of the substrate.



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8375	 White	bag	20kg	50 bags	J1	1,52€



8030334083754

MASTOFIX® LIGHT

Adhesive and levelling compound based on cementitious, selected mineral aggregates, EPS fibres, additives. For bonding and smoothing of EPS, MW, and PIR-coated polyiso foam insulation panels.

- Excellent workability
- Light
- Low modulus of elasticity

As smoothing agent approx. 5 - 6 kg/m², as adhesive approx. 3 - 4 kg/m².



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8325	 White	bag	20kg	50 bags	J1	1,46€



8030334083259

MASTOFIX®

Adhesive and levelling compound based on cementitious, selected mineral aggregates, additives. Grain size approx. 1 mm. For bonding and smoothing in ETICS systems of EPS, MW and PIR insulation panels.

- Excellent workability
- Excellent adhesion
- Excellent flexibility

As an adhesive: 4-5 kg/m². As a levelling mortar: 4-5 kg/m², approximate figure, depending on the flatness of the substrate.




Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
8367	 White	bag	25 kg	50 bags	J1	1,18€

**EKOMIX PLUS**

Powder finishing mortar and adhesive made of cement, selected mineral aggregates, additives. For bonding and smoothing mineral wool insulation panels. Component of the Ekomix Wool system.

- Excellent workability
- Excellent adhesion
- Coarse grain

Consumption: 3 - 5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5456	 White	bag	25 kg	50 bags	J1	1,09€
5429	 Grey	bag	25 kg	50 bags	J1	1,04€




EKOMIX

Powder finishing mortar and adhesive made of cement, selected mineral aggregates, additives. For bonding and rendering polystyrene insulation panels. Component of the Ekomix EPS system.

- **Excellent workability**
- **Excellent adhesion**
- **Coarse grain**

Consumption: 3 - 5 kg/m²



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5428	 White	bag	25 kg	50 bags	J1	0,97€
5427	 Grey	bag	25 kg	50 bags	J1	0,91€



9.2 INSULATION PANELS

EKOMIX PANEL EPS WHITE

White sintered expanded polystyrene panel, cut by block, straight edge for the thermal insulation of vertical walls with coat.

- Constant density
- Excellent cutting accuracy
- Excellent tensile strength




Code	Color	Dimensions	Thickness	Packaging	Packaging size	Pallet	m ² Package	m ² Pallet	Cat.	Price €/m ²	
15222	 White	1000x500 mm	40 mm	package	15 piece	10 packages	7,50 m ²	75 m ²	J2	9,16€	 8030334152221
15223	 White	1000x500 mm	50 mm	package	12 piece	10 packages	6 m ²	60 m ²	J2	11,45€	 8030334152238
15224	 White	1000x500 mm	60 mm	package	10 piece	10 packages	5 m ²	50 m ²	J2	13,75€	 8030334152245
15225	 White	1000x500 mm	80 mm	package	7 piece	10 packages	3,50 m ²	35 m ²	J2	18,32€	 8030334152252
15226	 White	1000x500 mm	100 mm	package	6 piece	10 packages	3 m ²	30 m ²	J2	22,90€	 8030334152269
15227	 White	1000x500 mm	120 mm	package	5 piece	10 packages	2,50 m ²	25 m ²	J2	27,49€	 8030334152276
15228	 White	1000x500 mm	140 mm	package	4 piece	10 packages	2 m ²	20 m ²	J2	32,07€	 8030334152283
15229	 White	1000x500 mm	160 mm	package	3 piece	10 packages	1,50 m ²	15 m ²	J2	36,65€	 8030334152290
15230	 White	1000x500 mm	180 mm	package	3 piece	10 packages	1,50 m ²	15 m ²	J2	41,23€	 8030334152306
15231	 White	1000x500 mm	200 mm	package	3 piece	10 packages	1,50 m ²	15 m ²	J2	45,80€	 8030334152313

EKOMIX PANEL EPS GREY

Sintered expanded polystyrene panel with graphite additive, cut from block, straight edge for the thermal insulation of vertical walls with coat.

- Constant density
- Excellent cutting accuracy
- Infrared reflectors




Code	Color	Dimensions	Thickness	Packaging	Packaging size	Pallet	m ² Package	m ² Pallet	Cat.	Price € / m ²	
15232	 Grey	1000x500 mm	40 mm	package	15 piece	10 packages	7,50 m ²	75 m ²	J2	10,98€	 8030334152320
15233	 Grey	1000x500 mm	50 mm	package	12 piece	10 packages	6 m ²	60 m ²	J2	13,72€	 8030334152337
15234	 Grey	1000x500 mm	60 mm	package	10 piece	10 packages	5 m ²	50 m ²	J2	16,47€	 8030334152344
15235	 Grey	1000x500 mm	80 mm	package	7 piece	10 packages	3,50 m ²	35 m ²	J2	21,96€	 8030334152351
15236	 Grey	1000x500 mm	100 mm	package	6 piece	10 packages	3 m ²	30 m ²	J2	27,45€	 8030334152368
15237	 Grey	1000x500 mm	120 mm	package	5 piece	10 packages	2,50 m ²	25 m ²	J2	32,93€	 8030334152375
15238	 Grey	1000x500 mm	140 mm	package	4 piece	10 packages	2 m ²	20 m ²	J2	38,42€	 8030334152382
15239	 Grey	1000x500 mm	160 mm	package	3 piece	10 packages	1,50 m ²	15 m ²	J2	43,91€	 8030334152399
15241	 Grey	1000x500 mm	180 mm	package	3 piece	10 packages	1,50 m ²	15 m ²	J2	49,40€	 8030334152412
15242	 Grey	1000x500 mm	200 mm	package	3 piece	10 packages	1,50 m ²	15 m ²	J2	54,89€	 8030334152429

EKOMIX PANEL BASE

Sintered polystyrene foam panel with external film transparent to resist water absorption printed on straight edge for the creation of the starting skirting in coat systems.

- High protection against water and moisture
- Infrared reflectors
- Ideal for all applications where high mechanical strength and low water absorption are required (start for 'coats', counter-tops, roofing, sub-flooring etc.)








Code	Color	Dimensions	Thickness	Packaging	Packaging size	Pallet	m ² Package	m ² Pallet	Cat.	Price €/ m ²	
15243	Grey	1000x600 mm	60 mm	package	9 piece	10 packages	5,40 m ²	54 m ²	J2	24,29€	 8030334152436
15244	Grey	1000x600 mm	80 mm	package	7 piece	10 packages	4,20 m ²	42 m ²	J2	32,38€	 8030334152443
15245	Grey	1000x600 mm	100 mm	package	5 piece	10 packages	3 m ²	30 m ²	J2	40,48€	 8030334152450
15246	Grey	1000x600 mm	120 mm	package	4 piece	12 packages	2,40 m ²	28,8 m ²	J2	48,58€	 8030334152467
15247	Grey	1000x600 mm	140 mm	package	4 piece	10 packages	2,40 m ²	24 m ²	J2	56,67€	 8030334152474
15248	Grey	1000x600 mm	160 mm	package	3 piece	12 packages	1,80 m ²	21,6 m ²	J2	64,77€	 8030334152481
15249	Grey	1000x600 mm	180 mm	package	3 piece	10 packages	1,80 m ²	18 m ²	J2	72,86€	 8030334152498
15250	Grey	1000x600 mm	200 mm	package	2 piece	14 packages	1,20 m ²	16,8 m ²	J2	80,96€	 8030334152504

STEINOPOR EPS-F PLUS

Expanded polystyrene panel with graphite/other carbon derivatives additive, cut from block, with straight edge for thermal insulation of vertical external walls.

- Constant density
- Excellent cutting precision
- HFC- and CFC-free rigid polystyrene foam with infrared reflectors
- Detensioned cuts
- Depth of stress relief cuts: 50 mm
- Width of stress relief cuts: ≤ 2 mm






Code	Dimensions	Thickness	Packaging	Packaging size	Pallet	m ² Package	m ² Pallet	Cat.	Price €/m ²	
15537	1000x500 mm	30 mm	package	16 pieces	15 packages	8 m ²	120 m ²	J2	8,23€	 8030334155376
15538	1000x500 mm	40 mm	package	12 piece	15 packages	6 m ²	90 m ²	J2	10,98€	 8030334155383
15539	1000x500 mm	50 mm	package	10 piece	15 packages	5 m ²	75 m ²	J2	13,72€	 8030334155390
15540	1000x500 mm	60 mm	package	8 piece	15 packages	4 m ²	60 m ²	J2	16,47€	 8030334155406
15541	1000x500 mm	80 mm	package	6 piece	15 packages	3 m ²	45 m ²	J2	21,96€	 8030334155413
15542	1000x500 mm	100 mm	package	5 piece	15 packages	2,5 m ²	37,5 m ²	J2	27,45€	 8030334155420
15544	1000x500 mm	140 mm	package	4 piece	12 packages	2 m ²	24 m ²	J2	38,42€	 8030334155444
15546	1000x500 mm	180 mm	package	3 piece	15 packages	1,50 m ²	22,5 m ²	J2	49,40€	 8030334155468
15547	1000x500 mm	200 mm	package	3 piece	12 packages	1,50 m ²	18 m ²	J2	54,89€	 8030334155475

EKOMIX PANEL WOOL - P

Mineral wool insulation panels with double thickness for thermal insulation, soundproofing and fire protection, especially for thermal insulation composite systems. Manufactured in accordance with the required environmental criteria.

- Soundproofing properties
- Dimensional stability
- Fire protection



Code	Dimensions	Thickness	Packaging	Packaging size	Pallet	m ² Package	m ² Pallet	Cat.	Price €/ m ²	
15298	1200x600 mm	200 mm	package	2 piece	6 packages	1,44 m ²	8,64 m ²	J2	76,04€	 8030334152986
15297	1200x600 mm	180 mm	package	2 piece	6 packages	1,44 m ²	8,64 m ²	J2	68,48€	 8030334152979
15296	1200x600 mm	160 mm	package	2 piece	8 packages	1,44 m ²	11,52 m ²	J2	60,90€	 8030334152962
15294	1200x600 mm	140 mm	package	2 piece	8 packages	1,44 m ²	11,52 m ²	J2	53,32€	 8030334152948
15293	1200x600 mm	120 mm	package	2 piece	10 packages	1,44 m ²	14,4 m ²	J2	45,60€	 8030334152931
15292	1200x600 mm	100 mm	package	4 piece	6 packages	2,88 m ²	17,28 m ²	J2	38,02€	 8030334152924
15291	1200x600 mm	80 mm	package	5 piece	6 packages	3,6 m ²	21,6 m ²	J2	30,45€	 8030334152917
15290	1200x600 mm	60 mm	package	5 piece	8 packages	3,6 m ²	28,8 m ²	J2	22,79€	 8030334152900
15289	1200x600 mm	50 mm	package	5 piece	10 packages	3,6 m ²	36 m ²	J2	19,01€	 8030334152894

VARITHERM

Sintered expanded polystyrene panel with graphite additive with excellent mechanical compactness, high thermal insulation and a high density of 140 kg/m³ for use as an insulating underlay, thermal bridge correction, underlay for windows and as a direct, through or press-fit block.

- High compressive strength
- High resistance to water absorption
- High utility
- Low thermal conductivity λ 0,039 W/mK
- Excellent workability: sawable, screwable, gluable
- Low weight



Code	Dimensions	Thickness	Pallet	Cat.	Price €/ pc
15610	1200x800 mm	10 mm	100 pieces	J2	90,00€
15611	1200x800 mm	20 mm	50 pieces	J2	140,00€
15612	1200x800 mm	30 mm	33 pieces	J2	194,00€
15613	1200x800 mm	40 mm	25 pieces	J2	246,00€
15614	1200x800 mm	50 mm	20 pieces	J2	298,00€
15615	1200x800 mm	60 mm	16 pieces	J2	350,00€
15617	1200x800 mm	80 mm	12 pieces	J2	452,00€
15619	1200x800 mm	100 mm	10 pieces	J2	556,00€



9.3 MECHANICAL MOUNTING

ETICS TWISTER

Universal screw anchor for EPS, MW, PIR and PF insulation panels.



Code	Packaging size	Pallet	Cat.	Price €/ pc
15450	100 piece	45 cardboards	J9	1,24€



ETICS TWISTER INSTALLATION TOOL

Adjustable mounting tool depending on the insulating panel thickness from 100 mm to 260 mm.

Rapid installation



Code	Dimensions	Packaging size	Cat.	Price €/ pc
15486	260 mm	1 piece	J9	57,20€

**TERMOZ CS II**

Screw-in anchor for all types of insulation panels.



Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/ pc
15443	8x135 mm	100 mm	100 piece	54 cardboards	J9	0,69€
15444	8x155 mm	120 mm	100 piece	45 cardboards	J9	0,77€
15445	8x175 mm	140 mm	100 piece	45 cardboards	J9	0,84€
15446	8x195 mm	160 mm	100 piece	45 cardboards	J9	0,99€
15447	8x215 mm	180 mm	100 piece	45 cardboards	J9	1,20€
15448	8x235 mm	200 mm	100 piece	45 cardboards	J9	1,38€
15449	8x255 mm	220 mm	100 piece	45 cardboards	J9	1,65€



TERMOZ 6H

Screw-in anchor for installation on wooden structures, wooden panels, OSB, chipboards, MDF or gypsum fibre.



Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/ pc	
15427	80 mm	60 mm	100 piece	60 cardboards	J9	0,68€	 8030334154270
15428	100 mm	80 mm	100 piece	30 cardboards	J9	0,79€	 8030334154287
15429	120 mm	100 mm	100 piece	45 cardboards	J9	0,86€	 8030334154294
15430	140 mm	120 mm	100 piece	54 cardboards	J9	0,90€	 8030334154300
15431	160 mm	140 mm	100 piece	54 cardboards	J9	1,01€	 8030334154317
15432	180 mm	160 mm	100 piece	45 cardboards	J9	1,14€	 8030334154324
15433	200 mm	180 mm	100 piece	54 cardboards	J9	1,34€	 8030334154331
15434	220 mm	200 mm	100 piece	54 cardboards	J9	1,56€	 8030334154348
15435	240 mm	220 mm	100 piece	18 cardboard	J9	1,78€	 8030334154355

WASHER MW60

Hole cover disc made of mineral wool for Termoz CS II and Termow 6H screw-in anchors. Suitable for MW panels.



Code	Thickness	Packaging size	Pallet	Cat.	Price €/ pc	
15493	60 mm	100 piece	75 cardboard	J9	0,52€	 8030334154935

WASHER PS60

Grey EPS cover plate for Termoz CS II and Termoz 6H screw-in anchors.
Suitable for EPS and PIR panels.



Code	Color	Packaging size	Cat.	Price €/ pc
15451	 Grey	100 piece	J9	0,13€

**ETICS SCREW-IN DOWEL INSTALLATION KIT**

Installation kit for fastening Termoz CS II and Termoz 6H screw-in anchors.



Code	Packaging size	Cat.	Price €/ pc
15495	1 piece	J9	224,00€



TERMOZ CN 8

Percussion driven anchor with composite pin for all types of insulation panels.



Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/ pc	
15436	110 mm	60 mm	100 piece	54 cardboards	J9	0,42€	 8030334154362
15437	130 mm	80 mm	100 piece	54 cardboards	J9	0,43€	 8030334154379
15438	150 mm	100 mm	100 piece	54 cardboards	J9	0,47€	 8030334154386
15439	170 mm	120 mm	100 piece	45 cardboards	J9	0,53€	 8030334154393
15440	190 mm	140 mm	100 piece	45 cardboards	J9	0,57€	 8030334154409
15441	210 mm	160 mm	100 piece	45 cardboards	J9	0,64€	 8030334154416
15442	230 mm	180 mm	100 piece	45 cardboards	J9	1,10€	 8030334154423

MASONRY DRILL BIT SDS PLUS II

Drill bit for installing insulation anchors.




Code	Packaging size	Cat.	Price €/ pc	
15494	1 piece	J9	35,50€	 8030334154942

9.4 ACCESSORIES AND SYSTEM COMPONENTS

REVEAL CORNER ANGLE FOR WINDOWS

Preformed three-dimensional reinforcement mesh for reinforcing the inside corners of window and door soffits on ETICS systems.




Code	Packaging size	Pallet	Cat.	Price €/ pc
15622	25 piece	24 cardboards	J9	6,80€



PVC MESH CORNER BEAD

PVC corner protection profile with fibreglass mesh for thermal insulation systems.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/ m
15502	2,5 m	125 m	5000 m	J9	1,38€



CORNER BEAD ROLL


Corner roll profile for variable angle creation with fibreglass mesh for thermal insulation systems.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15506	12,5 x 12,5 cm	25 m	600 m	J9	3,00€

**DRIP EDGE PROFILE**


PVC corner profile with fibreglass mesh for making drip ledges on balconies, ledges, window lintels, horizontal edges.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15504	2,5 m	62,5 m	2500 m	J9	4,90€

**SHEET METAL CONNECTION PROFILE**

Connecting profile for flashings, adjustable, it guarantees a watertight seal and perfect aesthetics thanks to the hidden drip ledge.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15517	2,5 m	62,5 m	2500 m	J9	9,00€



PLASTER STOP PROFILE


End profile with mesh for perfect closure of façade coatings. It can be used on ETICS or reinforced skim coats up to 3 or 6 mm.



Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/m
15515	2,5 m	3 mm	62,5 m	2500 m	J9	3,48€
15514	2,5 m	6 mm	62,5 m	2500 m	J9	3,70€

**MOVEMENT JOINT PROFILE**

Vertical expansion profile with protective tape and flexible band to ensure the aesthetic safety on façades of possible minor stresses on non-structural construction elements.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15516	2,5 m	62,5 m	625 m	J9	14,60€



EXPANSION JOINT PROFILE E-SHAPE

Profile for linear expansion joints in façades in ETICS systems.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15512	2,5 m	62,5 m	1312,5 m	J9	16,34€



8030334155123

EXPANSION JOINT PROFILE V-SHAPE

Profile for making angular expansion joints in façades in ETICS systems.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15513	2,5 m	62,5 m	1312,5 m	J9	16,34€



8030334155130

MOVEMENT JOINT PROFILE HORIZONTAL PROFI PU

Horizontal expansion profile with integrated PE sealing tape to ensure a watertight seal, small movements and compressive stress of the joint located in the transition zone between two structures, e.g. between a solid and a lightweight construction.



Code	Dimensions	Packaging size	Cat.	Price €/pc
15526	2,5 m	1 piece	J9	176,25€



8030334155260

STANDARD WINDOW CONNECTION PROFILE

PVC adhesive profile with fibreglass mesh for connecting windows, doors and similar elements.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15503	2,4 m	72 m	2880 m	J9	4,50€



WINDOW CONNECTION PROFILE 3D-PRO

Heavy-duty rainproof profile for plaster connections to windows, doors and similar construction elements with stress-relieving function in three 3D dimensions, protective lip and expanding seal.






Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15505	2,4 m	60 m	1260 m	J9	7,60€



WINDOW REVEAL ELEMENT LAI-SYS

Window reveal element Lai-Sys made of expanded polystyrene (EPS) for accommodating window and door reveals in thermal insulation systems.



Code	Dimensions	Cat.	Price €/m	
15573	300x1350 mm	J9	53,00€	 8030334155734
15574	300x1600 mm	J9	53,00€	 8030334155741
15575	300x2000 mm	J9	53,00€	 8030334155758
15576	300x2500 mm	J9	53,00€	 8030334155765
15577	400x1350 mm	J9	57,00€	 8030334155772
15578	400x1600 mm	J9	57,00€	 8030334155789
15579	400x2000-mm	J9	57,00€	 8030334155796
15580	400x2500 mm	J9	57,00€	 8030334155802

WINDOW LINTEL ELEMENT LAI-SYS


Window lintel element Lai-Sys made of expanded polystyrene (EPS) for accommodating window and door reveals in thermal insulation systems.



Code	Dimensions	Cat.	Price €/m	
15565	300x1350 mm	J9	52,00€	 8030334155659
15566	300x1600 mm	J9	52,00€	 8030334155666
15567	300x2000 mm	J9	52,00€	 8030334155673
15568	300x2500 mm	J9	52,00€	 8030334155680
15569	400x1350 mm	J9	54,00€	 8030334155697
15570	400x1600 mm	J9	54,00€	 8030334155703
15571	400x2000-mm	J9	54,00€	 8030334155710
15572	400x2500 mm	J9	54,00€	 8030334155727

CONNECTOR PROFILE TYPE U

Connector profile type U for window reveal elements Lai-Sys.



Code	Dimensions	Cat.	Price €/m	
15582	2500 mm	J9	14,00€	 8030334155826

CONNECTOR PROFILE TYPE U-AL

Connector profile type U-AL for window reveal elements Lai-Sys.



Code	Dimensions	Cat.	Price €/ m	
15583	1350 mm	J9	11,00€	 8030334155833
15584	1600 mm	J9	11,00€	 8030334155840
15585	2000 mm	J9	11,00€	 8030334155857
15586	2700 mm	J9	11,00€	 8030334155864

FIXING PINS


For window reveal elements Lai-Sys.



Code	Packaging size	Cat.	Price €/ box	
15581	370 pieces	J9	48,00€	 8030334155819

RUSTICATION MESH


Rusticated mesh for longitudinal reinforcement in the grooves of eTics systems.



Code	Detail	Dimensions	Packaging size	Pallet	Cat.	Price €/m	
15518	Typ 1	30x20x17 mm	20 m	1000 m	J9	2,32€	 8030334155185
15520	Typ 3	35x0x17 mm	20 m	1000 m	J9	2,32€	 8030334155208
15519	Typ 2	35x20x17 mm	20 m	1000 m	J9	2,32€	 8030334155192

RUSTICATION MESH FOR EXTERNAL CORNERS


Three-dimensional reinforcement mesh for external corners in the grooves of eTics systems.



Code	Detail	Packaging size	Pallet	Cat.	Price €/pc	
15521	Typ 1	10 m	500 m	J9	5,40€	 8030334155215
15522	Typ 2	10 m	240 m	J9	5,40€	 8030334155222
15523	Typ 3	10 m	500 m	J9	5,40€	 8030334155239

ALUMINIUM BASE STARTER PROFILE


Aluminium starter profile to hold the insulation panel at the base of the system.



Code	Dimensions	Thickness	Packaging size	Cat.	Price €/m	
15305	35x55 mm x 2,5 m	50 mm	20 piece	J9	3,57€	 8030334153051
15306	35x65 mm x 2,5 m	60 mm	20 piece	J9	4,79€	 8030334153068
15307	35x85 mm x 2,5 m	80 mm	20 piece	J9	6,88€	 8030334153075
15308	35x105 mm x 2,5 m	100 mm	20 piece	J9	7,98€	 8030334153082
15309	35x125 mm x 2,5 m	120 mm	20 piece	J9	8,86€	 8030334153099
15310	35x145 mm x 2,5 m	140 mm	10 piece	J9	8,28€	 8030334153105
15311	35x165 mm x 2,5 m	160 mm	10 piece	J9	10,36€	 8030334153112
15312	35x185 mm x 2,5 m	180 mm	10 piece	J9	11,28€	 8030334153129
15313	35x205 mm x 2,5 m	200 mm	10 piece	J9	12,96€	 8030334153136

CLIP ON PROFILE

Connection profile for aluminium starter profile, with hidden drip ledge.




Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m	
15509	2,5 m	62,5 m	2500 m	J9	5,24€	 8030334155093

PVC BASIC BASEBOARD PROFILE


PVC starter profile, L-shaped, for thermal insulation system with thickness up to 240 mm in combination with the insertion profile.



Code	Detail	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/m
15510	L 55	2,5 m	120 mm	62,5 m	2500 m	J9	4,98€
15507	L 100	2,5 m	180 mm	37,5 m	1500 m	J9	7,84€
15511	L 160	2,5 m	240 mm	25 m	1000 m	J9	11,68€

**PVC BASEBOARD PROFILE**

PVC insertion profile in combination with starter profiles L55, L100, L160, hermetically seals and completes the starting point of ETICS systems, with hidden drip ledge.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/m
15508	2,5 m	62,5 m	1312,5 m	J9	6,94€



RETE SSA

160 g alkali-resistant reinforcement mesh for ETICS systems, reinforced skim coats and for Wall Remedy System.

- In compliance with EAD 040083-00-0404
- Mesh 4x5 mm
- Alkali-resistant




Code	Packaging	Packaging size	Pallet	Cat.	Price €/ m ²
15594	roll	1x50 m	33 rolls	J9	1,96€

**9.5 COMPONENTS FOR AIR AND WATER TIGHTNESS****SELF-EXPANDING JOINT SEALING TAPE EXP**

Joint tape BG1 (600 Pa) is self-expanding pre-compressed sealing tape made of polyurethane foam impregnated with acrylic dispersion, for joints in building and construction, windows, metal constructions, timber houses, etc. It guarantee perfect thermal insulation between the window and the wall. If compressed between the two elements, they can be directly exposed to weather. They provide insulation against wind, draughts, noise, dust and rain.



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/ m
15535	30/5-12	roll	8x8 m	J9	3,47€
15534	20/5-12	roll	12x8 m	J9	2,27€
15533	20/1-4	roll	12x13 m	J9	1,20€
15532	15/1-4	roll	16x13 m	J9	0,95€
15605	15/5-12	roll	16x8 m	J9	1,70€



SELF-EXPANDING JOINT SEALING TAPE EXP MULTI

Multi-functional BG1/BGR pre-compressed, single-sided tape made of soft, fine-pored, permanently elastic polyurethane foam. For standard-compliant waterproofing of defined structural connection joints (windows and doors) and for sealing assembly joints between window and building shell.



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/m	
15282	58/10-20	roll	5x6 m	J9	10,76€	 8030334152825
15608	30/6-15	roll	15x10 m	J9	6,50€	 8030334156083
15609	58/6-15	roll	7x15 m	J9	9,70€	 8030334156090

BUTYL TAPE GREY

Adhesive butyl sealing tape for airtight joints on the 4th side of the window.

- Compression adhesiveness
- Self-amalgamating
- Waterproof and self-sealing
- Excellent heat stability
- No oil transmigration



Code	Color	Dimensions	Packaging	Packaging size	Cat.	Price €/pc	
15590	 Grey	30x2 mm	cartboard	12x20 m	C9	56,84€	 8030334155901

PE TAPE

Single-sided adhesive, closed-cell PE sealing tape for the use on the underside of windows and doors. Maintains impermeability to water even in the presence of backwater.



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/ pc
15375	30x3 mm	roll	10x20 m	J9	12,90€



8030334153754

PCV TAPE

Compression deformable PVC 4th side sealing tape to seal and adapt to frame cavities.

- Adhesive
- Excellent water resistance
- Deformable to compression
- Adapts to frame geometries, creating an airtight barrier



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/ pc
15530	50x6 mm	roll	15 m	J9	70,47€



8030334155307

BUTYL TAPE WITH ALUFOIL

Butyl tape with aluminium foil for hermetic seals.

- Tear resistant
- Can be applied in cold conditions
- Excellent adhesion at low temperatures
- Waterproof and self-sealing
- High heat stability
- Anti-ageing and UV-resistant
- No oil transmigration




Code	Dimensions	Packaging	Packaging size	Cat.	Price €/ pc	
15591	40x0,6 mm	cartboard	12x10 m	C9	25,00€	 8030334155918
15592	100x0,6 mm	cartboard	8x10 m	C9	50,75€	 8030334155925
15593	150x1 mm	cartboard	4x10 m	C9	61,92€	 8030334155932

EPDM MEMBRANE WITH BUTYL

EPDM membrane and perimeter seal for curtain walling/ventilated facades and window frames.

- Tear resistant
- Fast and easy installation
- Suitable for long-term contact with water or moisture
- UV-resistant
- High temperature resistance [-45 °C / +130 °C]
- High mechanical resistance



Code	Dimensions	Packaging	Packaging size	Cat.	Price €/ pc	
15587	150x0,5 mm	cartboard	2x20 m	C9	152,25€	 8030334155871
15588	250x0,5 mm	cartboard	20 m	C9	178,64€	 8030334155888
15589	300x0,5 mm	cartboard	20 m	C9	190,00€	 8030334155895

GUAINA EPDM

EPDM membrane for perimeter sealing of buildings or waterproofing of roofs and joints.

- Elastomeric membrane with good combination of high elasticity and tensile strength
- Excellent UV and ozone resistance
- Retains its elasticity and flexibility even at temperatures below -45 °C
- Resistant to thermal shock up to +130 °C
- Excellent resistance to acid rain



Code	Dimensions	Thickness	Packaging	Cat.	Price €/pc
15621	20x1,5 m	0,5 mm	roll	C9	520,00€



INSULATION MEMBRANE ISO INSIDE



Code	Detail	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15262	Inside	100 mm	roll	25 m	J9	2,02€
15606	Inside	50 mm	roll	25 m	J9	1,60€



INSULATION MEMBRANE ISO OUTSIDE

Insulating membrane for timber, PVC and aluminium windows and doors, made up of high-performance polymeric tape in water vapour-proof fabric (from the inside to the outside), which can be plastered and painted. The UV-resistant surface is coated with a high-quality acrylic adhesive. Applied on the inside of the primary joint between the wall and the sub-frame or window, it follows the movements of the connected parts thanks to its high elongation capacity.



Code	Detail	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15264	Outside	70 mm	roll	25 m	J9	2,02€
15265	Outside	100 mm	roll	25 m	J9	2,28€



MEMBRANE DUO

Variable SD sealing membrane suitable for the construction of both internal and external sealing nodes. The fully self-adhesive side makes installation extremely quick and easy.

- Plasterable product
- Fast and easy installation




Code	Dimensions	Packaging	Packaging size	Cat.	Price €/m
15607	100 mm	roll	4x25 m	J9	2,85€



9.6 INSTALLATION ITEMS

VARIR 120X160

Expansion moulded mounting block in EPS, with a high specific weight of 140 kg/m³ for thermal bridge suppression when securing light loads.



Code	Dimensions	Packaging size	Pallet	Cat.	Price €/ pc
15379	120x160x1000 mm	1 piece	75 pieces	J9	128,00€



8030334153792

VARIZ 90

Expansion moulded mounting cylinder in EPS, with a high specific weight of 140 kg/m³ for thermal bridge suppression when securing light loads.



Code	Dimensions	Thickness	Packaging size	Pallet	Cat.	Price €/ pc
15380	1000 mm	Ø 90 mm	4 piece	90 pieces	J9	90,00€



8030334153808

MILLING TOOL ROD

Element to be combined with the Ø 90 mm disc for fitting the VARIZ 90 mounting cylinder.



Code	Packaging size	Cat.	Price €/ pc
15500	1 piece	J9	39,60€



8030334155000

MILLING TOOL PLATE

Disc to match the depth milling bits for fitting VARIZ 90 mounting cylinder.




Code	Thickness	Cat.	Price €/ pc
15501	Ø 90 mm	J9	34,80€





8030334155017

ELECTRIC BOX E-LINE

Insulated electrical box for securing electrical components in external thermal insulation systems, avoiding the formation of thermal bridges on the insulation.



Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15354	150x150 mm	80 mm	1 piece	J9	35,04€	 8030334153549
15355	150x150 mm	100 mm	1 piece	J9	35,76€	 8030334153556
15356	150x150 mm	120 mm	1 piece	J9	36,12€	 8030334153563
15357	150x150 mm	140 mm	1 piece	J9	37,02€	 8030334153570
15358	150x150 mm	160 mm	1 piece	J9	38,46€	 8030334153587
15359	150x150 mm	180 mm	1 piece	J9	38,82€	 8030334153594
15360	150x150 mm	200 mm	1 piece	J9	40,44€	 8030334153600

TRA WIK PU

Mounting bracket made of rigid, rot-proof polyurethane foam, with three foam washers. The 20 mm grid on both sides marks the precise cut of the saw, allowing the desired thickness to be used, from 60 to 200 mm. Recommended for hinges and parapets. (incl. 3 screw anchors SXRL).



Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15498	280x125 mm	140 mm	1 piece	J9	72,40€	 8030334154980
15499	280x125 mm	200 mm	1 piece	J9	79,60€	 8030334154997

K1-PE

Hinge mounting element.



Code	Dimensions	Thickness	Cat.	Price €/ pc	
15382	240x125 mm	60 mm	J9	48,00€	 8030334153822
15383	240x125 mm	80 mm	J9	50,00€	 8030334153839
15384	240x125 mm	100 mm	J9	52,00€	 8030334153846
15385	240x125 mm	120 mm	J9	54,00€	 8030334153853
15386	240x125 mm	140 mm	J9	56,00€	 8030334153860
15387	240x125 mm	160 mm	J9	58,00€	 8030334153877
15388	240x125 mm	180 mm	J9	60,00€	 8030334153884
15389	240x125 mm	200 mm	J9	62,00€	 8030334153891

UMP ALU TR

Rectangular plate for securing heavy loads in thermal insulation systems and preventing the formation of thermal bridges.



Code	Dimensions	Thickness	Packaging size	Cat.	Price €/ pc	
15339	238x138 mm	80 mm	1 piece	J9	156,02€	 8030334153396
15340	238x138 mm	100 mm	1 piece	J9	162,50€	 8030334153402
15341	238x138 mm	120 mm	1 piece	J9	170,52€	 8030334153419
15342	238x138 mm	140 mm	1 piece	J9	176,74€	 8030334153426
15343	238x138 mm	160 mm	1 piece	J9	183,76€	 8030334153433
15344	238x138 mm	180 mm	1 piece	J9	190,70€	 8030334153440
15345	238x138 mm	200 mm	1 piece	J9	196,74€	 8030334153457



10. Paints and coatings

10.1 Primers for Coatings and Paints

10.2 Coatings

10.3 Exterior Paints

10.4 Interior Paints



10.1 PRIMERS FOR COATINGS AND PAINTS

CONSOLIDA

Highly penetrating water-based levelling and consolidating fixative.

- Consolidating agent
- Uniforming agent
- High penetration capacity

Consumption: 7 - 10 m²/l



Code	Color	Packaging size	Pallet	Cat.	Price €/l
8193	 Transparent	20 l	33 canisters	K1	11,65€



PRIMER VIP

Universal pigmented primer with high filling and masking power, suitable for application of paste coatings on plasters, reinforced skim coats and eTics systems.

- High filling and masking power
- Suitable for eTics systems

Consumption: 10 l/m²



Code	Color	Packaging size	Pallet	Cat.	Price €/l
8194	 White	14 l	33 buckets	K1	9,77€
8195	 Coloured	14 l	33 buckets	K1	11,33€



10.2 COATINGS

MINERAL SKIN

White, hydrophobised, mineral coating for interior walls as well as for facades on priming plaster and insulation panels.

- **Highly permeable to water vapour**
- **Weather-resistant**
- **Water-repellent**

Grain size from 1.0 mm: approx. 2.00 kg/m²
Grain size from 1.5 mm: approx. 2.30 kg/m²



Code	Color	Detail	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
5583	 White	1.5 mm	bag	25 kg	50 bags	K1	1,12€
5582	 White	1.0 mm	bag	25 kg	50 bags	K1	1,12€



SKIN ACRYL

Acrylic protective coating with compacted skim effect.

- Water-repellent
- Elastic, flexible
- Algae and fungus protection

Consumption 1,0 mm: 1,8 - 2 l/m²Consumption 1,2 mm: 2 - 2,4 l/m²Consumption 1,5 mm: 2,2 - 3 l/m²

Code	Color	Detail	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/ kg		
8196		White	1.0 mm	bucket	25 kg	33 buckets	-	K1	3,12€	 8030334081965
8297		Coloured	1.0 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334082979
8293		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC I	K1	3,45€	 8030334082931
8294		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC II	K1	3,60€	 8030334082948
8295		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC III	K1	3,95€	 8030334082955
8296		Coloured	1.0 mm	bucket	25 kg	33 buckets	PC 	K1	4,56€	 8030334082962
8200		White	1.2 mm	bucket	25 kg	33 buckets	-	K1	3,12€	 8030334082009
8302		Coloured	1.2 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083020
8298		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC I	K1	3,45€	 8030334082986
8299		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC II	K1	3,60€	 8030334082993
8300		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC III	K1	3,95€	 8030334083006
8301		Coloured	1.2 mm	bucket	25 kg	33 buckets	PC 	K1	4,56€	 8030334083013
8204		White	1.5 mm	bucket	25 kg	33 buckets	-	K1	3,12€	 8030334082047
8307		Coloured	1.5 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083075
8303		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC I	K1	3,45€	 8030334083037
8304		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC II	K1	3,60€	 8030334083044
8305		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC III	K1	3,95€	 8030334083051
8306		Coloured	1.5 mm	bucket	25 kg	33 buckets	PC 	K1	4,56€	 8030334083068

SKIN SILOXAN

1.0 / 1.2 / 1.5 mm siloxane-fibre-reinforced coating with a skimmed appearance.


- Water-repellent
- Exceptional breathability
- Self-cleaning

Consumption 1,0 mm: 1,8 - 2 l/m²

Consumption 1,2 mm: 2 - 2,4 l/m²

Consumption 1,5 mm: 2,2 - 3 l/m²



Code	Color	Detail	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/ kg	
8247	 White	1.0 mm	bucket	25 kg	33 buckets	-	K1	5,67€	 8030334082474
8312	 Coloured	1.0 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083129
8308	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC I	K1	5,91€	 8030334083082
8309	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC II	K1	6,13€	 8030334083099
8310	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC III	K1	6,59€	 8030334083105
8311	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC 	K1	7,28€	 8030334083112
8250	 White	1.2 mm	bucket	25 kg	33 buckets	-	K1	5,67€	 8030334082504
8317	 Coloured	1.2 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083174
8313	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC I	K1	5,91€	 8030334083136
8314	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC II	K1	6,13€	 8030334083143
8315	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC III	K1	6,59€	 8030334083150
8316	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC 	K1	7,28€	 8030334083167
8254	 White	1.5 mm	bucket	25 kg	33 buckets	-	K1	5,67€	 8030334082542
8322	 Coloured	1.5 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334083228
8318	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC I	K1	5,91€	 8030334083181
8319	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC II	K1	6,13€	 8030334083198
8320	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC III	K1	6,59€	 8030334083204
8321	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC 	K1	7,28€	 8030334083211

SKIN ACRIOLOXAN

Fibre-reinforced acryl-siloxane coating with compacted skim coat effect.

- Water-repellent
- Excellent breathability
- Anti-algae and anti-fungal protection

Consumption 1,0 mm: 1,8 - 2 l/m²

Consumption 1,2 mm: 2 - 2,4 l/m²

Consumption 1,5 mm: 2,2 - 3 l/m²



Code	Color	Detail	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/ kg	
8208	 White	1.0 mm	bucket	25 kg	33 buckets	-	K1	3,64€	 8030334082085
8282	 Coloured	1.0 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334082825
8278	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC I	K1	3,93€	 8030334082788
8279	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC II	K1	4,16€	 8030334082795
8280	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC III	K1	4,60€	 8030334082801
8281	 Coloured	1.0 mm	bucket	25 kg	33 buckets	PC 	K1	4,84€	 8030334082818
8212	 White	1.2 mm	bucket	25 kg	33 buckets	-	K1	3,64€	 8030334082122
8287	 Coloured	1.2 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334082870
8283	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC I	K1	3,93€	 8030334082832
8284	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC II	K1	4,16€	 8030334082849
8285	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC III	K1	4,60€	 8030334082856
8286	 Coloured	1.2 mm	bucket	25 kg	33 buckets	PC 	K1	4,84€	 8030334082863
8216	 White	1.5 mm	bucket	25 kg	33 buckets	-	K1	3,64€	 8030334082160
8292	 Coloured	1.5 mm	bucket	2,5 kg	96 buckets	Sample	K1	9,00€	 8030334082924
8288	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC I	K1	3,93€	 8030334082887
8289	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC II	K1	4,16€	 8030334082894
8290	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC III	K1	4,60€	 8030334082900
8291	 Coloured	1.5 mm	bucket	25 kg	33 buckets	PC 	K1	4,84€	 8030334082917

10.3 EXTERIOR PAINTS

FINISH SILOXAN

Smooth siloxane paint with lotus effect.

- Water repellent
- Exceptional breathability
- Self-cleaning

Consumption per coat: 7-9 m²/l



Code	Color	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/l	
8240	 White	bucket	14 l	33 buckets	-	K2	23,36€	 8030334082405
8272	 Coloured	bucket	1 l	216 buckets	Sample	K2	26,00€	 8030334082726
8268	 Coloured	bucket	14 l	33 buckets	PC I	K2	24,68€	 8030334082689
8269	 Coloured	bucket	14 l	33 buckets	PC II	K2	25,77€	 8030334082696
8270	 Coloured	bucket	14 l	33 buckets	PC III	K2	26,86€	 8030334082702
8271	 Coloured	bucket	14 l	33 buckets	PC 	K2	27,96€	 8030334082719

FINISH ACRYL

Quartz-based acrylic paint for exterior wall surfaces with high filling power. Water-repellent, contains special anti-algae and anti-mould protective film.

- Water-repellent
- Weathering resistant
- Anti-algae and anti-fungal protection

Consumption per coat: 5-6 m²/l



Code	Color	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/l	
8226	 White	bucket	14 l	33 buckets	-	K2	9,82€	 8030334082269
8267	 Coloured	bucket	1 l	216 buckets	Sample	K2	26,00€	 8030334082672
8263	 Coloured	bucket	14 l	33 buckets	PC I	K2	10,48€	 8030334082634
8265	 Coloured	bucket	14 l	33 buckets	PC III	K2	11,36€	 8030334082658
8266	 Coloured	bucket	14 l	33 buckets	PC 	K2	14,63€	 8030334082665
8264	 Coloured	bucket	14 l	33 buckets	PC II	K2	10,92€	 8030334082641

FINISH ACRILOXAN

Highly filling quartz-based acryloyloxane paint.

- Water repellent
- Excellent breathability
- Protection against algae and fungal attack

Consumption per coat: 10-12 m²/l



Code	Color	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/l	
8220	 White	bucket	14 l	33 buckets	-	K2	14,87€	
8262	 Coloured	bucket	1 l	33 buckets	Sample	K2	26,00€	
8258	 Coloured	bucket	14 l	33 buckets	PC I	K2	15,72€	
8259	 Coloured	bucket	14 l	33 buckets	PC II	K2	16,16€	
8260	 Coloured	bucket	14 l	33 buckets	PC III	K2	16,60€	
8261	 Coloured	bucket	14 l	33 buckets	PC 	K2	18,13€	

10.4 INTERIOR PAINTS**FINISH CALCE**

Finish Calce is a lime-based paint with outstanding water vapour permeability, resistance to mould and bacteria, adhesion to the substrate and stability over time.

- Applicable indoors and outdoors
- High water vapour permeability
- Resistant to mould and bacteria
- Excellent adhesion to substrate and stability over time

The yield per coat is 3 - 4 m²/l



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/l	
8398	 White	bucket	14 l	33 buckets	K2	6,38€	

FINISH SILIKAT

Interior wall paint based on potassium silicate, inorganic pigments, selected aggregates, micronised calcium carbonate and stabilising additives.

- Excellent breathability
- Good coverage and expansion
- Good yield
- For interior use
- Product complies with DIN 18363

La resa teorica per mano è di circa 12 m²/l



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/l
8397	 White	bucket	14 l	33 buckets	K2	9,89€



8030334083976

BREATHE

Vinyl resin-based paint for interior wall surfaces, highly breathable ideal for areas exposed to condensation such as bathrooms and kitchens.

- High breathability
- High yield
- High coverage
- Easy to apply

Consumo per mano: 16 – 18 m²/l



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/l
8350	 White	bucket	14 l	33 buckets	K2	5,40€



8030334083501

CLEAN

Vinyl resin-based paint for interior wall surfaces, highly breathable and anti-mould function, ideal for renovating mould-prone rooms such as laundries, bathrooms and kitchens.

- High breathability
- Good yield
- High coverage
- Long-term anti-mould function

Consumo per mano: 12 – 14 m²/l



Code	Color	Packaging	Packaging size	Pallet	Cat.	Price €/l
8351	White	bucket	14 l	33 buckets	K2	8,40€

**WASH**


Matt low-emission vinyl resin paint for interior wall surfaces, washable, very high coverage and filling, ideal for masking imperfections in the substrate.

- High whiteness
- Washability class 2 according to EN 13300
- High coverage
- Class A+ (low volatile substance emissions)
- Direct use on plasterboard

Consumo per mano: 13 – 15 m²/l



Code	Color	Packaging	Packaging size	Pallet	Price Class	Cat.	Price €/l
8353	White	bucket	5 l	60 buckets	-	K2	12,50€
8362	Coloured	bucket	5 l	60 buckets	PC I	K2	13,38€
8363	Coloured	bucket	5 l	60 buckets	PC II	K2	13,88€
8364	Coloured	bucket	5 l	60 buckets	PC III	K2	14,50€
8365	Coloured	bucket	5 l	60 buckets	PC ◆	K2	16,50€
8352	White	bucket	14 l	33 buckets	-	K2	10,20€
8358	Coloured	bucket	14 l	33 buckets	PC I	K2	10,90€
8359	Coloured	bucket	14 l	33 buckets	PC II	K2	11,32€
8360	Coloured	bucket	14 l	33 buckets	PC III	K2	11,84€
8361	Coloured	bucket	14 l	33 buckets	PC ◆	K2	13,46€





11. Additives



11. ADDITIVES

NEOPLAST GRIP

Additive based on special latex, modifying agent for hydraulic cements and limes with gripping adhesive function.



Code	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6503	canister	5 kg	32 canisters	L1	8,55€



NEOPLAST LATEX

Additive based on special resins, modifying agent for cements and hydraulic limes with gripping adhesive function.



Code	Packaging	Packaging size	Pallet	Cat.	Price €/ kg
6097	bottle	20x0,8 kg	24 cardboards	L1	13,73€
6098	canister	6kg	128 canisters	L1	11,26€
6099	canister	10kg	60 canisters	L1	10,89€
6100	canister	25 kg	28 canisters	L1	10,76€





12. Tools



12. TOOLS

PNEUMATIC GUN CSGII 370

Pneumatic gun for extruding sealants and adhesives in standard plastic and aluminium cartridges or aluminium bags.



Code	Packaging size	Cat.	Price €/ pc
15626	1 piece	M1	265,00€



8030334156267

METAL PLIERS FOR LEVELING SYSTEM



Code	Packaging size	Cat.	Price €/ pc
15631	1 piece	E9	42,80€



8030334156311

MULTIPURPOSE GUN



Code	Packaging size	Cat.	Price € / pc
15008	1 piece	M1	83,25€



MANUAL CARTRIDGE GUN



Code	Packaging size	Cat.	Price € / pc
15287	1 piece	M1	34,97€



POLYURETHANE FOAM GUN T2000



Code	Packaging	Packaging size	Cat.	Price € / pc
15011	cartboard	1 piece	M1	53,52€



POLYURETHANE FOAM GUN T500



Code	Packaging size	Cat.	Price €/ pc
15288	1 piece	M1	30,38€



8030334152887

MANUAL GUN SITOL® META 45



Code	Packaging size	Cat.	Price €/ pc
15625	1 piece	M1	258,64€



8030334156250

GUN XTREME 400 PRO



Code	Packaging size	Cat.	Price €/ pc
15258	1 piece	M1	68,64€



8030334152580

GUN XTREME 300 PRO

Code	Packaging size	Cat.	Price €/ pc
15257	1 piece	M1	56,14€

**PVC CHOPPING BOARD WITH RUBBER HANDLE 280X130**

PVC trowel with rubber handle, for applying acrylic, siloxane coatings for thermal insulation systems. Dimensions 280 x 130 x 2,5 mm.



Code	Dimensions	Packaging size	Cat.	Price €/ pc
15371	280x130 mm	1 piece	M1	17,45€

**NOTCHED TROWEL WITH WOODEN HANDLE T12 480X130**

Steel trowel with semicircular toothing 12 x 20 mm, with wooden handle, for applying coatings and adhesives for thermal insulation systems. Dimensions 480 x 130 x 0.6 mm.



Code	Detail	Dimensions	Packaging size	Cat.	Price €/ pc
15372	T12	480x130	1 piece	M1	31,03€



NOTCHED TROWEL WITH WOODEN HANDLE T16 480X130

Steel trowel with semi-circular toothing 16 x 20 mm, with wooden handle, for applying coatings and adhesives for thermal insulation systems. Dimensions 480 x 130 x 0.6 mm.



Code	Detail	Dimensions	Packaging size	Cat.	Price €/ pc
15373	T16	480x130	1 piece	M1	32,07€

**TROWEL FOR RUSTICATION MESH **

Special tool for the application of the rustication mesh, consisting of 4 pieces, a stainless steel trowel and three interchangeable plastic profiles Typ 1, Typ 2 and Typ 3.



Code	Packaging size	Cat.	Price €/ pc
15524	1 piece	J9	138,00€

**JOINT SMOOTHER SET ANGLE**

Kit of spatulas for the surface smoothing (45°) of connection and expansion joints made of silicone, acrylic, hybrid or polyurethane sealants.



Code	Detail	Packaging size	Cat.	Price €/ pc
15425	5-6, 8-10, R3-90°	3 piece	M1	17,56€



JOINT SMOOTHER SET ROUNDED

Spatulas with 2 roundings each, for professional smoothing of silicone, hybrid, polyurethane and acrylic sealants.



Code	Detail	Packaging size	Cat.	Price €/ pc
15424	4-6, 5-7, 8-10	3 piece	M1	17,56€



8030334154249

INOX SPATULA SERRATED B1 WITH WOODEN HANDLE 200X120



Code	Detail	Dimensions	Packaging size	Cat.	Price €/ pc
15368	B1	200x120	1 piece	M1	4,17€



8030334153686

INOX SPATULA SERRATED B2 WITH WOODEN HANDLE 200X120



Code	Detail	Dimensions	Packaging size	Cat.	Price €/ pc
15367	B2	200x120	1 piece	M1	4,17€



8030334153679